HOBBS OCD

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410 ,

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

FEB 2 & 2013 State of New Mexico Minerals and Natural Resources Department

RECEIVED Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or C		
(that only use above ground steel tanks or haul-off hips and propose to implement waste removal for closure)		
Type of action:		
Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.		
Please be advised that approval of this request does not relieve the operator of liability shou environment. Nor does approval relieve the operator of its responsibility to comply with an		
Company NEW Commany	(ACD ID. 4)	
Operator: ConocoPhillips Company		
Address: P.O. Box 51810 Midland, TX 79710		
Facility or well name: SEMU #62 API Number: 30-025-07835 OCD Permit	0.000	
U/L or Qtr/QtrK Section 20 Township 20-S 1	Range38-E County:Lea	
Center of Proposed Design: Latitude32,5564832 Longitude103,1727307 NAD:1927 1983		
Surface Owner: ⊠ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment		
2.		
☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC		
Operation: Drilling a new well Workover or Drilling (Applies to activities wh	nich require prior approval of a permit or notice of intent) 🛛 P&A	
Above Ground Steel Tanks or Haul-off Bins	700 Maria 100 Ma	
Signs: Subsection C of 19.15.17.11 NMAC		
	al valour a construir	
2 12"x 24". 2" lettering, providing Operator's name, site location, and emergency to	elephone numbers	
Signed in compliance with 19.15.3.103 NMAC		
4. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Plea		
attached. ☑ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
 ☑ Operating and Maintenance Plan - based upon the appropriate requirements of 		
	`19.15.17.12 NMAC	
☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirement	19,15.17.12 NMAC ats of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirement Previously Approved Design (attach copy of design) API Number:	nts of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirement	nts of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirement ☐ Previously Approved Design (attach copy of design) API Number: ☐ Previously Approved Operating and Maintenance Plan API Number: 5.	nts of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
 ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirement ☐ Previously Approved Design (attach copy of design) ☐ Previously Approved Operating and Maintenance Plan ☐ API Number: 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground States 	ats of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)	
 ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirement ☐ Previously Approved Design (attach copy of design) API Number: ☐ Previously Approved Operating and Maintenance Plan API Number: 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statistructions: Please indentify the facility or facilities for the disposal of liquids, drafacilities are required. 	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two	
□ Closure Plan (Please complete Box 5) - based upon the appropriate requirement □ Previously Approved Design (attach copy of design)	ats of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)	
	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two Disposal Facility Permit Number:NM-01-0019	
□ Closure Plan (Please complete Box 5) - based upon the appropriate requirement □ Previously Approved Design (attach copy of design)	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two Disposal Facility Permit Number:NM-01-0019	
□ Closure Plan (Please complete Box 5) - based upon the appropriate requirement □ Previously Approved Design (attach copy of design)	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two Disposal Facility Permit Number:NM-01-0019 Disposal Facility Permit Number:NM-01-0006 ur on or in areas that will not be used for future service and operations?	
□ Closure Plan (Please complete Box 5) - based upon the appropriate requirement □ Previously Approved Design (attach copy of design)	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two Disposal Facility Permit Number:NM-01-0019 Disposal Facility Permit Number:NM-01-0006 ur on or in areas that will not be used for future service and operations?	
□ Closure Plan (Please complete Box 5) - based upon the appropriate requirement □ Previously Approved Design (attach copy of design)	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two Disposal Facility Permit Number:NM-01-0019 Disposal Facility Permit Number:NM-01-0006 ur on or in areas that will not be used for future service and operations? Executive equirements of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC	
Closure Plan (Please complete Box 5) - based upon the appropriate requirement Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St. Instructions: Please indentify the facility or facilities for the disposal of liquids, dr. facilities are required. Disposal Facility Name: Gandy-Marley Inc Disposal Facility Name: CRI I Will any of the proposed closed-loop system operations and associated activities occur Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I Site Reclamation Plan - based upon the appropriate requirements of Subsection I Site Reclamation Plan - based upon the appropriate requirements of Subsection I	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two Disposal Facility Permit Number:NM-01-0019 Disposal Facility Permit Number:NM-01-0006 ur on or in areas that will not be used for future service and operations? Executive equirements of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC	
Closure Plan (Please complete Box 5) - based upon the appropriate requirement Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number:	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two Disposal Facility Permit Number:NM-01-0019 Disposal Facility Permit Number:NM-01-0006 ur on or in areas that will not be used for future service and operations? recquirements of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC of G of 19.15.17.13 NMAC	
Closure Plan (Please complete Box 5) - based upon the appropriate requirement Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St. Instructions: Please indentify the facility or facilities for the disposal of liquids, dr. facilities are required. Disposal Facility Name: Gandy-Marley Inc Disposal Facility Name: CRI I Will any of the proposed closed-loop system operations and associated activities occur Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I Site Reclamation Plan - based upon the appropriate requirements of Subsection I Site Reclamation Plan - based upon the appropriate requirements of Subsection I	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two Disposal Facility Permit Number:NM-01-0019 Disposal Facility Permit Number:NM-01-0006 ur on or in areas that will not be used for future service and operations? cequirements of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC of G of 19.15.17.13 NMAC	

greg.bryant@basicenergyservices.com

Signature:

e-mail address:

Telephone:

MAR 0 5 2013

__1/16/13_

(432) 563-3355

OCD Approval: Permit Application (including closure plan) Closure Plan (only)		
OCD Representative Signature: Approval Date 3 - 5 - 2013		
Title: Dist. WEIZ	Approval Date 3 - 5 - 2013 OCD Permit Number: P1-05831	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than		
two facilities were utilized.	ang jaaws and arat cannegs were aisposed. Ose attachment if more man	
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \(\subseteq \text{No} \)		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
Operator Closure Certification: Thereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

I. Design Plan

Above ground steel tanks will be used for the management of all plugging fluids.

II. Operations and Maintenance Plan

Basic Energy will operate and maintain all of the above ground steel tanks involved in plugging operations in a prudent manner to prevent any spills. If a leak develops, the appropriate division district office will be notified within 48 hours of the discovery and the leak will be addressed. During an upset condition the source of the spill is isolated and addressed as soon as it is discovered. Free liquids will be removed and loose topsoil will be used to stabilize the spill. The contaminated soil will be either bioremediated or excavated and taken to an agency approved disposal facility.

III. Closure Plan

All plugging fluids will go to above ground steel tanks and will be hauled by various trucking companies to an agency approved disposal facility.

Impacted areas which will not be used for future service or operations will be reclaimed and reseeded as stated in the APD.

ConocoPhillips Company
SEMU #62
Unit K, Section 20, T205, R38E
Lea County, New Mexico
API# 30-025-07835

Equipment & Design:

Basic Energy Services will used a closed loop system in the plug and abandonment of this well. The following equipment will be on location:

(1) 250 bbl steel reverse tank

Operations & Maintenance:

During each day of operation, the rig's crew will inspect and closely monitor the fluids contained within the steel tank and visually monitor the release that may occur. Should a release, spill or leak occur, the NMOCD District 1 office in Hobbs (575-393-6161) will be notified, as required in NMOCD's rule 19.15.29.8.

Closure:

After plugging operations, fluids and solids will be hauled and disposed at Gandy-Marley Disposal's location, permit number NM 01-0019. Secondary site will be CRI Disposal, permit number NM 01-0006.

ConocoPhillips Company SEMU #62 Unit K, Section 20, T205, R38E Lea County, New Mexico API# 30-025-07835

