Form 3160- 5 (August, 2007)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	FORM APPROVED		
OCD HOPPS OCD	OMB No. 1004- 0137		
PCD	Expires: July 31, 2010		

	BUREAU OF EARD	1417 11	WIGEMENT		6 1 0 113	· ·	
SUNDRY NOTICES AND REPORTS ON WELLS $^{MAR}$ $1$ $3$			5. Lease Serial No. NM-115422				
	t use this form for propos			ran	6. If Indian, Alle	ottee, or Tribe Name	
abando	oned well. Use Form 3160	-3 (AF	PD) for such propo				
	RIPLICATE - Other Ins	tructio	ons on page 2.	KECEIVEL	7. If Unit or CA	. Agreement Name and/or No.	
1. Type of Well    X Oil Well   Gas Well	Other				8. Well Name a	nd No.	
2. Name of Operator	<del></del>		<u> </u>		Sol "28" Federal Com #2H		
COG Production, LLC	<u>/</u>				9. API Well No		
3a. Address 2208 W. Main Street			3b. Phone No. (includ	,		30-025-40803	
Artesia, NM 88210			L/	8-6940	-1	ool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M	., or Survey Description)	/	/ Lat.		11. County or P	Vildcat-Bone Spring	
2160' FSL and 330' FEL, Unit I, Section	28, T25S-R32E	1	Long.		Lea Co	•	
12. CHECK APPROPRIATE BOX(S	S) TO INDICATE NATU	RE OF	NOTICE, REPOR	RT, OR OTHER DA	ATA		
TYPE OF SUBMISSION			TY	PE OF ACTION			
X Notice of Intent	Acidize		Deepen	Production ( Sta	art/ Resume)	Water Shut-off	
_	Altering Casing		Fracture Treat	Reclamation		Well Integrity	
Subsequent Report	Casing Repair		New Construction	Recomplete		X Other	
	Change Plans		Plug and abandon	Temporarily At	oandon	Flow Line	
Final Abandonment Notice	Convert to Injection		Plug back	Water Disposal			
13. Describe Proposed or Completed Ope	aration (algority state all mortis	nont de	tails including estimat	ad starting data of		ouls and approximate direction there-	
COG Production LLC, proposes to the Sol "28" Federal Com	#1H well in Section 28	, T25	S-R32E.	vorking pressure l	25 # psi fron	n the Sol "28" Federal Com#2H	
The flow line will be 1980.0	feet long more or less (s	ee att	ached plat).				
14. I hereby certify that the foregoing is true ar	nd correct.				· · · · · · · · · · · · · · · · · · ·		
Name (Printed/ Typed)			Title:				
Monti Sanders			Regu	latory Technicia	n		
Signature: M MM			Date: 2/11/	′13			
	THIS SPACE F	OR F	EDERAL OR ST		E		
Approved by: /s/ Dem C			Title:	LD MANAGER		ate: MAR 1 1 2013	
Approved by:  Conditions of approval, if any are attached are the applicant holds legal or equivalent would entitle the application.	this notice does uitable title to those rights in the	not v	varrant or ject lease Office.			1/02 :0197	
which would entitle the application 18 U.S.C. Section 1001 AND Title	ant to conduct operated 43 U.S.C. Section 1212, mak	tions e it a	crime for any person	knowingly and willfi	ICE	department or agency of the United	
tates any false, fictitiousor fraudulent statement							
(Instructions on page 2)							

MAR 19 2013

& 28, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., SECTION " **NEW MEXICO** LEA COUNTY GLO "1939" B.C. 1/4 COR. 22 21 GLO "1939" B.C. N89°21'18"E 2660.5' 21 20 N88'51'49"E 2661.8 **⊕** 28 27 29 28 GLO HI# "1939 A 7 COM 58 END SURVEY SOL 28 FED. 28 FED. POLE #11 POLE #10 POLE #10 POLE #10 POLE #1 SOL 28 FED. POLE #1 E #1 FED. N-S SEC.
ANCHOR PC
ANCHOR
BEGIN SURVE 2614. W.95,85.00N 6+75 6+10 0+50 0+18 0+00 2+60 **USA** 1/4 COR. 1.6 1/4 COR. GLO **USA** GLO"19.39" 20+05 END SURVEY TO SOL 28 "1939" B.C. FED. COM #2H PAD @ METER POLE #8 B.C SOL 28 FED. COM #2H P.I. 90'01'07" LT. 19+80.0 POLE #7 16+50 13+20 POLE #5 ŝ 2640. POLE #4 DCP PIPELINE 9+90 7+53 POLE #3
POLE #2
C.L. LEASE RD. & SURVEY 6+60 S00'26'03"E 1+25 2+60 BEGIN SURVEY TO 0+00= SOL 28 FED. COM #1H; TEE POLE #1 LINE TO SOL 28 FED. COM #2H SOL 28 FED. COM #1H 29 28 2659.5 S89'17'06"W S89\*33'55"W 2655.9 33 34 1/4 COR. *32* 33 GLO "1939" B.C. GLO "1939" B.C. GLO "1939" B.C.

## DESCRIPTION

SURVEY OF A STRIP OF LAND 50.0 FEET WIDE AND 2745.0 FEET OR 0.520 MILES IN LENGTH CROSSING USA LAND IN SECTIONS 27 & 28, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO, AND BEING 25.0 FEET LEFT AND 25.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

- 1		DETITIO	1 0131711102 1			
[	L1	S89°17'08"W	610.0'			
ſ	L2	N00'42'53"W	130.0'			
[	L3	NOO'26'06"W	1980.0'			
[	L4	S89'32'47"W	25.0'			
	L5	N36"26"58"E	207.8' (TIE)			
	L6	S17'30'06"W	520.8' (TIE)			
ı	1.7	N81'32'44"E	2194.9' (TIF)			

DISTANCE

BEARING

LINE

# NOTE

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES.

# **LEGEND**

- DENOTES FOUND CORNER AS NOTED
- **OENOTES CALCULATED CORNER**

1000 1000 2000 FEET Scale: 1"=1000

I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR No. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION STATE MINIMUM STANDARDS FOR SURVEY, THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MERNOWLEGGE AND BELIEF. COG PRODUCTION, LLC

RONALD J. EIDSON APARALED DATE: 09/11/12/2013

PROVIDING SURVEYING SERVICES SINCE 1946 JOHN WEST SURVEYING COMPANY 412 N. DAL PASO HOBBS, N.M. 88240 (575) 393-3117 www.jws

SURVEY OF A 3 1/2" Surface Flowline **CROSSING SECTIONS** 

TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, NEW MEXICO

CAD Date: 8/28/12 Survey Date: 8/8/12 Drawn By: ACR W.O. No.: 12131572 Rel. W.O.: 12111316 Sheet 1 of 1

© Anjelica\2012\COG Operating, LLC\Easements

**BLM LEASE NUMBER:** NM115422

**COMPANY NAME:** COG Production, LLC

**ASSOCIATED WELL NAME:** Sol 28 Federal Com #2H (gas pipeline)

### STANDARD STIPULATIONS FOR SURFACE INSTALLED PIPELINES

A copy of the Sundry Notices and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to activity of the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. The holder shall be liable for damage or injury to the United States to the extent provided by 43 CFR Sec. 2883.1-4. The holder shall be held to a standard of strict liability for damage or injury to the United States resulting from pipe rupture, fire, or spills caused or substantially aggravated by any of the following within the right-of-way or permit area:
  - a. Activities of the holder including, but not limited to construction, operation, maintenance, and termination of the facility.
  - b. Activities of other parties including, but not limited to:

- (1) Land clearing.
- (2) Earth-disturbing and earth-moving work.
- (3) Blasting.
- (4) Vandalism and sabotage.
- c. Acts of God.

The maximum limitation for such strict liability damages shall not exceed one million dollars (\$1,000,000) for any one event, and any liability in excess of such amount shall be determined by the ordinary rules of negligence of the jurisdiction in which the damage or injury occurred.

This section shall not impose strict liability for damage or injury resulting primarily from an act of war or from the negligent acts or omissions of the United States.

- 5. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil, salt water, or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil, salt water, or other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any responsibility as provided herein.
- 6. All construction and maintenance activity will be confined to the authorized right-of-way width of \_\_\_\_\_\_ feet. If the pipeline route follows an existing road or buried pipeline right-of-way, the surface pipeline must be installed no farther than 10 feet from the edge of the road or buried pipeline right-of-way. If existing surface pipelines prevent this distance, the proposed surface pipeline must be installed immediately adjacent to the outer surface pipeline. All construction and maintenance activity will be confined to existing roads or right-of-ways.
- 7. No blading or clearing of any vegetation will be allowed unless approved in writing by the Authorized Officer.
- 8. The holder shall install the pipeline on the surface in such a manner that will minimize suspension of the pipeline across low areas in the terrain. In hummocky of duney areas, the pipeline will be "snaked" around hummocks and dunes rather then suspended across these features.
- 9. The pipeline shall be buried with a minimum of <u>24</u> inches under all roads, "two-tracks," and trails. Burial of the pipe will continue for 20 feet on each side of each crossing. The condition of the road, upon completion of construction, shall be returned to at least its former state with no bumps or dips remaining in the road surface.
- 10. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state.

Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

- 11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.
- 12. Excluding the pipe, all above-ground structures not subject to safety requirement shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2; designated by the Rocky Mountain Five State Interagency Committee.
- 13. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. Signs will be maintained in a legible condition for the life of the pipeline.
- 14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.
- 15. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the authorized officer after consulting with the holder.
- 16. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, powerline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

### 17. Special Stipulations:

- a. Surface pipelines must be smaller than 4 inches and a working pressure below 125 psi.
- b. Pipeline must be installed no farther than 10 feet from the access road.
- c. <u>Lesser Prairie-Chicken:</u> Oil and gas activities will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the

maintenance of oil and gas facilities and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted.

S ....