Submit 1 Copy To Appropriate District Office	State of New Mexico	Form C-103
F1	nergy, Minerals and Natural Resources	Revised August 1, 2011 WELL API NO.
<u>District II</u> = (575) 748-1285	DIL CONSERVATION DIVISION	30-025-03820
	7 2020 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE K FEE 6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	5UCD TO THE STATE OF THE STATE	
87505 SUNDRY NOTICES AN	ND REPORTS ON WELLS	F 2359 7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO	DRILL OR TO DEEPEN OR PLUG BACK TO A	
DIFFERENT RESERVOIR. USE "APPLICATION I PROPOSALS.)	FOR PERMIT" (FORM C-101) FOR SUCH	State L "A "
1. Type of Well: Oil Well 🔀 Gas We	ell Other	8. Well Number / Z
2. Name of Operator Vanquard Permian LL	P	9. OGRID Number 253 35 0
3. Address of Operator	,	10. Pool name or Wildcat
2626 JBS Parkwass 5kg	2058 Odesse Te 79761	Lovington Drinkard
4. Well Location		* '
Unit Letter K: 2310 feet from the South line and 2310 feet from the West line		
Section (Township 175 Range 36 E	NMPM Lea County
11. E	levation (Shojv whether DR, RKB, RT, GR, etc. 3, 823 GR	
12. Check Approp	riate Box to Indicate Nature of Notice	, Report or Other Data
NOTICE OF INTENT	ION TO: SUI	BSEQUENT REPORT OF:
	AND ABANDON REMEDIAL WO	
	•	RILLING OPNS. P AND A
PULL OR ALTER CASING MULT DOWNHOLE COMMINGLE	TPLE COMPL CASING/CEME	AL JOB []
OTHER:	OTHER:	
	E RULE 19.15.7.14 NMAC. For Multiple C	nd give pertinent dates, including estimated date ompletions: Attach wellbore diagram of
proposed completion or recompletion		,
	10000	/
See a tached work	-defail & wellbore o	iagroon.
	•	/
•		
•		
		· · · · · · · · · · · · · · · · · · ·
Spud Date:	Rig Release Date:	
I hereby certify that the information above is	true and complete to the host of my knowled	due and balief
Thereby certify that the information above is	The and complete to the best of my knowled	ige and benef.
SIGNATURE	TITLE Engineer	DATE 03/20/2013
Type or print name M. Marts 13600	dwork E-mail address: Mblood w	HONE 432-362-2209
For State Use Only	19.5	VATLLE-COM x 207
APPROVED BY:	TITLE	DATE
Conditions of Approval (if any):	Accepted for Record Only	DEAT L
,	AND Only	· ·
	SIS GUNY	0/2013
	,	1 an a 1 1012
		MAR 2 1 2013

LEASE/WELL:

STATE L"A" NO 12

LOCATION

UL K, SEC 1, T 17S, R 36E

CO/ST:

LEA, NM

API NO.

30-025-03820

FIELD:

LOVINGTON (DRINKARD)

STATE LEASE:

E-2359

VANGUARD PERMIAN LLC WORK DETAIL

04/01 to 04/08/2011

MIRU Choctaw WS. TOH w/ production equipment PU Whitaker Oil Tools RBP & PKR. TIH on workstring. Test casing. Isolated casing leaks from 4,900' to 5,170'. Established pump in rate. TOH w/ RBP & PKR. TIH w/ CIBP. Set CIBP @ 6,000' on tbg. TOH w/ tbg. PU Cement Retainer. TIH on tbg & set @ 4,832'. Sting in Cement Retainer. RU Chief Cementers. PPD 300 sx "C" cmt. Attempted to displace cement to retainer. Unable to sting out of retainer. Secured well. Rigged down while considering options.

05/25 to 06/01/2011

MIRU Choctaw WS. RU Rotary Wireline. TIH & internally cut tubing. RD Rotary Wireline. TOH w/workstring above cut. RU fishing tools. Wash over tbg to 4,826'. Stopped making progress. TOH w/ tools. Marks on tools & recovered materials suggest that casing is collapsed. RD fishing tools. Secured Well. RD WS. SD to evaluate options.

and the Sound of the second

STATE L"A" NO 12 LEASE/WELL: GR 3823 UL K, SEC 1, T 17S, R 36E LOCATION 3835 KΒ LEA, NM CO/ST: 30-025-03820 API NO. SPUDDED 1/10/1953 6/10/1998 RE-ENTERED LOVINGTON (DRINKARD) FIELD: COMPLETED 2/23/1953 7/13/1998 COLLINS&WARE STATE LEASE: E-2359 LAT (27) 32.86314072 -103.3090895 LONG(27) TOPS PER C105 ANHYDRITE 1955 T. SALT 2015 17 1/2" HOLE B. SALT 2873 2995 YATES SAN ANDRES 4604 13 3/8" 35.6# TUBB 7610 W/ 250 SX CIRC TOC 8 5/8' @ 1,039' BY TS H" HOLE 8 5/8" 24 & 32# 3,750 W/ 1,500 SX TOC POST SQZ NA 6/98 SQZED 4,513' W/100 SX 6/98 TOC POST SQZ 4,170' BY TS SQZED 4,604' W/ 175 SX 12/92 7 7/8" HOLE TOP @4,826' POSSIBLE CSG COLLAPSE @ RETAINER CMT RET 4,832' SQZED W/ 300 SX .5/11 TOC POST SQZ 5,170' BY TS SQZED 5,495' W/100 SX 12/92 ORIG TOC 5 1/2" @ 5614' BY TS CIBP @ 6,000' 5/11 DRINKARD PERFS 7,905-7,925 PBTD 8,16313/91 CIBP @ 8,250' 3/91 8.341' PBTD 51/2" 15.5 & 17 # 8325' 8,440'TD

CMB 03-19-13