District I

District 1
1625 N. French Dr., Hobbs, NM 88240
HOBBS OCD

1301 W. Grand Avenue, Artesia, NM 88210

1000 Rio Brazos Road, Aztec, NM 87440 R 0 5 2013

Operator

Address:

attached. **|** |

 \Box

API Number:

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Signed in compliance with 19.15.3.103 NMAC

Previously approved Design (attach copy of design)

Previously Approved Operating and Maintenance Plan

State of New Mexico **Energy Minerals and Natural Resources** Department

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM-87505

RECEIVESed-Loop System Permit or Closure Plan Application

For closed-loop systems that only use above ground

Form C-144 CLEZ

21-Iul-08

steel tanks or haul off bins and purpose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure) ✓ Permit Closure Type of action: Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-looped system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144. Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable government authority's rules, regulations or ordinances. **Apache Corporation** 303 Veterans Airpark Lane, Ste 3000, Midland, TX 79705 North Monument Grayburg San Andres Unit Blk 21 #01 Facility or Well Name: 30-025-05920 OCD Permit Number: U/L or Qtr/Qtr Section **Township 20S** Range 37E NAD: Center of Proposed Design: Latitude Longitude Federal State Private Tribal Trust or Indian Allotment Surface Owner: | | Closed-loop System: Subsection H of 19.15.17.11 NMAC ✓ P&A Operation: | Drilling a new well | Workover of Drilling (Applies to activities which require prior approval of a permit or notice of intent) Above Ground Steel Tanks or Haul-off Bins Signs: Subsection C of 19.15.17.11 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. **Sundance Services** Disposal Facility Name: **Disposal Facility Permit Number:** Controlled Recovery Inc. NM-01-0006 Disposal Facility Name: **Disposal Facility Permit Number:** Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) ✓ No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications -- based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13. NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13. NMAC

Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

Instructions; Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are

API Number:

API Number:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Guinn Burks

gúinn.burks@apachecorp.com

Form C-144 CLEZ

Operator Application Certification:

Name (Print)

e-mail address:

Signature:

12" x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC

Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC

Oil Conservation Division

Title:

Date:

Telephone

432-556-9143 Page 1 of 2

Reclamation Foreman

4/1/2013

<i>1</i> .		•			
OCD Approval:	ermit Application (including closure plan)	Closure Plan (only)		10	
OCD Representative Signat	ure:	A	Approval Date: _	4-9-2013	
Title:	ust man	OCD Perm	it Number:	P1-06002	
8.				-	
Instructions: Operators are re The closure report is required	vithin 60 days of closure completion): Subsecti quired to obtain an approved closure plan prior to in to be submitted to the division within 60 days of the proved closure plan has been obtained and the closu	nplementing any closure activi completion of the closure activ	ities and submittir vities. Please do r	•	
Closure Completion Date:					
	Naste Removal Closure For Closed-loop Syster ne facility or facilities for where the liquids, drilling for				
Disposal Facility Name:		Disposal facility	Disposal facility Permit Number:		
Disposal Facility Name: Disposal facility Permit Number:					
Were the closed-loop system o	perations and associated activities performed on or i	n areas that will not be used fo	r future service an	d operations?	
Yes (If yes), plea	se demonstrate compliance to the items below)	l l No			
Required for impacted areas w	hich will not be used for future service and operations	:			
Site Reclamation	(Photo Documentation)				
Soil Backfilling a	nd Cover Installation			•	
Re-vegetation A	pplication Rates and Seeding Technique				
10.	· · · · · · · · · · · · · · · · · · ·				
Operator Closure Certificat	<u>ion:</u>			•	
I hereby certify that the inform	ation and attachments submitted with this closure re	port is true, accurate and comp	olete to the best o	f my knowledge	
and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print)	Guinn Burks	Title:	Reclar	nation Foreman	
Signature:	MARKATAN	Date:			
e-mail address:	guinn.burks@apachecorp.com	Telephone:	43	32-556-9143	



CLOSED LOOP SYSTEM DESIGN, OPERATION, MAINTENANCE, AND CLOSURE PLAN FOR PLUGGING AND ABANDONDMENT OPERATIONS

This document is intended to provide design requirements as well as operating, maintenance and closure instructions for closed-loop (plugging fluids) systems, ensuring compliance with the New Mexico Title 19, Chapter 15, Part 17 rules and regulations. Plugging units operating for Apache Corporation in New Mexico shall be rigged up with a closed-loop system consistent with this design and should be operated, maintained, and closed in a manner consistent with this document.

DESIGN

The closed-loop system shall be designed and constructed to ensure the confinement of oil, gas, or water and to prevent uncontrolled releases.

The steel tank(s) shall be a minimum of 90 barrels and constructed and in a condition such that no leaks or uncontrolled release would be expected. The tank(s) shall be placed to receive all of the fluid as it returns from the well bore and entry from the flow line shall be such that splash is minimized. The tank(s) shall be connected with steel lines where applicable from the wellhead to the tank. It shall have a separate off load valve to which a vacuum truck can be attached for unloading.

The steel tanks(s) shall comply with any applicable requirements specified in 19.15.17 NMAC. Additionally, the appropriate well signs shall be in place to comply with 19.15.17 NMAC.

OPERATION and MAINTENANCE

The closed-loop system shall be operated and maintained at all times in such a manner as to prevent contamination of fresh water and protect the public health and the environment. While Apache Corporation relies on various third party vendors to provide, operate and maintain the closed-loop system, in the end it is the Apache Corp on-site representative who must take responsibility for the effective operation of the system. At the end of the plugging activities, all return fluids should be disposed of in a licensed disposal facility in New Mexico.

Know which and approved disposal facility is closest to your location and verify that they are capable and prepared to receive the fluids from your well. Track all loads sent during the plugging of the well and up to the time the rig is moved off of the location.

Current approved facilities are;

Controlled Recovery Inc.

(877) 505-4274

Sundance Incorporated

(575) 394-2511

Ensure that the closed-loop system meets the design criteria listed above and is properly installed and fully functional prior to commencing any operations which require circulation.

Inspect the active system tanks at least every tour to ensure no fluid is leaking onto the location. Check any valves and interconnecting pipes for leaks. Correct any leaks as soon as possible upon detection.

Monitor and know the fluid level in the containment tank and call for a vacuum truck with enough lead time to allow for delays. Ensure that the truck driver knows which approved disposal he will be transporting the fluid to for off loading.

Make every effort to operate and maintain the closed-loop system in a manner that puts no fluid or well bore discharges in contact with the location or surrounding area.

In the event of a spill over five (5) barrels, take immediate action to contain the spill and make the following notifications;

EHS Apache Hotline

(800) 874-3262

NMOCD District Office

In the event of oil reaching water, include the following notification;

Environmental Protection Agency (EPA) National Response Center

CLOSURE

Upon completion of plugging the well, all connecting lines will be drained into the tank and all remaining fluid in the tank will be removed by a vacuum truck and taken to an approved facility for disposal. All equipment will then be removed so location remediation can begin.


Prepared by


Guinn Burks

Reclamation Foreman

<u>Guinn Burks</u>

Apache Corporation





Closed-loop Tank Min 50' from WH