HOBBS OCD

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 882APR 0 5 2013 District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 **RECEIVED** State of New Mexico Energy Minerals and Natural Resources Department

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ 21-Jul-08

For closed-loop systems that only use above ground steel tanks or haul off bins and purpose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

/+h	at only use above ground steel tank	s or baul-off bir	ns and propose to imple	ment waste removal	for closure)				
<u>tru</u>	at only use above ground steel tank. Type of action:		-	Closure	ioi ciosure _i				
closed-loop system that on Please be advised that approv	one application (Form C-144 CLEZ) per ly use above ground steel tanks or haulval of this request does not relieve the operator of its responsib	individual closed off bins and prop perator of liability	l-looped system request. For pose to implement waste roys to should operations result in	or any application requiremoval for closure, plea n pollution of surface wa	ase submit a Form C-144 ater, ground water or th	e			
1.									
Operator	Apache Corporation	on	OGRID	#	873				
ddress: 303 Veterans Airpark Lane, Ste 3000, Midland, TX 79705									
acility or Well Name: East Blinebry Drinkard Unit #46									
API Number:	30-025-06552		OCD Permit Number:		1-0600	5			
U/L or Qtr/Qtr	L Section 12	Township	<u> 215</u> Range	37E co	ounty: <u>Lea</u>				
Center of Proposed Desigr	n: Latitude		Longitude		NAD: 1927	<u> </u>			
Surface Owner:	Federal State	Private	Tribal Trust or Ind	ian Allotment					
2. \rangle Closed-loop System Degration: Degration Deg		pplies to activities	s which require prior appro	val of a permit or notice	e of intent)	✓ P&A			
Signs: Subsection C of 19.15. 12" x 24", 2" lettering, p Signed in compliance wi	providing Operator's name, site location,	, and emergency t	telephone numbers						
Instructions; Each of the folloattached. Design Plan - base Operating and N Closure Plan (Ple		oplication. Please of 19.15.17.11 Ni opriate requireme	e indicate, by a check mark MAC ents of 19.15.17.12 NMAC	·	÷				
Instructions: Please identify facilities are required. Disposal Facility Name: Disposal Facility Name: Will any of the proposed clos	Closed-loop Systems That Utilize Above the facility or facilities for the disposal of Sundance Services Controlled Recovery ed-loop system operations and associate ovide the information below)	of liquids, drilling S Inc.	g fluids and drill cuttings. U Disposal Facilit Disposal Facilit	y Permit Number:	NM-01-0003 NM-01-0006				
Soil Backfill and Cove Re-vegetation Plan -	which will not be used for future service or or Design Specifications based upon the based upon the appropriate requiremen on - based upon the appropriate requiremen	e appropriate req nts of Subsection I	l of 19.15.17.13. NMAC						
6.									
Operator Application Cert	tification:								
hereby certify that the infor	mation submitted with this application is	s true, accurate a	nd complete to the best of	my knowledge and belie	ef.				
Name (Print)	Guinn Burks		Title:	Reclamat	ion Foreman				
Signature:	Suin Bu	ulu-	Date:	4/2	2/2013				
e-mail address:	guinn.burks@apachecor		Telephone	432-5	556-9143				

OCD Approval:	Permit Application (including closure plan)	Gosure Plan (only)				
OCD Representative Signa	ture:		Approval Date: <u>4-9-2013</u>			
Title:	Det. mart	OCD Pe	Approval Date: <u>4-9-2013</u> Permit Number: <u>P1-06005</u>			
8.						
Closure Report (required v	within 60 days of closure completion): Subsectio	n K of 19.15.17.13. NM	MAC			
The closure report is required	equired to obtain an approved closure plan prior to im, to be submitted to the division within 60 days of the c oproved closure plan has been obtained and the closur	ompletion of the closure of	activities. Please do not complete this			
Closure Completion Date:						
	Waste Removal Closure For Closed-loop System the facility or facilities for where the liquids, drilling flu					
Disposal Facility Name:		Disposal faci	cility Permit Number:			
Disposal Facility Name:		Disposal faci	cility Permit Number:			
Were the closed-loop system	operations and associated activities performed on or in	areas that will not be use	ed for future service and operations?			
Yes (If yes), ple	ase demonstrate compliance to the items below)	No	•			
Required for impacted areas v	which will not be used for future service and operations:		·			
Site Reclamation	n (Photo Documentation)					
Soil Backfilling	and Cover Installation					
Re-vegetation /	Application Rates and Seeding Technique					
10. Operator Closure Certifica	tion:					
	nation and attachments submitted with this closure rep	ort is true, accurate and co	complete to the best of my knowledge			
and belief. I also certify that t	he closure complies with all applicable closure requiren	nents and conditions speci	cified in the approved closure plan.			
Name (Print)	Guinn Burks	Title:	Reclamation Foreman			
Signature:		Date:				
e-mail address:	guinn.burks@apachecorp.com	Telephone:	432-556-9143			



CLOSED LOOP SYSTEM DESIGN, OPERATION, MAINTENANCE, AND CLOSURE PLAN FOR PLUGGING AND ABANDONDMENT OPERATIONS

This document is intended to provide design requirements as well as operating, maintenance and closure instructions for closed-loop (plugging fluids) systems, ensuring compliance with the New Mexico Title 19, Chapter 15, Part 17 rules and regulations. Plugging units operating for Apache Corporation in New Mexico shall be rigged up with a closed-loop system consistent with this design and should be operated, maintained, and closed in a manner consistent with this document.

DESIGN

The closed-loop system shall be designed and constructed to ensure the confinement of oil, gas, or water and to prevent uncontrolled releases.

The steel tank(s) shall be a minimum of 90 barrels and constructed and in a condition such that no leaks or uncontrolled release would be expected. The tank(s) shall be placed to receive all of the fluid as it returns from the well bore and entry from the flow line shall be such that splash is minimized. The tank(s) shall be connected with steel lines where applicable from the wellhead to the tank. It shall have a separate off load valve to which a vacuum truck can be attached for unloading.

The steel tanks(s) shall comply with any applicable requirements specified in 19.15.17 NMAC. Additionally, the appropriate well signs shall be in place to comply with 19.15.17 NMAC.

OPERATION and MAINTENANCE

The closed-loop system shall be operated and maintained at all times in such a manner as to prevent contamination of fresh water and protect the public health and the environment. While Apache Corporation relies on various third party vendors to provide, operate and maintain the closed-loop system, in the end it is the Apache Corp on-site representative who must take responsibility for the effective operation of the system. At the end of the plugging activities, all return fluids should be disposed of in a licensed disposal facility in New Mexico.

Know which and approved disposal facility is closest to your location and verify that they are capable and prepared to receive the fluids from your well. Track all loads sent during the plugging of the well and up to the time the rig is moved off of the location.

Current approved facilities are;

Controlled Recovery Inc.

(877) 505-4274

Sundance Incorporated

(575) 394-2511

Ensure that the closed-loop system meets the design criteria listed above and is properly installed and fully functional prior to commencing any operations which require circulation.

Inspect the active system tanks at least every tour to ensure no fluid is leaking onto the location. Check any valves and interconnecting pipes for leaks. Correct any leaks as soon as possible upon detection.

Monitor and know the fluid level in the containment tank and call for a vacuum truck with enough lead time to allow for delays. Ensure that the truck driver knows which approved disposal he will be transporting the fluid to for off loading.

Make every effort to operate and maintain the closed-loop system in a manner that puts no fluid or well bore discharges in contact with the location or surrounding area.

In the event of a spill over five (5) barrels, take immediate action to contain the spill and make the following notifications;

EHS Apache Hotline

(800) 874-3262

NMOCD District Office

In the event of oil reaching water, include the following notification;

Environmental Protection Agency (EPA) National Response Center

CLOSURE

Upon completion of plugging the well, all connecting lines will be drained into the tank and all remaining fluid in the tank will be removed by a vacuum truck and taken to an approved facility for disposal. All equipment will then be removed so location remediation can begin.

Prepared by

Guinn Burks

Reclamation Foreman

Guinn Burks

Apache Corporation





