
	DEFARI	MENT OF TH	HE INTERIOR		D HAORESS		OM B No. 1004-0137 Expires: March 31, 2007
	BUREAU	OF LAND MA	ANAGEMENT		APR 22	2010 5. Lease Se	
SU	NDRY NOTIC	ES AND R	EPORTS ON	WELI	LS		
Do not	use this form	for proposal	s to drill or to	re-en	ter an		n, Allottee or Tribe Name
abando	ned well. Use	Form 3160-3	(APD) for suc	ch prop	osalsEIVE	Ð	
SUBMIT	IN TRIPLICA	TE- Other in	structions on	revers	e side.	7. If Unit	or CA/Agreement, Name and/or
1. Type of Well Oil Well	] 🗌 🤂 Gas Wel	IDD Viher	r			8. Well N	ame and No.
2. Name of Operator Con	ocoPhillips Compa	ny				9. API W	
3a. Address	<u> </u>		3b. Phone No.		rea code)	30-02	5-34382
4001 Penbrook, Odess 4. Location of Well (Foot		r Survey Descriptio	432-368-12	27	. <u></u>		nd Pool, or Exploratory Area Hardy Strawn
Section 25, T-20-S, R		Survey Description	· •			11. County	or Parish, State
30-7205						Lea C	ounty, New Mexico
	ECK APPROPRIA	ATE BOX(ES)	TO INDICATE N	IATURE	OF NOTICE	, REPORT, O	R OTHER DATA
TYPE OF SUBMISS	ION			TYPE	OF ACTION	Į	
		dize	Deepen			(Start/Resume)	Water Shut-Off
Notice of Intent		er Casing	Fracture Trea	ſ			Well Integrity
Subsequent Report	Cha	ing Repair Inge Plans	New Constru		Recomplete	e y Abandon	
Final Abandonment	Notice Cor	wert to Injection	Plug Back	[	Water Disp	oosal	
Attach the Bond unde following completion testing has been comp determined that the si <b>ConocoPhillips C</b>	of the involved opera oleted. Final Abandor te is ready for final ins ompany request pe	be performed or pr tions. If the operation ment Notices shall spection.) rmission to lay 3	ovide the Bond No. ion results in a multip be filed only after all 60 feet of 3"steel h	on file with le complet requireme ine that v	h BLM/BIA. Re tion or recomple ents, including re will carry gas f	equired subsequent tion in a new interv calmation, have be from the SEMU	reports shall be filed within 30 d al, a Form 3160-4 shall be filed of en completed, and the operator h Strawn Battery to a TARGA
Attach the Bond unde following completion testing has been comp determined that the si <b>ConocoPhillips C</b> gathering system.	er which the work will of the involved opera pleted. Final Abandor te is ready for final ins	be performed or pr tions. If the operati ment Notices shall spection.) rmission to lay 3 uried within the f 0 Psig.	rovide the Bond No. ion results in a multip be filed only after all 60 feet of 3"steel I facility and when it	on file with le complet requireme ine that v t crosses t	h BLM/BIA. Ro tion or recomple ents, including re will carry gas t the lease road.	equired subsequent tion in a new interv clamation, have be from the SEMU	al, a Form 3160-4 shall be filed of en completed, and the operator h
Attach the Bond unde following completion testing has been comp determined that the si ConocoPhillips C gathering system. The operating pro	er which the work will of the involved opera- oleted. Final Abandor te is ready for final ins ompany request pe The line will be bu essure will be 30 - 4	be performed or pr tions. If the operati ument Notices shall spection.) rmission to lay 30 iried within the f 0 Psig.	ovide the Bond No. ion results in a multip be filed only after all 60 feet of 3"steel h	on file with le complet requireme ine that v t crosses t	h BLM/BIA. Ro tion or recomple ents, including re will carry gas t the lease road.	equired subsequent tion in a new interv clamation, have be from the SEMU	al, a Form 3160-4 shall be filed of en completed, and the operator h
Attach the Bond unde following completion testing has been comp determined that the si <b>ConocoPhillips C</b> gathering system.	er which the work will of the involved opera- oleted. Final Abandor te is ready for final ins ompany request pe The line will be but essure will be 30 - 4	be performed or pr tions. If the operati ument Notices shall spection.) rmission to lay 30 iried within the f 0 Psig.	rovide the Bond No. ion results in a multip be filed only after all 60 feet of 3"steel h facility and when it	on file with le complet requireme ine that v t crosses t	h BLM/BIA. Ro tion or recomple ents, including re will carry gas to the lease road.	equired subsequent tion in a new interv clamation, have be from the SEMU	al, a Form 3160-4 shall be filed of en completed, and the operator h
Attach the Bond unde following completion testing has been comp determined that the si ConocoPhillips C gathering system. The operating pro 14. I hereby certify that Name (Printed/Ty	er which the work will of the involved opera- oleted. Final Abandor te is ready for final ins ompany request pe The line will be but essure will be 30 - 4	be performed or pr tions. If the operati ument Notices shall spection.) rmission to lay 30 iried within the f 0 Psig.	rovide the Bond No. ion results in a multip be filed only after all 60 feet of 3"steel I facility and when it C/L/L	on file with le complet requireme ine that v t crosses t	h BLM/BIA. Ro tion or recomple ents, including re will carry gas to the lease road.	equired subsequent tion in a new interv clamation, have be from the SEMU	al, a Form 3160-4 shall be filed of en completed, and the operator h
Attach the Bond unde following completion testing has been comp determined that the si ConocoPhillips C gathering system. The operating pro- 14. I hereby certify that Name (Printed/Ty Brandor	r which the work will of the involved opera- oleted. Final Abandor te is ready for final ins ompany request pe The line will be but assure will be 30 - 4 the foregoing is tru- ped) Bergen	be performed or pr tions. If the operation of the period o	rovide the Bond No. ion results in a multip be filed only after all 60 feet of 3"steel I facility and when it C/L/L	on file with le complet requireme ine that v t crosses f	h BLM/BIA. Ro tion or recomple ents, including re will carry gas f the lease road. $\frac{1}{15}$	equired subsequent tion in a new interv clamation, have be from the SEMU	al, a Form 3160-4 shall be filed of en completed, and the operator h
Attach the Bond unde following completion testing has been comp determined that the si ConocoPhillips C gathering system. The operating pro- 14. I hereby certify that Name (Printed/Ty Brandor Signature Approved by Conditions of approval, if certify that the applicant h	r which the work will of the involved opera- oleted. Final Abandor te is ready for final ins- ompany request pe The line will be but assure will be 30 - 4 the foregoing is tru- ped) Bergen THIS	be performed or pr tions. If the operation imment Notices shall spection.) rmission to lay 30 uried within the f 0 Psig. 0 Psig. 0 Psig. 0 Psig. 0 Psig. 0 Psig. 0 Psig. 0 Psig.	rovide the Bond No. of ion results in a multip be filed only after all 60 feet of 3"steel I facility and when it CCCC T RFEDERAL C ce does not warrant of	on file with le complet requireme ine that v t crosses f $\mathcal{O}$ L Title Staf Date $\mathcal{U}$ DR ST/ DR ST/ DR ST/	h BLM/BIA. Re tion or recomple ents, including re will carry gas to the lease road. $\frac{1}{5} \frac{1}{5} $	CEUSE	al, a Form 3160-4 shall be filed of en completed, and the operator h
Attach the Bond under following completion testing has been completion testing has been complete <b>ConocoPhillips C</b> gathering system. The operating pro- 14. I hereby certify that Name ( <i>Printed/Ty</i> ) Brandor Signature Approved by Conditions of approval, if certify that the applicant h which would entitle the applicant h	r which the work will of the involved opera- oleted. Final Abandor te is ready for final ins- ompany request pe The line will be bu- essure will be 30 - 4 the foregoing is tru- ped) Bergen THIS Way, are attached. A olds legal or equitable plicant to conduct op	be performed or pr tions. If the operation imment Notices shall spection.) rmission to lay 3 uried within the f 0 Psig. 0 Psig. E and correct SPACE FOF poproval of this notice title to those right erations thereon.	rovide the Bond No. ion results in a multip be filed only after all 60 feet of 3"steel I facility and when it CCCC T RFEDERAL C ce does not warrant of ts in the subject lease	ine that v crosses f crosses f cross	the black of the	CE USE	al, a Form 3160-4 shall be filed of en completed, and the operator h Strawn Battery to a TARGA Date OG 115/17
Attach the Bond under following completion testing has been completion testing has been complete <b>ConocoPhillips C</b> gathering system. The operating pro- 14. I hereby certify that Name ( <i>Printed/Ty</i> ) Brandor Signature Approved by Conditions of approval, if certify that the applicant h which would entitle the applicant h	r which the work will of the involved opera- oleted. Final Abandor te is ready for final ins- ompany request pe The line will be bu- assure will be 30 - 4 sessure will be 30 - 4 the foregoing is tru- ped) Bergen THIS Hargen THIS USC S Infrudited USC S Infrudited Stateme	be performed or pr tions. If the operation imment Notices shall spection.) rmission to lay 3 uried within the f 0 Psig. 0 Psig. E and correct SPACE FOF poproval of this notice title to those right erations thereon.	rovide the Bond No. ion results in a multip be filed only after all 60 feet of 3"steel I facility and when it CCCC T RFEDERAL C ce does not warrant of ts in the subject lease	ine that v crosses f crosses f cross	the black of the	CE USE	al, a Form 3160-4 shall be filed of en completed, and the operator h Strawn Battery to a TARGA



ECTIO EA CO		OWNSHIP 20 S	OUTH, RAN	والمرجوب والمحافظة والمحاومة المراجع والمرجوب والمرجوب والمرجوب والمرجوب والمرجوب	T, N.M.P.M EW MEXICO
23	24	N 8915'09 <u>"</u>	E <u>– 5273.9</u>	FOUND U.S.G.L.O. BRASS CAP	19
CL CL CL	25			25	30
FOUND U.S.C.LO.		FEE	LAND		
6.4 0 0		<b>343.3</b>			
264		<u>S 89'50'53" E</u> 81.5'	EASEMENT	SURVEY OF	5
8		<u>N 0'13'48" W</u> 23.2'	/	SED GAS PIPELINE 90°22'55" RT.	ш. Ф
2,56"		<u>S 0'50'09" E</u>	2+40.2 P.1. 3+06.3 P.1.	46°07'12" LT 41°17'18" RT	48,09
0		135.5 <u>S 46'57'21" E</u>	3+60.9 END S		S. 0.4
2		66.1 2598.8 (Tie) = 7 =	€= <u>N 79'01'49"_w</u>		
FOUND U.S.G.LO.	1 7202			1_ <u><!--17.8</u-->, (Tie)</u>	FOUND U.S.G.L.O. BRASS CAP
BRASS CAP	N	<u>S 540'03" E</u> 54.6			<b>°</b>
l	U.S.A. LA	ND	U.S.A. LAND		Ĥ
P				31-	R-38-E
<b>A</b>				Ľ	Ż
Ĭ					
			TE OF MEXICO		
			AND		
26	25			25	30
35	36	LEGAL DES	PIPTION	36	31
463 - 264 - 26 - 28 - 28 - 28 - 28 - 28 - 28 - 28	이 공사님은 이 전문을	HIP 20 SOUTH, RANGE 37 EAST, N.M.		) AND BEING MORE PARTICUL	ARLY DESCRIBED AS FOLLOW
JER OF SAID SEC	TION 25 THENCE N	SAD SECTION 25 WHICH LIES N 72' 0'13'48" W - 23.2 FEET TO A POINT 56.1 FEET TO A POINT; THENCE S !	THENCE S 89'50'51" F - 81	5 FEET TO A POINT THENCE	S 0'50'09" F - 135.5 FE
01.49° W - 271	7.8 FEET FROM A U	S.G.L.O. BRASS CAP FOUND AT THE I	EAST-QUARTER CORNER OF SAI	D SECTION 25. LEGEND	
OTE:	ELINE EQUALS JOU.9	TELI UN 21.07 RUDS.		- DENOTES FOUND MONUMEN	
) Bearings sho		ansverse Mercator Grid	1000 – – – –	0 Graphic Scale in Fee	
New Mexico	East Zone, Nor	lico Coordinate System", h American Datum of on are mean horizontal		1999-1992 💉 🖓 Hit	
surface valu		PLAT WAS FREPARED		onocoPhill	Ips
FROM NOTES		FIELD IN A BONA FIDE		A PIPELINE CROSSI	JC
	Mari	2 12185	FE	E LAND IN SECTION	25
MACON McDC	NALD N.R.ES	NoS12185		SOUTH, RANGE 37 A COUNTY, NEW ME	· · · · · · · · · · · · · · · · · · ·
WEST		Porroginen	Revised:		
COMPA	NN X	MIDLAND TEXAS, 79701	Survey Date: March W.O. Number: 2013-	an in y yn a graad ara	1 of 1 Sheel y: SJA
of Midland	a 🔆 👘 (437) 687	'-0865 - (432) 687-0868 FAX	Date: 3-12-2013	en an	Scale: 1" = 1000'