UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB NO. 1004-0135  
Expires: July 31, 2010

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

HOBBS OCD

MAR 04 2013

Lease Serial No.  
NMNM120357

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

Chevron

2. Name of Operator

CHESAPEAKE OPERATING INC

Contact: CAROL ADLER

E-Mail: carol.adler@chk.com

Well Name and No.

NEREID 1 FEDERAL 1H

9. API Well No.

30-005-29145

3a. Address

PO BOX 18496  
OKLAHOMA CITY, OK 73154-0496

3b. Phone No. (include area code)

Ph: 817-556-5825

10. Field and Pool, or Exploratory

WILDCAT-WOLFCAMP

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 1 T15S R31E SESE 660FSL 100FEL

11. County or Parish, and State

CHAVES COUNTY, NM

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

CONFIDENTIAL

CHESAPEAKE RESPECTFULLY REQUESTS PERMISSION TO USE A FLEX HOSE  
PLEASE SEE ATTACHMENTS

CHK PN 632183

Approval Subject To The Flex Hose  
Being Anchored At Both Ends With  
No More Than A 30 Degree Bend.

14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #198651 verified by the BLM Well Information System For CHESAPEAKE OPERATING INC, sent to the Roswell Committed to AFMSS for processing by DAVID GLASS on 02/12/2013 (13DRG0533SE)	
Name (Printed/Typed) CAROL ADLER	Title REGULATORY ANALYST II
Signature (Electronic Submission)	Date 02/12/2013

## THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By DAVID R GLASS	Title PETROLEUM ENGINEER	Date 02/25/2013
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Roswell

Title 18 U.S.C. Section 1001 and Title 42 U.S.C. Section 1212 make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

MAY 20 2013

# ORDER ACKNOWLEDGEMENT

PAGE: 1 OF 1

00141438



**Midwest Hose  
& Specialty, Inc.**

**Ship From:**

Midwest Hose & Specialty, Inc - Odessa  
1211 South County Road West  
Odessa TX 79762  
USA

Ship Method:	FOB	Customer PO
Best Way	Shipping point	Needed
Written By:	Selling Location	Mark Number
Mike Lopez	Midwest Hose & Specialty, Inc - Odess	

**A** Trinidad Drilling LP  
**C** ATTN: Accounts Payable  
**K** 3728 West Jones Ave.  
**T** Garden City KS 67846  
**O** USA

Phone: 620-277-2062

Fax: 620-277-2094

**S** Trinidad Drilling LP - Garden City  
**H** ATTN: Jim Bob - 1-713-416-3873  
**I** 3728 West Jones Ave.  
**P** Garden City KS 67846  
**T** USA  
**O**

Phone: 620-277-2062

Fax: 620-277-2094

Order Date	Terms of Payment	Freight Terms
8/30/2012	1% 10 - NET 30 DAYS	Prepaid

**Invoice Requirements:**

Rig Number and Name of Person Placing Order

LINE	ITEM ITEM DESCRIPTION	DATE REQ'D/ PROMISED	SHIP TO ARRIVE SHIP COMPLETE	QUANTITY UOM	PRICE EACH EXTENDED
0010	CK56-SS-10K-645K-19.00' FT-W/LIFTERS 3.5"x19' 10K C&K w/ 4-1/16" 5K Flanges	8/30/2012	ASAP	1.00	11,300.0000
		8/30/2012	Complete	EA	11,300.00
Total Price:					11,300.00

Questions? Phone: (432) 333-2488

Fax: (432) 333-2492



Midwest Hose  
& Specialty, Inc.

## Internal Hydrostatic Test Graph

September 20, 2012

Customer: Odessa


Pick Ticket #: 168354

### Hose Specifications

<b>Hose Type</b>	<b>Length</b>
E	19'
<b>I.D.</b>	<b>O.D.</b>
3.5"	5.22"
<b>Working Pressure</b>	<b>Burst Pressure</b>
5000 PSI	Standard Safety Multiplier Applies

### Verification

<b>Type of Fitting</b>	<b>Coupling Method</b>
41/16 SK	Swage
<b>Die Size</b>	<b>Final O.D.</b>
5.75"	5.75"
<b>Hose Serial #</b>	<b>Hose Assembly Serial #</b>
9501	168354



**Test Pressure**  
5000 PSI

**Time Held at Test Pressure**  
10 3/4 Minutes

**Actual Burst Pressure**

**Peak Pressure**  
5625 PSI

**Comments:** Hose assembly pressure tested with water at ambient temperature.

**Tested By:** Phil Maytubby

**Approved By:** Kim Thomas

*Phil Maytubby*

*Kim Thomas*



Midwest Hose  
& Specialty, Inc.

INTERNAL HYDROSTATIC TEST CERTIFICATE			
Customer: ODESSA		Customer P.O. Number: 152079	
HOSE SPECIFICATIONS			
Type: Rotary / Vibrator Hose GRADE E / API 7K		Hose Length: 19 FEET	
I.D.	3.5 INCHES	O.D.	5.22 INCHES
WORKING PRESSURE	TEST PRESSURE	BURST PRESSURE	
5,000 PSI	5,000 PSI	N/A PSI	
COUPLINGS			
Part Number 3.5X64WB 3.5X64WB	Stem Lot Number 4Q11LOT1 4Q11LOT1	Ferrule Lot Number 4Q11LOT1 4Q11LOT1	
Type of Coupling: Swage-It		Die Size: 5.75 INCHES	
PROCEDURE			
<u>Hose assembly pressure tested with water at ambient temperature.</u>			
TIME HELD AT TEST PRESSURE		ACTUAL BURST PRESSURE:	
10 3/4 MIN.		N/A PSI	
Hose Assembly Serial Number: 168354		Hose Serial Number: 9501	
Comments:			
Date: 9/20/2012	Tested: <i>Phyllis Mayhew</i>	Approved: <i>Kim Thomas</i>	