

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

**HOBBS OCD**  
**MAY 20 2013**  
**OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30- 025-23643 ✓
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No. 1362 ✓
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name Harris State ✓
4. Well Location Unit Letter <u>J</u> : <u>2260</u> feet from the <u>south</u> line and <u>2310</u> feet from the <u>east</u> line Section <u>23</u> Township <u>10S</u> Range <u>32E</u> NMPM County <u>Lea</u>		8. Well Number <u>39</u> ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>4314</u>		9. OGRID Number 16696
		10. Pool name or Wildcat Masculeno San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-4350' PBD-4154' Perfs-4158-4258' CIBP-4197'  
8-5/8" 20# csg @ 382' w/ 200sx, 12-1/4" hole, TOC-Surf-Circ  
4-1/2" 9.5-10.5# csg @ 4350' w/ 200sx, 7-7/8" hole, TOC-3420'-TS  
1. RIH & tag cmt/CIBP @ 4154' M&P 25sx cmt to 3954'  
2. M&P 25sx @ 3555-3355' WOC-Tag  
3. Perf @ 3060', sqz 55sx cmt to 2900' WOC-Tag  
4. Perf @ 2255', sqz 35sx cmt to 2150' WOC-Tag  
5. Sqz 35sx cmt @ casing leak @ 1794-1694' WOC-Tag  
6. Perf @ 432' sqz 150sx cmt to surface  
Circ 10# MLF between plugs

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 5/13/13

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only


APPROVED BY: [Signature] TITLE DRB/MAR DATE 5-20-2013

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: **Must be Notified**  
**24 hours prior to the beginning of Plugging Operations begin.**


**MAY 21 2013**

OXY USA Inc. - Current  
Harris State #3Y  
API No. 30-025-23643



12-1/4" hole @ 382'  
8-5/8" csg @ 382'  
w/ 200sx-TOC-Surf-Circ

Csg Llk @ 1794'



7-7/8" hole @ 4350'  
4-1/2" csg @ 4350'  
w/ 200sx-TOC-3420'-TS


4/13-CIBP @ 4197' w/ 6sx

Perfs @ 4158-4258'

TD-4350'

OXY USA Inc. - Proposed  
Harris State #3Y  
API No. 30-025-23643

150sx @ 432'-Surface ✓



12-1/4" hole @ 382'  
8-5/8" csg @ 382'  
w/ 200sx-TOC-Surf-Circ

**Perf @ 432'**

35sx @ 1794-1694' WOC-Tag ✓




**Csg Llk @ 1794'**

35sx @ 2250-2150' WOC-Tag ✓



**Perf @ 2250'**

55sx @ 3060-2900' WOC-Tag ✓



**Perf @ 3060'**

25sx @ 3555-3355' WOC-Tag ✓



25sx @ 4154-3954' ✓

7-7/8" hole @ 4350'  
4-1/2" csg @ 4350'  
w/ 200sx-TOC-3420'-TS

4/13-CIBP @ 4197' w/ 6sx

**Perfs @ 4158-4258'**



**TD-4350'**