Form 3160-5 (August 2007)

UNITED STATES

FORM APPROVED OMB NO. 1004-0135

	EPARTMENT OF THE INT UREAU OF LAND MANAGE		5. Lease Serial N	pires: July 31, 2010	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter any abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side.				No. 695	
				ottee or Tribe Name	
				7. If Unit or CA/Agreement, Name and/or No. NMNM126140	
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other				nd No. SY UNIT 2H	
Name of Operator OXY USA INCORPORATED E-Mail: jennifer_duarte@oxy.com				306-00-X1	
3a. Address 3b. Phone No. (include area code) Ph: 713-513-6640				10. Field and Pool, or Exploratory RED TANK	
HOUSTON, TX 77210-4294 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)/			11. County or Pa	arish, and State	
Sec 1 T22S R32E NWSW 1800FSL 330FWL				NTY, NM	
12. CHECK APP	ROPRIATE BOX(ES) TO I	NDICATE NATURE OF I	NOTICE, REPORT, OR O	THER DATA	
TYPE OF SUBMISSION		TYPE O	TYPE OF ACTION		
Notice of Intent	☐ Acidize	Deepen	☐ Production (Start/Resum	e) Water Shut-Off	
☐ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity	
☐ Final Abandonment Notice	☐ Casing Repair☐ Change Plans	□ New Construction□ Plug and Abandon	☐ Recomplete ☐ Temporarily Abandon		
1 mai Abandonment Notice	Convert to Injection	☐ Plug Back	☐ Water Disposal	ce	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for for the control of the involved testing has been completed. Final Aldetermined that the site is ready for form of the control of the co	rk will be performed or provide the deperations. If the operation results bandonment Notices shall be filed of inal inspection.) ET Unit quests to install a temporary Bootleg Gin Federal 1H. Pleas proved and verified on the firn completion, test results and the sw. bbl/hr Serial # 14260661 316SS, 3" 150# s, standard epoxy painted	Bond No. on file with BLM/BIAs in a multiple completion or recombly after all requirements, include portable LACT with a 3? No assesses below for additionary to load of oil measured frod meter factor (Proving Research).	Required subsequent reports shompletion in a new interval, a Forting reclamation, have been complifier Motion al details. The Bootleg	all be filed within 30 days m 3160-4 shall be filed once leted, and the operator has	
14. I hereby certify that the foregoing is Con	Electronic Submission #209	NCORPORATÉD, sent to the	e Hobbs		
Name(Printed/Typed) JENNIFER A DUARTE		Title REGUL	Title REGULATORY SPECIALIST		
Signature (Electronic S	Submission)	Date 06/04/2	013		
	THIS SPACE FOR	FEDERAL OR STATE	OFFICE USE		
_Approved By_DUNCAN WHITLOC Conditions of approval, if any, are attached		TitleSUPERVIS	SORY PET	Date 06/05/2013	
certify that the applicant holds legal or equivalent would entitle the applicant to condu	iitable title to those rights in the sub				

OCD Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #209613 that would not fit on the form

32. Additional remarks, continued

2700C12ABUEAZX Serial # 3196901 Micro Motion Coriolis MVD multivariable flow and Density transmitter, 9 wire remote transmitter with Integral core processor, 18-30 VDC and 85-235 VAC Self switching, dual line display, one MA, one frequency, RS485, UL Listed, English Quick Reference, W/API software

Temporary Portable Coriolis Meter Conditions of Approval Speak Easy Federal Unit 2H 3002540306 NM106695 / Sec. 1 NWSW, T22S, R32E

- 1. Approval is for meter number <u>CMF300M355NRAUEZZZ Serial No. 14260661</u> and transmitter number <u>2700C12ABUEAZX- Serial No. 3196901</u>. Provide beginning totalizer reading prior to first load of oil being sold through meter.
- 2. The Coriolis meter shall be designed, installed and operated in accordance with all applicable API standards, including API 5.6, as may be amended or revised from time to time.
- 3. The metering facility shall include a temperature probe to monitor the actual oil temperature during custody transfer. This information will be recorded and used in calculating the volume of oil metered during each transaction.
- 4. The meter shall have a non-resettable totalizer.
- The custody transfer meter shall be proven during the first load of oil measured from the Speak Easy Federal Unit 2H and in conformance with Onshore Oil and Gas Order No.
 4.III.D. The meter proving is to be witnessed by BLM, contact 575-393-3612; a minimum of 24 hours prior to meter proving. Meter proving records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 6. A copy of the monthly meter proving will be submitted to the appropriate BLM office within 30 days of proving.
- 7. The run ticket associated with each oil transfer shall include the measured or calculated BS&W, oil gravity, temperature recorded during the transfer and beginning & ending totalizer readings. Such records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 8. A copy of run ticket shall be submitted to the appropriate BLM office within 30 days of ticket generation and will be made available for audit upon request.
- 9. Operator to maintain tank gauging data to be used as a comparison with the LACT meter readings.
- 10. All other provisions of the Onshore Oil and Gas Orders, especially No. 3 and No. 4 shall be met.
- 11. This approval may be subject to future review and if determined inadequate with regards to accurate measurement, the approval will be withdrawn.