

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

RECOVERED  
CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505  
APR 22 2013

HOBBSUCD

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-23302
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator State of New Mexico formerly Xeric Oil & Gas		6. State Oil & Gas Lease No. E-8184
3. Address of Operator 1625 N. French Drive Hobbs, New Mexico 88240		7. Lease Name or Unit Agreement Name East Pearl Queen Unit
4. Well Location Unit Letter F : 1355 feet from the North line and 2475 feet from the West line Section 34 Township 19S Range 35E NMPM Lea County		8. Well Number 56
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number
		10. Pool name or Wildcat Pearl Queen

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENTS: PROCEDURE & SCHEMATIC

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

*Mark Whitaker*

TITLE

*Compliance Officer*

DATE

*04-19-2013*

Type or print name  
For State Use Only

*Mark Whitaker*

E-mail address:

PHONE:

*575-393-6161*

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

2

JUN 18 2013

JUN 18 2013

State of New Mexico formerly Xeric Oil & Gas Corp  
East Pearl Queen Unit No. 56

Go in hole and tag top of cmt at approx. 4525'. Cap w/ 25 sx. Pressure test csg.  
Circulate hole w/ 9.5 ppg brine w/ 25 sx salt gel per 100 bbls.  
Perf at 3400'. Attempt to sqz w/ 25 sx cmt. WOC and Tag.  
Perf at 1800'. Attempt to sqz w/ 25 sx cmt. WOC and Tag.  
Perf at 447'. Circulate cmt to surface.  
Cut off wellhead and install dry hole marker.

# PLUGGING & ABANDONMENT WORKSHEET

OPERATOR St. of NM formerly Xerox Oil & Gas  
 LEASENAME East Pearl Queen Unit

WELL # 56  
 SECT 34 TWN 19S RNG 35E  
 FROM 1355 NSL 2475 EWL  
 TD: 5053 FORMATION @ TD 5053'  
 PBTD: 4525 FORMATION @ PBTD 4525'

8 5/8"  
 @ 397  
 TOC LIRC

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	<u>8 5/8</u>	<u>397</u>	<u>SURF</u>	<u>CIRC</u>	
INTMED 1					
INTMED 2					
PROD	<u>5 1/2</u>	<u>5052</u>	<u>?</u>		
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	<u>4725-4957</u>	
INTMED 2			OPENHOLE		
PROD					

## \* REQUIRED PLUGS DISTRICT I

RUSTLER (AHEAD)	<u>1785</u>	*
YATES	<u>3450</u>	
QUEEN		
GRAYBURN		
SAN ANDRES		
CAPTAIN REEF		*
DELAWARE		
BELL CANYON		
CHERRY CANYON		
BELLEVUE CANYON		
BONNEVILLE		
OKOKITA		*
BURBERRY		
TUES		
ORINARD		
ABO		
WOC		
PENNY		
STRAWN		
ATOKA		
MOORELOW		
SEAN		
DEVONIAN		

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMT	
EXAMPLES			
PLUG #1	OH	25 SXS	9850'
PLUG #2	SHOE	50 SXS	8700'-8800'
PLUG #3	CIBP/35'		5300'
PLUG #4	CIBP	25 SXS	5300'
PLUG #5	STUB	50 SXS	4600'-4700'
PLUG #6	REINR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			

PBTD  
4525'

Perfs  
4725'-4957'

5 1/2  
 @ 5052  
 TOC 2900'  
 (CALC.)

'72 - SQZ w/80 SX  
 Displace to 4525'

TD 5053

30-025-23302