Antonio Martinez		Title ENGINEER		
14. I hereby certify that the forego	ing is true and correct. Name (Printed/Typed)			<u> </u>
	SEE ATTACHEI CONDITIONS O	D FOR F APPROVAL		
Mewbourne Oil Comapy will r	epair hole in tubing.			
the proposal is to deepen din Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Braden head test was perform	ectionally or recomplete horizontally, give sub h the work will be performed or provide the B- involved operations. If the operation results in Final Abandonment Notices must be filed onl ady for final inspection.) need on the QPBSSU 10 #3 and failed due in the Mewbourne Oil Company's Querecho	surface locations and measured ond No. on file with BLM/BIA. n a multiple completion or recon y after all requirements, includin to communication with tubing	and true vertical depths Required subsequent re upletion in a new interva g reclamation, have bee and casing. Did not p	of all pertinent markers and zones. ports must be filed within 30 days I, a Form 3160-4 must be filed once n completed and the operator has erform integrity test due to being
Final Abandonment Notice	eted Operation: Clearly state all pertinent detai		ter Disposal	rk and annrovimate duration there
Subsequent Report		Casing Repair New Construction Recomplete		
Notice of Intent			duction (Start/Resume)	Water Shut-Off
TYPE OF SUBMISSION		TYPE OF AC	· · · · · · · · · · · · · · · · · · ·	
Sec 23, T18S, R 32E NWSW 1980' FSI	CHECK THE APPROPRIATE BOX(ES) TO	INDICATE NATURE OF NOT		
	ec., T.,R.,M., or Survey Description)		11. County or Parish, LEA COUNTY, NM	State
Mewbourne Oil Compa 3a. Address PO Box 5270, Hobbs NM	3b. Phone	No. (include area code) 93-5905	10. Field and Pool or Querecho Plains U	
2. Name of Operator 9. API Well QPBSSU 10			QPBSSU 10 #3 9. API Well No. 30-025-29828	
1. Type of Well		3	8. Well Name and No	one Springs Sands Unit
	UBMIT IN TRIPLICATE – Other instruction			eement, Name and/or No.
	this form for proposals to drill o ell. Use Form 3160-3 (APD) for	r to re-enter an	6. If Indian, Anotice	
NMNM-88			6. If Indian, Allottee	or Tribo Nama
	DEPARTMENT OF THE INTERIO	DR JUN, CC	5. Lease Serial No.	OMB No. 1004-0137 Expires: October 31, 2014

,

ſ

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

						³ API Numbe	2 9828		
Property Name							ell No. 3		
	^{7.} Surface Location								
UL - Lot	Section 23	Township 185	Range 32E		Feet from	N/S Line	Feet From	E/W Line	County Lea
	Well Status								
Well	Status		SHUT-IN		PRODUCING		DATE		
	OPEN BRADENHEAD AND INTERMEDIATE TO ATMOSPHERE INDIVIDUALLY FOR 15 MINUTES EACH						0		
If bradenhead	OBSERVED DATA f bradenhead flowed water, check all of the descriptions that apply:					· · · · · · · · · · · · · · · · · · ·			

	(A)Surf-Interm	(B)Interm(1)-Interm(2)	(C)Interm-Prod	(D)Prod Csng	(E)Tubing
Pressure		· · ·	0#	1800#	1800#
Flow Characteristics				\square	
Puff	Y/N	Y/N	(Y N	Y/N	-
Steady Flow	Y/N	Y / N	Y7	() N	1
Surges		Y / N	Y /N	Y/N	-
Down to nothing	Y/N	Y/N	U A	Y/	
Gas or Oil	Y/N	Y/N	Y/(W	X W	1
Water	Y/N	Y/N	Y/N	Y N	

If bradenhead flowed water, check all of the descriptions that apply:

CLEAR	FRESH	SALTY	SULFUR	BLACK
		L		······································

Remarks:	Well was shut in. Opened insection linespressure they to 1800#	
	Failed Braden hood test due to communication from tubing	
	to casing. Bled well down and shot well in. Newbourne	
	will submit a Sundry to repair hole intubing.	

Signature:	OIL CONSERVATION DIVISION
Printed name: Antonio Martinez	Entered into RBDMS
Title: Production Engineer	Re-test
E-mail Address: amartinez@mecbourne.com	
Date: 2/12/2013 Phone: (\$75) 390-1818	
Witness:	

Conditions of Approval

Mewbourne Oil Company Querecho Plains BS S Unit 10 - 03 API 3002529828, T18S-R32E, Sec 23

Work to be completed by 9/11/13

- Due to being within the Lesser Prairie Chicken habitat, this workover activity will be restricted to the hours of 9:00am through 3:00am for the period of March 1 through June 15. Exceptions to these restrictions may be granted by BLM's Johnny Chopp <jchopp@blm.gov> 575.234.2227 or Bob Ballard

ballard@blm.gov> 575.234.5973.
- 2. Before casing or a liner is added or replaced, prior BLM approval of the design is required. Use notice of intent Form 3160-5.
- 3. Subject to like approval by the New Mexico Oil Conservation Division.
- 4. Surface disturbance beyond the existing pad shall have prior approval.
- 5. A closed loop system is required
- 6. Functional H_2S monitoring equipment shall be on location.
- 7. All waste (i.e. trash, salts, chemicals, sewage, gray water, etc.) created as a result of work over operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area. Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

CRW 061113

Well with a Packer - Operations

- 1) Conduct a Mechanical Integrity Test of the tubing/casing annulus after a tubing, packer or casing seal is established. Repair that seal any time more than five barrels of packer fluid is replaced within 30 days.
- 2) The minimum test pressure should be 500 psig for 30 minutes or 300 psig for 60 minutes, with minimum 200 psig differential between tubing and casing pressure (at test time) but no more than 70% of casing burst pressure as described by Onshore Order 2.III.B.1.h. (The tubing or reservoir pressure may need to be reduced). An alternate method for a BLM approved MIT is to have the fluid filled system open to atmospheric pressure and have a loss of less than five barrels in 30 days witnessed by a BLM authorized officer.
- 3) Document the pressure test on a one hour full rotation calibrated recorder chart registering within 25 to 85 percent of its full range. Greater than 10% pressure leakoff will be viewed as

a failed MIT. Less than 10% pressure leakoff will be evaluated site specifically and may restrict injection approval.

- Make arrangements 24 hours before the test for BLM to witness. In Lea County phone 575-393-3612. If no answer, leave a voice mail or email with the API#, workover purpose, and a call back phone number. Note the contact, time, & date in your subsequent report.
- 5) Submit a subsequent Sundry Form 3160-5 relating the MIT activity. Include a copy of the recorded MIT pressure chart. List the name of the BLM witness, or the notified person and date of notification. NMOCD is to retain the original recorded MIT chart.
- 6) Use of tubing internal protection, tubing on/off equipment just above the packer, a profile nipple, and an in line tubing check valve below the packer or between the on/off tool and packer is a "Best Management Practice". The setting depths and descriptions of each are to be included in the subsequent sundry. List (by date) descriptions of daily activity of any previously unreported wellbore workover.
- 7) Submit the original subsequent sundry with three copies to BLM Carlsbad.
- 8) Compliance with a NMOCD Administrative Order is required, submit documentation of that authorization.
 - a) Approved injection pressure compliance is required.
 - b) If injection pressure exceeds the approved pressure you are required to reduce that pressure and notify the BLM within 24 hours.
 - c) When injection pressure is within 50 psig of the maximum pressure, install automation equipment that will prevent exceeding that maximum. Submit a subsequent report (Sundry Form 3160-5) describing the installed automation equipment within 30 days.
- 9) Unexplained significant variations of rate or pressure to be reported within 5 days of notice.
- 10) The casing/tubing annulus is required to be monitored for communication with injection fluid or loss of casing integrity. A BLM inspector may request verification of a full annular fluid level at any time.
- 11) A "Best Management Practice" is to maintain the annulus full of packer fluid at atmospheric pressure. Equipment that will display on site, continuous open to the air fluid level is necessary to achieve this goal.
- 12) Loss of packer fluid above five barrels per month indicates a developing problem. Notify BLM Carlsbad Field Office, Petroleum Engineering within 5 days.
- 13) A suggested format for monthly records documenting that the casing annulus is fluid filled is available from the BLM Carlsbad Field Office.
- 14) Gain of annular fluid requires notification within 24 hours. Cease injection and maintain a production casing pressure of 0 psia. Notify the BLM's authorized officer ("Paul R. Swartz" <<u>pswartz@blm.gov></u>, cell phone 575-200-7902). If there is no response phone 575-361-2822.

15) Submit a (Sundry Form 3160-5) subsequent report (daily reports) describing all wellbore activity and Mechanical Integrity Test as per item 1) above. Include the date(s) of the well work, and the setting depths of installed equipment: internally corrosive protected tubing, tubing on/off equipment just above the packer, and an in line tubing check valve below the packer or between the on/off tool and packer. The setting depths and descriptions of each are to be included in the subsequent sundry. List daily descriptions of any previously unreported wellbore workover(s) and reason(s) the well annular fluid was replaced.

Access information for use of Form 3160-5 "Sundry Notices and Reports on Wells"

NM Fed Regs & Forms - <u>http://www.blm.gov/nm/st/en/prog/energy/oil_and_gas.html</u>

§ 43 CFR 3162.3-2 Subsequent Well Operations.

§ 43 CFR 3160.0-9 (c)(1) Information collection.

§ 3162.4-1 (c) Well records and reports.