

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

HOBBS OCD

JUN 24 2013

WELL API NO. 30-025-11015
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Muenz Langlie Mattix Unit
8. Well Number 167
9. OGRID Number 192463
10. Pool name or Wildcat Langlie Mattix TR QUGB

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-104) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Injection

2. Name of Operator
OXY USA WTP Limited Partnership

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter I : 1980 feet from the South line and 660 feet from the east line
Section 5 Township 24S Range 37E NMPM County lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3278'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19,15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3633' PBD-3365' OH-3488-3633' CIBP-3400'

8-5/8" 28# csg @ 1207' w/ 250sx, 10" hole, TOC-Surf-Circ
7" 20# csg @ 987-1390' w/ 29sx, 8" hole, TOC-987'-Circ
5-1/2" 14# csg @ 3488' w/ 100sx, 6-3/4" hole, TOC-2331'-CBL
*7/78-Perf @ 2290', sqz 350sx cmt, circ to surf

1. RIH & tag cmt/CIBP @ 3365', M&P 45sx cmt to 3050'
2. M&P 25sx cmt @ 2365-2215', WOC-Tag
3. M&P 70sx cmt @ 1440-937' WOC-Tag
4. M&P 30sx cmt @ 200'-Surface
10# MLF between plugs

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 6/20/13

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717

For State Use Only


APPROVED BY [Signature] TITLE Dist. Mgr DATE 6-27-2013

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: **Must be Notified**
24 hours prior to the beginning of Plugging Operations begin.

JUN 27 2013

OXY USA WTP LP - Current
Myers Langlie Mattix Unit #167
API No. 30-025-11015



10" hole @ 1207'
8-5/8" csg @ 1207'
w/ 250sx-TOC-Surf-Circ

8" hole @ 1390'
7" csg @ 987-1390'
w/ 29sx-TOC-987'

7/78-Perf @ 2290' sqz 350sx cmt to surf

6-3/4" hole @ 3488'
5-1/2" csg @ 3488'
w/ 100sx-TOC-2331'-CBL

8/98-CIBP @ 3400' w/ 35' cmt to 3365'

OH @ 3488-3633'

TD-3633'

OXY USA WTP LP - Proposed
Myers Langlie Mattix Unit #167
API No. 30-025-11015

30sx @ 200'-Surface

70sx @ 1440-937' WOC-Tag

25sx @ 2365-2215' WOC-Tag

45sx @ 3365-3050' WOC-Tag

8/98-CIBP @ 3400' w/ 35' cmt to 3365'

10" hole @ 1207'
8-5/8" csg @ 1207'
w/ 250sx-TOC-Surf-Circ

8" hole @ 1390'
7" csg @ 987-1390'
w/ 29sx-TOC-987'

7/78-Perf @ 2290' sqz 350sx cmt to surf

6-3/4" hole @ 3488'
5-1/2" csg @ 3488'
w/ 100sx-TOC-2331'-CBL

OH @ 3488-3633'

TD-3633'