
Submit I Copy To Appropriate District Office	State of New Mexico	Form C-103
<u>District I</u> – (575) 393-6161 Ener	gy, Minerals and Natural Resources	Revised August 1, 2011 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District II (575) 748-1283		30-025-0(320
811 S. First St., Artesia, NM 88210	CONSERVATION DIVISION	5. Indicate Type of Lease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Azlec, NM 87410	1220 South St. Francis Dr.	STATE FEE
District IV – (505) 476-3460 1220 S: St. Francis Dr., Santa Fe, NM	2013 Santa Fe, NM 87505	6. State Oil & Gas Lease No.
87505		B2516
SUNDRY NOTICES AND (DO NOT USE THIS FORM FOR PROPOSALS TO DE	REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR	R PERMIT" (FORM C-101) FOR SUCH	Aztec State
PROPOSALS.) 1. Type of Well: Oil Well Gas Well	Other Thiertion	8. Well Number
2. Name of Operator	Other Injection	9. OGRID Number 16696
OXY USA Inc.		
3. Address of Operator		10. Pool name or Wildcat
P.O. Box 50250 Midland, TX 79710		Maljaman GBSA
4. Well Location Unit Letter H: 1980	feet from the <u>north</u> line and	138 feet from the
Section 8	Township 175 Range 33E	NMPM County Lea
	ation (Show whether DR, RKB, RT, GR, etc.	
	પાલ્લ'	
12. Check Appropria	te Box to Indicate Nature of Notice,	Report or Other Data
NOTICE OF INTENTIC	NTO: SUB	SEQUENT REPORT OF:
	ND ABANDON P REMEDIAL WOR	
TEMPORARILY ABANDON 🔲 CHANGI	<u></u>	
	LE COMPL CASING/CEMEN	T JOB
DOWNHOLE COMMINGLE		
OTHER:	OTHER:	
13. Describe proposed or completed opera	tions. (Clearly state all pertinent details, an	d give pertinent dates, including estimated date
proposed completion or recompletion.	RULE 19.15.7.14 NMAC. For Multiple Co.	mpletions: Attach wellbore diagram of
~ ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `		
TD-4465'	Perfs-4290-4426'	
S 6 27 27±	csg @ 300' w/ 200sx, 10-3/4" hole, TOC-Su	
5-1/2" 14-1	.5.5# csg @ 4465' w/ 200sx, 7-7/8" hole, TC	urr-Circ)C-3310'-Calc
E Z C		
1. RIH & se	t CIBP @ 4240', M&P 25sx cmt to 4065'	HOB3S OCD
2. Perf @ 2565', sqz 35sx cmt to 2465' WOC-Tag 3. Perf @ 1520', sqz 35sx cmt to 1420' WOC-Tag JUN 2 8 2013		
4. Perf @ 3	520, sqz 35sx cmt to 1420' WOC-Tag 50' sqz 120sx cmt to surface	JUN 2 8 2013
10# ML	F between plugs	
TD-4465' The Oil Conservation Division The Operation Division Spud Test S		RECEIVED
Spud Inte	Rig Release Date:	
	•	
I hereby certify that the information above is tru	se and complete to the heet of my knowledge	ea and ballof
Thoroby cortiny that the information above is the	ic and complete to the best of my knowledg	e and bener.
		. (.
SIGNATURE Su'SM	TITLE Regulatory Advisor	DATE 6(25(3
Type or print name David Stewart	E-mail address: david_stewart@o	oxy.com PHONE: _432-685-5717
For State Use Only	1	VALIOUM 11101112. <u>+12-003-3/11</u>
5//	$'$ \sim \sim \sim \sim	702n/3
APPROVED BY!		
Conditions of Approval (if any):	TITLE JS1. May	DATE 1-8-20/

JUL 0 8 2013

OXY USA Inc. - Current Aztec State #8 API No. 30-025-01320



OXY USA Inc. - Proposed Aztec State #8 API No. 30-025-01320


120sx @ 350'-Surface

10-3/4" hole @ 300' 8-5/8" csg @ 300' Perf @ 350'

35sx @ 1520-1420'

35sx @ 2565-2465'

CIBP @ 4240' w/ 25sx to 4065'



TD-4465'