

Submit 1 Copy To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

RECEIVED

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
October 13, 2009

WELL API NO. 30-025-30109	
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Corbin State	
8. Well Number #1	
9. OGRID Number 18917	
10. Pool name or Wildcat S Corbin Wolfcamp (13320)	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator Read & Stevens, Inc.	
3. Address of Operator P. O. Box 1518, Roswell, NM 88202-1518	
4. Well Location Unit Letter N : 522 feet from the South line and 2160 feet from the West line Section 21 Township 18S Range 33E NMPM Lea County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3810 GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Test Additional Wolfcamp

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MIRUSU. POH w/rods, pump laying dwn 20 rods. NUBOP. POH w/tbg, BHA laying dwn 17 jnts. RU wireline. RIH & correlate depth. Set 5 1/2" CIBP @ 10,980'. Dump bail 35' cmt on top. WOC. Correlate depth. Perf 4 spf 10,396' - 10,426'. Total of 121 holes. RD wireline. TIH w/2 7/8" x 5 1/2" pkr, 2 7/8" tbg. Test to 5000#. Set pkr @ 10,320'. Close BOP. Swab well. Acidize well w/3000 gals 20% NeFe HCl w/150 ball sealers. Swab/flow test. Pull pkr. Run pumping equipment.

Spud Date:

10/29/1987

Rig Release Date:

04/14/1988

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Kelly Barajas

TITLE Production/Regulatory Analyst

DATE 06/18/2013

Type or print name Kelly Barajas

E-mail address: kbarajas@read-stevens.com

PHONE: 575-622-3770

For State Use Only

APPROVED BY:

[Signature]

TITLE

Perroleum Engineer

DATE

JUL 09 2013

Conditions of Approval (if any):

8/18/13 mailed to Ocd-Hobbs nm

JUL 09 2013

ROAD & STEVENS, INC

Corbin State #1
wellbore schematic
S21-T18S-R33E
522' FSL & 2160' FWL

DRIVING DIRECTIONS:

Hwy 529 at MM 15 1/2
southwest through green gate (combo 3421)
SSW approx. 3 miles to well on right

