Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Hobbs HOBBS OCD

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No.

INDRY NOTICES AND REPORTS ON WELLS	OFD	17	' 2
t use this form for proposals to drill or to re-enter an	SET	JL 0	

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			1 7 2013	6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on reverse side. RECEIVED			ECEIVED 7.	7. If Unit or CA/Agreement, Name and/or No. NMNM127606			
1. Type of Well				8. Well Name and No.			
☑ Oil Well ☐ Gas Well ☐ Other				LYNCH 23 FEDER	RAL COM 6H		
2. Name of Operator Contact: DEYSI FAVELA CIMAREX ENERGY COMPANY OF CO-Mail: dfavela@cimarex.com				9. API Well No. 30-025-41195-00-X1			
3a. Address 600 NORTH MARIENFELD STREET, SUITE 600 MIDLAND, TX 79701 3b. Phone No. (include area code) Ph: 432-620-1964				10. Field and Pool, or Exploratory LEA			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11.	11. County or Parish, and State			
Sec 23 T20S R34E NENE 290FNL 385FEL				LEA COUNTY, NM			
12. CHECK APPI	ROPRIATE BOX(ES) TO INI	DICATE NATURE OF N	OTICE, REPO	RT, OR OTHE	R DATA		
TYPE OF SUBMISSION		TYPE OF .	ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off		
_	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	n	■ Well Integrity		
Subsequent Report	□ Casing Repair	■ New Construction	☐ Recomplete		☑ Other		
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon	□ Temporarily	Abandon	Drilling Operations		
	☐ Convert to Injection	☐ Plug Back	☐ Water Dispo	osal			
ppg, w/1.73 yld. Tail Cmt: 460 surface. WOC 24+ hrs. 7/19/13 Test csg to 1200 psi f 7/22/13 TD 12 1/4" hole @ 56 7/23/13 Ran 9 5/8" 40# L-80 L 320 sxs Econocem C @ 12.9 Circ 209 sxs cmt to surface. \ppg, w/ 1.88 yld. Tail Cmt 2nd cmt to surface. WOC 24+ hrs	ally or recomplete horizontally, give so the will be performed or provide the B to operations. If the operation results it condoment Notices shall be filed only in all inspection.) ole @ 1711' 65 BT&C Csg set @ 1711', Mix D sxs HalCem C cmt @ 14.8 pc. for 30 min (ok) 604' LT&C csg @ 5604', & DV Tool ppg, w/1.88 yd. Tail cmt 1st SWOC 7 hrs. Mix & Pump Leact d Stage: 140 HalCem C cmt @ 15.	subsurface locations and measure ond No. on file with BLM/BIA. a multiple completion or reconly after all requirements, including the set and the set	ed and true vertica Required subsequence Required subsequence Required subsequence greclamation, ha daCem CZ cm exs of cmt to Lead cmt 1st s 14.8 ppg, w EconoCem 6	I depths of all pertin tent reports shall be interval, a Form 316 ve been completed, a t @ 13.5 tage: 11.33.	ent markers and zones. filed within 30 days 0-4 shall be filed once		
14. I hereby certify that the foregoing is	Electronic Submission #2189	Y COMPÁNÝ OF CO, sent t	o the Hobbs				
Name (Printed/Typed) DEYSI FAVELA		Title DRILLIN	G TECHNICIA	N			
Signature (Electronic	Submission)	Date 09/04/20	13				
	THIS SPACE FOR F	EDERAL OR STATE C	FFICE USE				
Approved By ACCEPT	ED	JAMES A A TitleSUPERVIS		110	Date 09/15/2013		
Conditions of approval, if any, are attached certify that the applicant holds legal or equivihich would entitle the applicant to conditions.	uitable title to those rights in the subj			KE	-		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #218948 that would not fit on the form

32. Additional remarks, continued

7/25/13 TEST csg to 1500 psi for 30 min (ok) 8/08/13 TD 7 7/8" Hole @ 13997' 8/11/13 Ran 5 1/2" 17# L-80 BT&C/LT&C 8/11/13 Mix & Pump Lead CMT: 615 sxs Tuned Light cmt @ 10.8 ppg w/ 2.37 yd. Tail CMT: 1070 sxs VersaCem H cmt @ 14.5 ppg w/ 1.22 yld. WOC. 8/12/13 Rig Release 8/20/13 TOC 3000 8/21/13 Test csg to 8500 psi for 30 min. (Ok)