Form	31	60-5
Augi	ıst	2007)


UNITED STATES DEPARTMENT OF THE INTERIOR

	FORM APPROVE
0000 00D	OMB NO. 1004-013
OBBS OCD	Expires: July 31, 20

FORM	APP.	ROVEI
OMB N	O. 10	04-013
Expires:	July	31, 201

Bı	UREAU OF LAND MANA	GEMENT			5.	Lease Serial No.	July 31, 2010			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an SEP 25 2013				2L	NMNM0556297					
abandoned well. Use form 3160-3 (APD) for such proposals.					6.	6. If Indian, Anottee of Tribe Name				
SUBMIT IN TRIPLICATE - Other instructions on reverse side. RECEIVED				7.	7. If Unit or CA/Agreement, Name and/or No.					
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other				8.	8. Well Name and No. WILDCAT 21 LI FED COM 1H					
Name of Operator MEWBOURNE OIL COMPAN	Contact: Y E-Mail: jlathan@m	JACKIE LAT newbourne.com	HAN		9.	9. API Well No. 30-025-41486 41261				
3a. Address 3b. Phone No. (include area or PO BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905 Fx: 575-397-6252 Fx: 575-397-6252				e)	10	10. Field and Pool, or Exploratory BONE SPRING WEST				
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description	1)			11	11. County or Parish, and State				
Sec 21 T23S R34E NWSW 23	310FSL 150FWL					LEA COUNTY, NM				
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATE	NATURE OF	NOTICE,	REPO	ORT, OR OTHE	R DATA			
TYPE OF SUBMISSION			ТҮРЕ С	F ACTION						
☐ Notice of Intent	☐ Acidize	🗖 Dee	pen	🗖 Produ	ction	(Start/Resume)	■ Water	Shut-O	ff	
	☐ Alter Casing	☐ Frac	ture Treat	Recla	■ Reclamation			■ Well Integrity		
Subsequent Report	□ Casing Repair	□ New	Construction	☐ Reco	nplete	•	Other	· · · · · ·	_	
☐ Final Abandonment Notice	Change Plans	🗖 Plug	and Abandon	□ Temp	Temporarily Abandon			Drilling Operations		
	☐ Convert to Injection	Plug	ug Back 🔲 Water D			Disposal				
following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) 08/16/13 TD 12 1/4" hole. Ran 5082' of 9 5/8" 36 & 40# J55 & N80 LT&C csg. Cemented with 1250 sks Class C Lite (35:65:4) w/additives. Mixed @ 12.5 #/g w/2.21 yd. Tail w/200 sks Class C w/additives. Mixed @ 14.8 #/g w/1.33 yd. Plug down @ 10:30 AM 08/17/13. Circ 137 sks of cement to pit. WOC. Tested BOPE to 3000# & Annular to 1500#. At 3:00 AM 08/18/13, tested csg to 1500# for 30 mins, held OK. Drilled out with 8 3/4" bit. Chart & schematic attached. Bond on file: NM1693 nationwide & NMB000919										
14. I hereby certify that the foregoing is true and correct. Electronic Submission #219444 verified by the BLM Well Information System For MEWBOURNE OIL COMPANY, sent to the Hobbs Committed to AFMSS for processing by JOHNNY DICKERSON on 09/12/2013 ()										
Name(Printed/Typed) JACKIE LA	ATHAN		Title AUTH(ORIZED RI	PRE	是P在DFO	R RECO)RDI		
Signature (Electronic S	lubmission)		Date 09/09/2	l	NOC	JLI TED TO			L	
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE	JSE	"SEP 22	2013			
						bear it	10/1	/as	M	
_Approved By			Title		B	MEAU OF LAND	MANACIPINE	NT	<u> </u>	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office						CARLSBAD FIE	LD OFFICE			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a tatements or representation as	crime for my pe	rson knowingly and thin its jurisdiction	d willfully to	make t	o any department or	agency of the	United		

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **





WELDING • BOR TESTING NIPPLE UP SERVICE • BOP LIFTS • TANDEM MUD AND GAS SEPARATORS

Pg.	1	of	2

	WELDING SERVICES			# • 575-3		Pg	of <u>_</u>	
Company:	Mendourne.		Date:	3-18	-13	invoice f	59212	
Lease: W	ildrat 21 Li Geo				: Trinaded	Rig #	ш0	
Plug Size &T	ype: 11 " 6-22	Orill Pipa Siz			Teste			
Required BC	•		Insta	lied BOP:	ر الله المارية الله المارية ال		·	
	ng Valve Must Be Open During BOP Test *				* Check Val	ve Must Be Open/Disab	oled To Test Kill Line Va	lves '
#11 #10 #	Pipe Rams #14	#85 Mud Ga Valvi	#6 #6 #6 #6 #7 #7 #4 #4 #4 #4 #4 #4 #4 #4 #4	#26	IBOP 3	_'	Dart Valve #19 Stand Pipe Valve #24 #23 Titw Valve #18 Pump Valve #21	
TEST 0	Casing TEMS TESTED	TEST LENGTH	LOW PSI	HIGH PSI		REMARKS		
1.	15.97	10-10	220	1500			***************************************	
7. /	z , 10, 8	10-10	200	3000 -			•	
3.1	Z.//. 8	10-10	20	3000				<u></u>
4/	39.25.265	10-10	200	3000				
5 1	391.25	10-10	270	3000			** ** ** *** ** ** ** ** ** ** ** ** **	1
	39345		270	300)				
7	18	10-10	210	300				
	! 	10-10	ム か	300)				
				·				
								\neg
								\exists