Form 3160-5 (March 2012)

UNITED STATES

HOBBS OCD	
-----------	--

FORM APPROVED OMB No. 1004-0137

DE	PARTMENT OF THE	SINTERIOR	/ ^	=		Expires: October 31, 201	4	
BUR	REAU OF LAND MA	NAGEMENT/	SEP 2	5 2013	5. Lease Serial No.			
SUNDRY I	6. If Indian, Allottee or Tribe Name							
Do not use this	form for proposals	to drill or to I	e-enter an	[
abandoned well.	Use Form 3160-3 ((APD) for such	proposal	70 J				
SUBMI		7. If Unit of CA/Agreement, Name and/or No.						
1. Type of Well	· · · · · · · · · · · · · · · · · · ·	^			CACTUS FEDERA	AL /		
Oil Well Gas Well Other SWD					8. Well Name and Mo. #003			
2. Name of Operator. TANDENM ENERGY CORPORATI	ON /				9. API-Well No. 30-025-03335			
3a. Address 2700 POST OAK BOULEVARD, STE. 1000 HO	· 1	10. Field and Pool or Exploratory Area QUEEN, SWD.						
, , , , , , , , , , , , , , , , , , , ,	/							
4. Location of Well (Footage, Sec., T., UNIT LETTER "D": 330' FROM THE FNL LINE LEA CONTY, NEW MEXICO.	35 E NMPM	11. County or Parish, State LEA						
12. CHE	CK THE APPROPRIATE I	BOX(ES) TO INDIC	ÂTE NATURE	OF NOTIC	E, REPORT OR OT	HER DATA		
TYPE OF SUBMISSION	TYPE OF ACT				ON			
Notice of Intent	Acidize	Deepen		Produ	ction (Start/Resume)	Water Shut-Of	f	
Motice of minent	Alter Casing	Fracture	: Treat	Recla	nation	Well Integrity		
Subsequent Report	Casing Repair	New Co	onstruction	Recor	nplete		ALLED A PER-	
y Subsequent report	Change Plans	Plug and	d Abandon	Temp	orarily Abandon		monitoring	
Final Abandonment Notice Convert to Injection		Plug Ba	Plug Back		Disposal	system o	n Csg. well	
Attach the Bond under which the following completion of the involtesting has been completed. Final determined that the site is ready for	ved operations. If the opera Abandonment Notices mus	ation results in a mul	tiple completio	n or recompl	etion in a new interv	al, a Form 3160-4 must	be filed once	
9/5/2013. INSTALL A PERMANEN		EMONICSG WEL	ı			• :		
(A 100 gals. Plastic container filled	up w/ 100 gals. Of pack	er fluid. Connected	to Csg. With	a 1" steel l	ine & check valve,	leave Csg.		
Valve open to continuously monito Also on opposite side installed a ve	r well to see if it's taking	fluid.) n there is no press	sura on Csa	and clases i	f there is pressure	on it. To prevent		
a spill.	· -					Oil III, 10 provent		
9/13/2013. CONECT KILL TRUCK & RECORED TO 600 PSI. LOST 1	ON 7"-4 ½" ANNULUS, 20 POUNDS ON ½ AN	LOAD WITH 1/1 HOUR.	0 OF BARRE	., PRESSU	RE TEST IT			
PUT KILL TRUCK ON 4 ½"-2 3/8" FOR ½" AN HOUR, DIDN'T LOSE		BARREL, PRESS	SURE TEST &	RECORD	TO 520 PSI			
9/15/2013 INSTALLED A 2" STEEL	LINE ON 7" FROM CS	G. TO OPEN TOP	WTR. TANK	TO MONIT	OR 7" SURFACE	CSG.		
					5,	WD-38	<i>7</i>	
14. I hereby certify that the foregoing is	true and correct. Name (Prir	nted/Typed)	$\overline{\Omega}$, /				
Jose Ce	errillo	<u> </u>	Title dit	2/0/	Super	WD-38	· · · · · · · · · · · · · · · · · · ·	
Signature 08	into	، ا تحر	Datë 9	-20	Jacot Bri	ED EUB BEU	ORD	
-	THIS SPAC	E FOR FEDER	AL OR ST	ATE OFF	ICE USE	LN I AIL IVEO		
Approved by						1 0 9019	11	
A TOPACTOR OF			1		ضلاب ۱۱ ا	www. 71 (A) ~40/DX71/	_a A	

Title

Title 18 U.S.C. Section 1001 and Title 43.21 S.C. Section 1212 made it as three for any person knowingly and willfully to made fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

BUREAU OF LAND MANAGEMENT

CARL SBAD FIELD OFFICE

And Repartment of agency of the United States any false,

(Instructions on page 2)

عد 26 2013







