

District I
1625 N. French Dr., Hobbs, NM 88240District II
811 A. First St., Artesia, NM 88210District III
1000 Rio Brazos Rd. Aztec, NM 87410District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
OCT 10 2013State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05921
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease NO.
7. Lease Name or Unit Agreement Name North Monument G/SA Unit
8. Well Number 2707
9. OGRID Number 873
10. Pool Name Eunice Monument; G/SA

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator Apache Corporation
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705
4. Well Location Unit Letter G : 1980 feet from the N line and 1980 feet from the E line Section 5 Township 20S Range 37E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3562' GR

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>
CASING/CEMENT JOB <input type="checkbox"/>
ALTERING CASING <input type="checkbox"/>
P AND A <input type="checkbox"/>
OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Reclamation Foreman DATE 10/8/13Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: [Signature] TITLE Dist MGR DATE 10-10-2013

Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified
24 hours prior to the beginning of Plugging Operations.

OCT 10 2013

WELL BORE INFO.**LEASE NAME**

North Monument G/SA Unit

WELL #

2107

API #

30-025-05921

COUNTY

Lea

0

**16" Hole
13" 40# @ 144'
w/ 150 sx to surf**

389

777

12 1/4" Hole
9 5/8" 40# @ 1187'
w/ 600 sx to surf

1166

Perf holes @ 1210'-1211', sqzd w/ 270 to surf.

1554

HIC @ 1598'. Sqzd w/ 100 sx

1943

2331

2720

3108

HIC @ 3393'. Sqzd w/ 150 sx TOC @ 2250'

3497

8 5/8" Hole
7" 24# @ 3769'
w/ 350 sx TOC cal @ 1100'

3885

OH from 3769'-3885'

PBTD @ 3706'
TD @ 3885'

CIBP @ 3500' w/ no cmt
Perfs @ 3563'-3661'
Perfs @ 3669'-3703'

CICR @ 3706' sqzd w/ 50 sx
CICR @ 3744' sqzd w/ 60 sx
CICR @ 3805' sqzd w/ 1400 sx



WELL BORE INFO.

LEASE NAME

North Monument G/SA Unit

WELL #

2107

API #

30-025-05921


COUNTY

Lea

PROPOSED PROCEDURE

0

16" Hole
13" 40# @ 144'
w/ 150 sx to surf



4. PUH & spot 35 sx Class "C" cmt from 200' to surf.
(Shoe & Water Board)

389

777

12 1/4" Hole
9 5/8" 40# @ 1187'
w/ 600 sx to surf

1166

Perf holes @ 1210'-1211', sqzd w/ 270 to surf.

1554

HIC @ 1598'. Sqzd w/ 100 sx

3. PUH & spot 85 sx Class "C" cmt from 1650' - 1137'
WOC/TAG (HIC, perf holes, Shoe, & Top of Salt)

1943

2331

2. PUH & spot 30 sx Class "C" cmt from 2570'-2470'
WOC/TAG (Base of Salt)

2720

3108

HIC @ 3393'. Sqzd w/ 150 sx TOC @ 2250'

1. MIRU, RIH w/ tbg & verify CIBP @ 3500', CIRC w/
MLF & spot 30 sx Class "C" cmt from 3500'-3320'
WOC/TAG (CIBP over perfs & HIC@ 3393')

3497

8 5/8" Hole
7" 24# @ 3769'
w/ 350 sx TOC cal @ 1100'

CIBP @ 3500' w/ no cmt
Perfs @ 3563'-3661'
Perfs @ 3669'-3703'

3885

OH from 3769'-3885'

CICR @ 3706' sqzd w/ 50 sx
CICR @ 3744' sqzd w/ 60 sx
CICR @ 3805' sqzd w/ 1400 sx

PBTD @ 3706'
TD @ 3885'