Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

HOBBS OCD

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

SEP 1 8 2013

_,	-	•	-	NMNM126495
			- 1	1414114111120495

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.

abandoned we	b. If Indian, Allottee or	Tribe Name								
SUBMIT IN TRI	7. If Unit or CA/Agreement, Name and/or No.									
Type of Well	8. Well Name and No. W BELL LAKE 26 FEDERAL 1H									
Name of Operator CIMAREX ENERGY COMPAN	9. API Well No. 30-025-40905-00-X1									
3a. Address 600 NORTH MARIENFELD S MIDLAND, TX 79701	TREET, SUITE 600 3b. Phone Ph: 918	e No. (include area code) 3-295-1763		10. Field and Pool, or Exploratory BELL LAKE TRIPLE X BONE SA						
4. Location of Well (Footage, Sec., T.	11. County or Parish, and State									
Sec 26 T23S R33E SWSW 33	LEA COUNTY, NM									
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA										
TYPE OF SUBMISSION										
☐ Notice of Intent	☐ Acidize ☐ 1	Deepen	☐ Producti	on (Start/Resume)	■ Water Shut-Off					
	☐ Alter Casing ☐ ☐	Fracture Treat	□ Reclama	ition	■ Well Integrity					
	☐ Casing Repair ☐ ☐	New Construction	□ Recomp	lete	⊠ Other					
☐ Final Abandonment Notice	☐ Change Plans ☐ 1	Plug and Abandon	☐ Tempora	arily Abandon	Drilling Operations					
	☐ Convert to Injection ☐ ☐	Plug Back	■ Water D	isposal						
testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Drilling: 4/04/13 Spud well. 4/05/13 TD 17-1/2" hole @ 1434'. RIH w/ 13-3/8", 48#, H40, STC csg & set @ 1434'. 4/06/13 Mix & pump lead: 1000 sx Class C, 13.5 ppg, 1.74 yld; tail w/ 260 sx Class C, 14.8 ppg, 1.34 yld. Circ 448 sx to surf. WOC 24+ hrs. 4/07/13 Test csg to 1000# for 30 mins. OK. 4/10/13 TD 12-1/4" hole @ 5225'. RIH w/ 9-5/8", 40#, N80, LTC csg & set @ 5225'. 4/11/13 Mix & pump lead: 1270 sx Class C, 12.9 ppg, 1.82 yld; tail w/ 310 sx Class C, 14.8 ppg, 1.33 yld. TOC @ 540'. WOC 24 + hrs. 4/13/13 Test csg to 1500# for 30 mins. OK. 4/24/13 TD 8-3/4"/8-1/2" hole @ 15797'. 4/25/13 RIH w/ 5-1/2", 17#, P110, LTC/BTC csg & set @ 15797'. DV tool @ 5386'. External pkr @										
14. I hereby certify that the foregoing is true and correct. Electronic Submission #214347 verified by the BLM Well Information System For CIMAREX ENERGY COMPANY OF CO, sent to the Hobbs Committed to AFMSS for processing by KURT SIMMONS on 07/22/2013 (13KMS2494SE)										
Name (Printed/Typed) TERRI ST.	ATHEM	Title COORD	INATOR RE	GULATORY COMP	_IA					
Signature (Electronic S	Submission)	Date 07/20/20	013							
THIS SPACE FOR FEDERAL OR STATE OFFICE USE										
Approved By ACCEPT	ED	JAMES A A			Date 08/03/2013					
certify that the applicant holds legal or equ which would entitle the applicant to condu		Office Hobbs								
Fitle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.										

Additional data for EC transaction #214347 that would not fit on the form

32. Additional remarks, continued

5414'.
4/27/13 Mix & pump Stage 1: lead: 500 sx Class C, 10.8 ppg, 3.67 yld; tail w/ 1360 sx Class H, 14.2 ppg, 1.3 yld. Mix & pump Stage 2: lead: 480 sx Class C; 10.8 ppg, 3.64 yld; tail w/ 100 sx Class H; 14.2 ppg, 1.3 yld.
4/28/13 Release rig.

Completion: 5/14/13 TOC @ 4750'. Test csg to 8500# for 30 mins. Ok. PBTD @ 15618'. 5/15/13 to 5/22/13 Perf Bone Spring @ 11080-15624', 444 holes. Frac w/ 2042672 total fluid; 2476771# sand. 5/23/13 to 5/24/13 Mill out plugs. CO to PBTD. flowback well.
6/03/13 Turn well to prod.
7/03/13 RIH w/ 2-7/8" tbg & pump & set @ 10643'. Return well to production.