

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103

June 19, 2008

HOBBS OCD

NOV 06 2013

RECEIVED

WELL API NO. 30-025-07607
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: South Hobbs G/SA Unit
8. Well Number 45
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs; Grayburg-San Andres
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3614' DF

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☐ Other ☒ WIW

2. Name of Operator  
Occidental Permian Ltd.

3. Address of Operator  
P.O. Box 4294, Houston, TX 77210-4294

4. Well Location  
Unit Letter I : 1980 feet from the South line and 660 feet from the East line  
Section 4 Township 19-S Range 38-E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☒  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Stephens TITLE Regulatory Compliance Analyst DATE 11/4/13

Type or print name Mark Stephens E-mail address: Mark\_Stephens@oxy.com PHONE (713) 366-5158

For State Use Only

APPROVED BY [Signature] TITLE Dist. Mgr DATE 11-6-2013

Conditions of Approval (if any):

NOV 06 2013

South Hobbs G/SA Unit Well No. 45  
API No. 30-025-07607  
Lea Co., NM

Subject well plugged and abandoned as follows -

10/28/13 - 10/30/13:

MI x RU. Tag plug at 3950'. Circulate well with 10# MLF. Pressure test casing to 700 psi. Spot 50 sx. Cl. C at 3950'-3726' (CTOC). PUH to 2800'. Spot 35 sx. Cl. C at 2800'-2662' (CTOC). PUH to 1623'. Spot 40 sx. Cl. C at 1623'-1465' (CTOC). Tag plug at 1480'. POOH to surface. RU WL x perf at 261'. Squeeze 230 sx. Cl. C at 261'-surface. Did not get circulation through 10-3/4" casing. Circulated through 16" casing x visually confirmed. RD WL x top off casing with cement. RD x MO x clean location.

**Occidental Permian Ltd.**

South Hobbs G/SA Unit

Lea. County

Well No. 45

API: 30-025-07607

Footage Location: 1980' FSL & 660' FEL

Section: 4

Township: 19-S

Range: 38-E

Unit Letter: I


Current Status: Shut-in Injector

16" @ 211'  
Cemented w/ 75 sx  
TOC: surf. (circulated)

10 3/4" @ 1552'  
Cemented w/ 75 sx.  
TOC: surf. (circulated)

8 5/8" @ 3960'  
Cemented w/ 2665 sx  
TOC: surf. (circ.)

Total Depth: 4221'



Perf @261', sqz 230 sks cmt to surface

Spot 40 sx of cement @1623'  
Tag cement @1465'

Spot 35 sx of cement @2800'  
Tag cement @2662'

CIBP set @3950', spot 50 sks cmt to 3726'

5 1/2" @3904-4204'  
Cemented w/ 75 sxs  
TOC: 3904' TOL