

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Hobbs

FORM APPROVED
OMB NO. 1004-0137
Expires: October 31, 2014

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.,
Other: _____

2. Name of Operator
Devon Energy Production Company, L.P.

3. Address 333 W. Sheridan Avenue
Oklahoma City, Oklahoma 73102

3a. Phone No. (include area code)
405-228-4248

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface 200' FSL & 685' FEL, Unit P, Sec 6, T25S-R32E

At top prod. interval reported below

At total depth 317' FNL & 400' FEL, Unit A, Sec 6, T25S-R32E

14. Date Spudded
02/18/2013

15. Date T.D. Reached
03/11/2013

16. Date Completed 04/24/2013
☐ D & A ☒ Ready to Prod.

9. API Well No.
30-025-40047

10. Field and Pool or Exploratory
Wildcat G06 5263206M; Bone Spring

11. Sec., T., R., M., on Block and
Survey or Area Sec 6, T25S-R32E

12. County or Parish
Lea County

13. State
NM

17. Elevations (DF, RKB, RT, GL)*
3446.6' GL

18. Total Depth: MD 12,952'
TVD 8359'

19. Plug Back T.D.: MD 12,800'
TVD 12,897'

20. Depth Bridge Plug Set:
MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
CBL

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☐ No ☒ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cement Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17 1/2"	13 3/8"	48#	0	790'		840 sx CI C		0	
12 1/4"	9 5/8"	40#	0	4480'		1715 sx CI C		0	
8 3/4"	5 1/2"	17#	0	12944'		2125 sx CI H		5528'	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2 7/8"	8084'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Bone Spring	8635'	12867'	8635 - 12867'		288	open
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
8635 - 12867"	24,463 gals 7.5% HCL, 157,077 gals slick wtr, 68,996# 100 mesh sd, 1,729,398# 20/40 white sd, 525,868# 20/40 Siber prop

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
04/24/13	04/28/13	24	→	923	915	2747			pumping
Choke Size	Tbg. Press. Flwg SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
	500	220	→				991.3261	producing	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

*(See instructions and spaces for additional data on page 2)

ACCEPTED FOR RECORD

OCT 20 2013

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICERECLAMATION
DUE 10-24-13

NOV 25 2013

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

29. Disposition of Gas (Solid, used for fuel, vented, etc.)

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
				Rustler	744'
				Salado	1115'
				Base of Salt	4164'
				Bell Canyon	4526'
				Brushy Canyon	6755'
				Bone Spring	8407'

32. Additional remarks (include plugging procedure):

33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☒ Electrical/Mechanical Logs (1 full set req'd.)
 ☐ Geologic Report
 ☐ DST Report
 ☒ Directional Survey
- ☒ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
 ☐ Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Patti RiechersTitle Regulatory SpecialistSignature Patti RiechersDate 09/18/2013

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 3)

(Form 3160-4, page 2)