District I 1625 N. French Dr., Hobbs, NM 88240 District II

District II
811 S. First St., Artesia, NM 88210
District III

District III

1000 Rio Brazos Road, Aztec, NM 8740 2 0 2013

District IV

I220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ Revised August 1, 2011 d-loop systems that only use above

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

# Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Instructions: Please submit one application (Form C-144 CLEZ) per individual clos closed-loop system that only use above ground steel tanks or haul-off bins and prope	
Please be advised that approval of this request does not relieve the operator of liability she environment. Nor does approval relieve the operator of its responsibility to comply with	hould operations result in pollution of surface water, ground water or the
Operator: ConocoPhillips Company	OGRID #: 217817
Address: P.O. Box 51810 Midland, TX 79710-1810	
Facility or well name: Ruby Federal #30	
API Number: 30-025- OCD Pe	ermit Number:
U/L or Qtr/Qtr ULE Section 17 Township 17S	
Center of Proposed Design: Latitude 32.837833 Longit	tude <u>-103.79564</u> NAD: ∑1927 ☐ 1983
Surface Owner: 🛛 Federal 🗌 State 🗍 Private 🗍 Tribal Trust or Indian Allotmer	ent
2.  ☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC  Operation: ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities) ☐ Above Ground Steel Tanks or ☐ Haul-off Bins  3.	which require prior approval of a permit or notice of intent) P&A
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency	y telephone numbers
Signed in compliance with 19.15.16.8 NMAC	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B Instructions: Each of the following items must be attached to the application. P attached.  □ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMA □ Operating and Maintenance Plan - based upon the appropriate requirements □ Closure Plan (Please complete Box 5) - based upon the appropriate requirements □ Previously Approved Design (attach copy of design) API Number: □ Previously Approved Operating and Maintenance Plan API Number:	Please indicate, by a check mark in the box, that the documents are  AC of 19.15.17.12 NMAC ments of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.	
Disposal Facility Name: R-360 LLC	Disposal Facility Permit Number: 01-0006
Disposal Facility Name:	Disposal Facility Permit Number:
Will any of the proposed closed-loop system operations and associated activities of ☐ Yes (If yes, please provide the information below) ☒ No	occur on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operatio  Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsect	e requirements of Subsection H of 19.15.17.13 NMAC n I of 19.15.17.13 NMAC
6. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate	ate and complete to the best of my knowledge and belief.
Name (Print): Susan B. Maunder	Title: Senior Regulatory Specialist
Signature: Susan D. Maurder	Date: 8 8 3

Telephone: (432)688-6913

• 7.		
OCD Approval: Permit Application (including closure plan) Closure P	lan (only)	
OCD Representative Signature:	Approval Date:	
Title:	OCD Permit Number:	
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:		
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below)  No		
Required for impacted areas which will not be used for future service and operation:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	ons:	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print): Susan B. Maunder	Title: Senior Regulatory Specialist	
Signature:	Date:	
e-mail address: Susan,B.Maunder@conocophillips.com	Telephone: (432)688-6913	

#### Closed Loop System Design, Operating and Maintenance, and Closure Plan

ConocoPhillips Company Well: Ruby Federal #30

Location: Sec. 17, T17S, R32E

Date: 8/3/2013

ConocoPhillips proposes the following plan for design, operating and maintenance, and closure of our proposed closed loop system for the above named well:

1. We propose to use a closed loop system with steel pits, haul-off bins, and frac tanks for containing all cuttings, solids, mud, water, brine, and liquids. We will not dig a pit, nor will we use a drying pad, nor will we build an earth pit above ground level, nor will we dispose of or bury any waste on location.

All drilling waste and all drilling fluids (fresh water, brine, mud, cuttings, drill solids, cement returns, and any other liquid or solid that may be involved) will be contained on location in the rig's steel pits or in hauloff bins or in frac tanks as needed. The intent is as follows:

- We propose to use the rigs' steel pits for containing and maintaining the drilling fluids.
- We propose to remove cuttings and drilled solids from the mud by using solids control equipment and to contain such cuttings and drilled solids on location in haul-off bins.
- We propose that any excess water that may need to be stored on location will be stored in tanks.

The closed loop system components will be inspected daily by each tour and any needed repairs will be made immediately. Any leak in the system will be repaired immediately, and any spilled liquids and/or solids will be cleaned immediately, and the area where any such spill occurred will be remediated immediately.

2. Cuttings and solids will be removed from location in haul-off bins by an authorized contractor and disposed of at an authorized facility. For this well, we propose the following disposal facility:

R-360 Inc. 4507 West Carlsbad Hwy, Hobbs, NM 88240, P.O. Box 388; Hobbs, New Mexico 88241

Toll Free Phone: 877.505.4274. Local Phone Number: 432.638.4076

The physical address for the plant where the disposal facility is located is Highway 62/180 at mile marker 66 (33 miles East of Hobbs, NM and 32 miles West of Carlsbad, NM).

The Permit Number for R-360 is NM-01-0006.

A photograph showing the type of haul-off bins that will be used is attached.

- 3. Mud will be transported by vacuum truck and disposed of at R-360 Inc. at the facility described above.
- 4. Fresh Water and Brine will be hauled off by vacuum truck and disposed of at an authorized salt water disposal well. We propose the following for disposal of fresh water and brine as needed:
  - Nabors Well Services Company, 3221 NW County Rd; Hobbs, NM 88240, PO 5208 Hobbs, NM, 88241, Permit SWD 092. (Well Location: Section 3, T19S R37E)
  - Basic Energy Services, P.O. Box 1869; Eunice, NM 88231 Phone Number: 575.394.2545, Facility located at Hwy 18, Mile Marker 19; Eunice, NM.

James Chen Drilling Engineer Office: 832.486.2184 Cell: 832.678.1647

## SPECIFICATIONS

FLOOR: 3/16 PL one piece GROSS MEMBER: 3 x 4 i channel 16 on

center
WALLS: 3/16-PL solid-welded with tubling
top, instide liner hooks
DOOR: 3/16-PL-willin lubling frame
ERONE: 3/16-PL-willin lubling frame
FICK U.F. Standard cable with 2' × 6" × 1/4"
(rails, gu seekat each crossmember
WHEELS: 10:DIA x 9/long with rease fittings
DOOR LATCH: 3 Independent raichet binders, with chains, vertical second latch GASKE TS: "Extruded jubber seal with metal denea

WEDSC Aliweldsconlingus exceptant

WELDS: All welds continuous except substructure erossmenthers.

FINISH: Coated Inside and out with direct to metal, rust inhibiting easylic enamel color coat. HYDR©TESTING: Full capacity static test pilmen slons: 22-in long (21:8) inside).

99' wide (88' inside), see drawing for height OPTIONS: Steel grit blast and special paint, Amplifoll Hell and pino pickup.

ROOF 8/16 HE roof panels with hubing and Channel support frame

LIDS: (2) 68 x 90 metal folloglids spring loaceor self reising

ROLLERS: 4 Vagroove rollers with delifin


bearings and grease fillings ORENING: (2) 60° × 82° openings with:8° divider centered on

#### container


LATOH:(2) independent ratchet binders with chains

CASK≘TS Extraded milition seal with metal retainers

### Heavy Duty Split Metal Rolling Lid



CONT.	A	В
20 YD	41	53
25 YD	53	65
30 YD	65	77



#### ConocoPhillips

Location Schematic and Rig Layout for Closed Loop System

(PICTURE NOT TO SCALE)

Drawn by: James Chen

Drilling Engineer, ConocoPhillips Company
Date: 12-November-2012 (updated March 2013)

NOTE: There are two muster areas (primary & scondary) depending on the prevailing wind direction. The muster area that is furthest upwind/crosswind will be the designated area for briefing and assessing the situation. In the situation that a full evacuation is deemed necessary, all personnel will exit the location on the main access road. Otherwise, if the main access road is blocked off, they will exit on the secondary road or walk off road in the upwind/crosswind direction.

