Form 3160-5 (August 2007)

1. Type of Well

3a. Address

Name of Operator
 CIMAREX ENERGY COMP.

UNITED STATES DEPARTMENT OF THE INTERIOR

OCD	Hob	bs
-----	-----	----

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

DEPARTMENT OF THE II BUREAU OF LAND MANA	GEMENT	Expires: July 31, 2010 5. Lease Serial No.
SUNDRY NOTICES AND REPO	RTS ON WELLS	NMNM127894
BUREAU OF LAND MANA SUNDRY NOTICES AND REPO Do not use this form for proposals to abandoned well. Use form 3160-3 (API SUBMIT IN TRIPLICATE - Other instruc	o) for such proposals	6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE - Other instruc	No. 100	7. If Unit or CA/Agreement, Name and/or No.
ype of Well	€E.	8. Well Name and No. DIAMONDTAIL 23 FEDERAL 1H
☑ Oil Well ☐ Gas Well ☐ Other	·	BRINGING TAIL 25 TEBETONE THE 5
Name of Operator Contact: DEYSI FAVELA CIMAREX ENERGY COMPANY OF CO-Mail: dfavela@cimarex.com		9. API Well No. 30-025-40780-00-X1
Address 000 NORTH MARIENFELD STREET, SUITE 600	3b. Phone No. (include area code) Ph: 432-620-1964	10. Field and Pool, or Exploratory DIAMONDTAIL

Notice of Intent	☐ Acidize☐ Alter Casing	□ Deepen□ Fracture Treat	□ Production (Start/Resume)□ Reclamation	☐ Water Shut-Off ☐ Well Integrity	
TYPE OF SUBMISSION	TYPE OF ACTION				
12. CHECK APPR	OPRIATE BOX(ES) 1	TO INDICATE NATURE O	F NOTICE, REPORT, OR OTHE	R DATA	
4. Location of Well (Footage, Sec., T. Sec 23 T23S R32E NWNW 33	, R., M., or Survey Description	on)	11. County or Parish, LEA COUNTY,		
600 NORTH MARIENFELD ST MIDLAND, TX 79701		Ph: 432-620-1964	DIAMONDTAIL		

☐ Subsequent Report Casing Repair ■ New Construction Other □ Recomplete Change to Original A ☐ Final Abandonment Notice ☐ Change Plans Plug and Abandon ☐ Temporarily Abandon ■ Water Disposal □ Convert to Injection □ Plug Back 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Cimarex Energy respectfully requests changes to the original APD:

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Plugging Plan: 9-5/8" Casing set @ 4915'

8-3/4" Pilot Hole planned to 12,600'

1.Mix and Pump 800' balanced plug from 12,600'-11,800' with 300 sx of Class H Cement @ 15.6 ppg @

2.Run OH whipstock with 1000' of 2-7/8" tubing below whipstock. Whipstock set approximately 9,100' SEE ATTACHED FOR with EOT approximately 10,100'. Mix and pump 460 sx of Class H Cement @ 15.6 ppg @ 1.2 yield through end of tubing up to whipstock.

CONDITIONS OF APPROV

, ,	ne foregoing is true and correct. Electronic Submission #228231 verifie For CIMAREX ENERGY COMP Committed to AFMSS for processing by WES	NÝ OF LEY IN	CO, sent to the Ho GRAM on 11/27/20	obbs 13 (14V	WWI0089SE)	
Name (Printed/Typed)	DEYSI FAVELA	Title	DRILLING TECH	HNICIA	AN	
Signature	(Electronic Submission)	Date	11/27/2013		APPROVED	
THIS SPACE FOR FEDERAL OR STATE OFFICE USE						
Approved By		Title			NOV 2 7/20 30/20	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office	,	Bl	UKANUUK MANAGEMENT	400
Title 18 U.S.C. Section 100	and Title 43 U.S.C. Section 1212, make it a crime for any pe	rson kno	wingly and willfully t	o mak	o any department or agency of the Unite	đ

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #228231 that would not fit on the form

32. Additional remarks, continued

Formation Tops
Delaware 4980'
Bone Spring 8750'
Avalon Shale 9430'
1st Bone Spring 9930'
2nd Bone Spring 10625'
3rd Bone Spring 11100'
Wolfcamp 12380'

Conditions of Approval

Cimarex Energy Company Diamond Tail 23 Federal 1H API 30-025-40780 T23S-R32E, Sec 23 November 27, 2013

Pilot hole is required to have a plug at the bottom of the hole. If two plugs are set, the BLM is to be contacted (575-393-3612) prior to tag of bottom plug, which must be a minimum of 200' in length.

JAM 112713