

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-41310
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Dillon 31
8. Well Number 3H
9. OGRID Number 7377
10. Pool name or Wildcat Red Hills; Upper Bone Spring Shale
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3440' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

HOBBS OCD

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	2. Name of Operator EOG Resources, Inc.	3. Address of Operator P.O. Box 2267 Midland, TX 79702	4. Well Location Unit Letter 0 : 220 feet from the South line and 1755 feet from the East line Section 31 Township 24S Range 34E NMPM County Lea
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☒ P AND A ☐
CASING/CEMENT JOB ☒

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/07/13 Spud 17-1/2" hole.
12/08/13 Ran 29 jts 13-3/8", 54.5#, J55 STC casing set at 1225'.
12/09/13 Cemented lead w/ 550 sx Class C, 13.5 ppg, 1.75 yield; tail w/ 300 sx Class C, 14.8 ppg, 1.34 yield. Circulated 56 sx cement to surface. WOC 43 hrs.
12/10/13 Tested casing to 1400 psi for 30 minutes. Test good.
Resumed drilling 12-1/4" hole.

Spud Date:

12/07/2013

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stan Wagner TITLE Regulatory Analyst DATE 12/16/2013

Type or print name Stan Wagner E-mail address: _____ PHONE 432-686-3689

For State Use Only

APPROVED BY [Signature] TITLE Petroleum Engineer DATE DEC 30 2013

Conditions of Approval (if any):

DEC 30 2013