1625 N. French Dr., Hobbs, NM 88240 District II

Bill S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505ECEVED

State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ Revised August 1, 2011

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

### Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and pr	opose to implement waste removal for closure)
Type of action: X Permit	Closure
Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loclosed-loop system that only use above ground steel tanks or haul-off bins and propose to	
Please be advised that approval of this request does not relieve the operator of liability should environment. Nor does approval relieve the operator of its responsibility to comply with any	
Operator: ConocoPhillips Company	OGRID #: 217817
Address: P.O. Box 51810 Midland, TX 79710-1810	,
Facility or well name: Emerald Federal #8	
API Number: 30-025- OCD Permit	Number:
U/L or Qtr/Qtr UL A Section 17 Township 17S Ra	nge 32E County: Lea County
Center of Proposed Design: Latitude 32.840886 Longitude	-103.78277 NAD: ⊠1927 ☐ 1983
Surface Owner: X Federal X State Private Tribal Trust or Indian Allotment	
2.  X Closed-loop System: Subsection H of 19.15.17.11 NMAC  Operation: X Drilling a new well Workover or Drilling (Applies to activities whice  X Above Ground Steel Tanks or Haul-off Bins	h require prior approval of a permit or notice of intent)
3.  Signs: Subsection C of 19.15.17.11 NMAC  ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency tele ☐ Signed in compliance with 19.15.16.8 NMAC	ephone numbers
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 1 Instructions: Each of the following items must be attached to the application. Please attached.  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number:	9.15.17.12 NMAC s of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions: Please indentify the facility or facilities for the disposal of liquids, drill facilities are required.	
Disposal Facility Name: R-360 Inc. Dis	posal Facility Permit Number: 01-0006
Disposal Facility Name: Dis	posal Facility Permit Number:
Will any of the proposed closed-loop system operations and associated activities occur $\square$ Yes (If yes, please provide the information below) $\boxtimes$ No	on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate req Re-vegetation Plan - based upon the appropriate requirements of Subsection I of Site Reclamation Plan - based upon the appropriate requirements of Subsection Countries.	19.15.17.13 NMAC
6. Operator Application Certification:	

Telephone: (432)688-6913 ZU14 Page 1 of 2

Title: Senior Regulatory Specialist

Name (Print): Susan B. Maunder

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

7. OCD Approval: Permit Application (including closure plan) Closure Plan (only)			
OCD Approval:   Permit Application (including closure plan)   Closure Plan (only)			
OCD Representative Signature:	Approval Date:		
Title:	OCD Permit Number:		
Subsection K of 19.15.17.13 NMAC  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:			
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.			
Disposal Facility Name:	Disposal Facility Permit Number:		
Disposal Facility Name:	Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below)  No			
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique			
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print): Susan B. Maunder	Title: Senior Regulatory Specialist		
Signature:	Date:		
e-mail address: Susan.B.Maunder@conocophillips.com	Telephone:		

#### Closed Loop System Design, Operating and Maintenance, and Closure Plan

ConocoPhillips Company Well: Emerald Federal #8 Location: Sec. 17, T17S, R32E

Date: 07-31-13

ConocoPhillips proposes the following plan for design, operating and maintenance, and closure of our proposed closed loop system for the above named well:

1. We propose to use a closed loop system with steel pits, haul-off bins, and frac tanks for containing all cuttings, solids, mud, water, brine, and liquids. We will not dig a pit, nor will we use a drying pad, nor will we build an earth pit above ground level, nor will we dispose of or bury any waste on location.

All drilling waste and all drilling fluids (fresh water, brine, mud, cuttings, drill solids, cement returns, and any other liquid or solid that may be involved) will be contained on location in the rig's steel pits or in hauloff bins or in frac tanks as needed. The intent is as follows:

- We propose to use the rigs' steel pits for containing and maintaining the drilling fluids.
- We propose to remove cuttings and drilled solids from the mud by using solids control equipment and to contain such cuttings and drilled solids on location in haul-off bins.
- We propose that any excess water that may need to be stored on location will be stored in tanks.

The closed loop system components will be inspected daily by each tour and any need repairs will be made immediately. Any leak in the system will be repaired immediately, and any spilled liquids and/or solids will be cleaned immediately, and the area where any such spill occurred will be remediated immediately.

2. Cuttings and solids will be removed from location in haul-off bins by an authorized contractor and disposed of at an authorized facility. For this well, we propose the following disposal facility:

R-360 Inc.

4507 West Carlsbad Hwy, Hobbs, NM 88240, P.O. Box 388; Hobbs, New Mexico 88241

Toll Free Phone: 877.505.4274, Local Phone Number: 432.638.4076

The physical address for the plant where the disposal facility is located is Highway 62/180 at mile marker 66 (33 miles East of Hobbs, NM and 32 miles West of Carlsbad, NM).

The Permit Number for R-360 is NM-01-0006.

A photograph showing the type of haul-off bins that will be used is attached.

- 3. Mud will be transported by vacuum truck and disposed of at R-360 Inc. at the facility described above.
- 4. Fresh Water and Brine will be hauled off by vacuum truck and disposed of at an authorized salt water disposal well. We propose the following for disposal of fresh water and brine as needed:
  - Nabors Well Services Company, 3221 NW County Rd; Hobbs, NM 88240, PO 5208 Hobbs, NM, 88241, Permit SWD 092. (Well Location: Section 3, T19S R37E)
  - Basic Energy Services, P.O. Box 1869; Eunice, NM 88231 Phone Number: 575.394.2545, Facility located at Hwy 18, Mile Marker 19; Eunice, NM.

James Chen Drilling Engineer Office: 832.486.2184 Cell: 832.678.1647

ζ ...

# SPECIFICATIONS

FLOOR: 3/16" PL one piece CROSS MEMBER: 3 x 4/1 drannel 16" on

WALLISE 8/16 PL solid welded with unling

iopalissis lineringele

DOOF : 3/46" PL With Jubing frame

FRONT: 3/16" PL slant formed PICK U.F: Standard cable with 2" x 6" x 1/4".

ralls, guissel alreach crossmember WHEELS: 10 DIA x 9 long with rease filtings DOOR LATCH: 3 independent ratcher binders with chains, vertical second latch

ISBIR IIIW 1592 1960 1000 1000 12 I ENEAS

WELDS: Allewelds:continuous.exceptisud


structure prossmembers FINISH: Coated inside and out with direct to metal, rust inhibiting activity enametroolor coat HYDROTESTING: Full capacity static lest DIMEN SIONS: 22-11 long (21-8 inside), 99" Wide (88 inside), see drawing for height OPTIONS: Steel grit blast and special paint. Amplifelt, Hell and Differplokup

Amplical, Felicard Ullrespickup
ROOF: 3/16" Pe roof panels with tubing and channel support frame
LIDS: (2) 68" x 99" metal rolling lids spring foaded, self-raising
ROLLERS: 4" V-groove rollers with delifin bearings and grease fittings
ORENING: (2) 60" x 82" openings
with 8", divider centered on


oontainer PATOHKONIIdependent reicheideinders Wille Gietus oerlid

i selente de New Person seal White metal netainers

## Heavy Duty Split Metal Rolling Lid



CONT.	A	В
20 YD	41	53
25 YD	53	65
30 YD	65	77



### ConocoPhillips

Location Schematic and Rig Layout for Closed Loop System

(PICTURE NOT TO SCALE)

Drawn by: James Chen

Drilling Engineer, ConocoPhillips Company
Date: 12-November-2012 (updated March 2013)

NOTE: There are two muster areas (primary & scondary) depending on the prevailing wind direction. The muster area that is furthest upwind/crosswind will be the designated area for briefing and assessing the situation. In the situation that a full evacuation is deemed necessary, all personnel will exit the location on the main access road. Otherwise, if the main access road is blocked off, they will exit on the secondary road or walk off road in the upwind/crosswind direction.

