

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88241

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

HOBBS OCD

MAR 31 2014

RECEIVED

WELL API NO.

30-025-05851

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B935

7. Lease Name or Unit Agreement Name

East Eunmont Unit

8. Well Number

124

9. OGRID Number

192463

10. Pool name or Wildcat

Eunmont Yates 7R Qn

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

OXY USA WTP Limited Partnership

3. Address of Operator

P.O. Box 50250 Midland, TX 79710

4. Well Location

Unit Letter N : 660 feet from the south line and 1930 feet from the west line
Section I Township 20S Range 3TE NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3588'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐CHANGE PLANS ☐PULL OR ALTER CASING ☐MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐P AND A ☐CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3905' PBDT-3672' Perfs-3752-3870' CIBP-3672'

8-5/8" 24# csg @ 314' w/ 200sx, 11" hole, TOC-Surf-Circ

5-1/2" 14# csg @ 3905' w/ 1225sx, 7-7/8" hole, TOC-455'-TS

1. RIH & tag CIBP @ 3672', M&P 30sx cmt to 3522'

2. M&P 25sx cmt @ 2740-2570' WOC-Tag

3. M&P 25sx cmt @ 1560-1410' WOC-Tag

4. Perf @ 364' sqz 120sx cmt to surface

10# MLF between plugs

Above ground steel tanks will be utilized.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Sr. Regulatory Advisor

DATE

3/28/14

Type or print name

David Stewart

E-mail address:

david_stewart@oxy.com

PHONE:

432-685-5717

For State Use Only

APPROVED BY:

TITLE

Compliance Officer

DATE

4/1/2014

Conditions of Approval (if any)

APR 02 2014

OXY USA WTP LP - Proposed
East Eumont Unit #124
API No. 30-025-05851


120sx @ 364'-Surface

25sx @ 1560-1410' WOC-Tag

25sx @ 2740-2570' WOC-Tag

25sx @ 3672-3522'

7/92-CIBP @ 3672'



11" hole @ 314'
8-5/8" csg @ 314'
w/ 200sx-TOC-Surf-Circ

Perf @ 364'

7-7/8" hole @ 3905'
5-1/2" csg @ 3905'
w/ 1225sx-TOC-455'-TS

Perfs @ 3752-3870'

TD-3905'

OXY USA WTP LP - Current
East Eumont Unit #124
API No. 30-025-05851

11" hole @ 314'
8-5/8" csg @ 314'
w/ 200sx-TOC-Surf-Circ

7/92-CIBP @ 3672'

7-7/8" hole @ 3905'
5-1/2" csg @ 3905'
w/ 1225sx-TOC-455'-TS

Perfs @ 3752-3870'

TD-3905'