

Submit 1 Copy To Appropriate District State of New Mexico	Form C-103
Office UOBBS OCD Minards and Natural Bas	
1625 N. French Dr., Hobbs, NM 88240	WELL API NO.
District II – (575) 748-1283 811 S. First St., Artesia, NM 88210 APR 0 8 2014 CONSERVATION DIVIS	SION 30-025-04435 5. Indicate Type of Lease
District 111 – (505) 334-6178 1220 South St. Francis Dr	· STATE STATE
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV - (505) 476-3460 RECEIVED Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK	TO A Eumont Hardy Unit
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well 🗌 Gas Well 🗌 Other WIW	8. Well Number 042
2. Name of Operator	9. OGRID Number 151228
Mar Oil and Gas Corporation 3. Address of Operator	10. Pool name or Wildcat
PO Box 5155 Santa Fe, NM 87502	Eumont; Yates, 7 Rivers, Queen
4. Well Location	
Unit LetterI:3300feet from the _North line and	
Section 1 Township 21S Range	
11. Elevation (Show whether DR, RKB, I	RT, GR, etc.)
and the second	
12. Check Appropriate Box to Indicate Nature of	of Notice. Report or Other Data
— — — — — — — — — — — — — — — — — — — —	
	IG/CEMENT JOB
DOWNHOLE COMMINGLE	
OTHER:	R: 👘 🗌
13. Describe proposed or completed operations. (Clearly state all pertinen	
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For N	Aultiple Completions: Attach wellbore diagram of
proposed completion or recompletion. All well fluids with be circulated to steel pit x No earthen pit will be constructed x any solids will be hauled to Sundance	
7" casing set at 1318' x Cemented with 10 sx cmt x TOC calculated @1250'	
5 1/2" casing set at 3566' x Cemented with 600 sx cmt x TOC calculated @ surface	
Open hole 3566-3742' x TS – 1495' x BS – 2550'	
CICR at 3441' x Casing collapsed around 2 3/8" tbg at 3351'	
Run tbg open ended to 3350' x spot 25sx cmt plug x pull tbg x WOC x tag plug at 3100'	
Displace well with gelled brine water xp tbg to 2600' x Spot 25sx cmt plug Perf casing at 1495' (TS and Surface shoe plug) x Squeeze with 45sx cmt x WOC x tag plug at 1268'	
Perf casing at 350' Squeeze with 35sy cmt y WOC y tag cmt plug y fill casin	ig with coment - TF WELL WILL CITC APTER
Cut off wellhead and SU anchors x Install NMOCD regulation PA marker	v Pren location for release f CNL, Chill and Chiller
VERIFY CMT TO SURFACE ALL CSG. ST	
Spud Date: Rig Release Date:	
I hereby certify that the information above is true and complete to the best of m	y knowledge and belief.
SIGNATURE Billy E- Vinche TITLE Foreman	DATE 4/4/14
Type or print name <i>Billy E. Prichard</i> E-mail address: billy For State Use Only	@pwllc.net PHONE: 432-934-7680
	· Olli Alabaul
APPROVED BY: Maley Stown TITLE Compliance Office Date 4/8/2014	
Conditions of Approval (if any):	
N	APR 1 4 2014



ŧ

www.pwilc.net



BEP