

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-03244
5. Indicate Type of Lease STATE FEE XX
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name West Pearl Queen Unit
8. Well Number 112
9. OGRID Number 25482
10. Pool name or Wildcat Pearl Queen
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other INJECTION WELL
2. Name of Operator State of New Mexico formerly Xeric Oil & Gas Corp.
3. Address of Operator 1625 N. French Drive Hobbs, New Mexico 88240
4. Well Location Unit Letter F : 1980 feet from the N line and 1980 feet from the W line Section 29 Township 19S Range 35E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENTS: PROCEDURE & SCHEMATIC

TAG
4/15 2979

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Mark White

TITLE Compliance Officer

DATE 7/23/2013

Type or print name

E-mail address:

PHONE: 575-393-6161

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

State of New Mexico formerly XERIC OIL & GAS

LEASE NAME WEST PEARL QUEEN UNIT 112 API 30-0 25 - 03244

U.L. F Section 29 -T 19 S-R 35 E FROM 1980 N ~~X~~ L, 1980 ~~X~~ W.

SPECIAL NOTE—Mud Laden Fluid will consist of 9.5# brine with 12.5# Salt Gel per BBL (25 sacks of gel/ per 100 BBLs Brine). All cement plugs will be 25 sacks of cement or 100', whichever is greater. **Unless otherwise specified in the approved procedure, cement plugs shall consist of class "C" for depths to 7500'. Class "H" will be used for plugs deeper than 7500'.**

1. MIRU plugging unit. Lay down production equipment.
2. ~~Set~~ ^{TAG} CIBP @ 4780'. Circulate MLF. Spot 25 sxs cmt on CIBP.
3. Perf/Sqz or ~~Spot~~ 25 sxs cmt @ 3460'. If perf, WOC & TAG.
4. Perf /Sqz or ~~Spot~~ 25 sxs cmt @ 1850'. If perf, WOC and TAG.
5. Perf/Sqz or ~~Spot~~ @ 200', w/ sufficient volume to circ cmt to surface inside/outside of csg strings.
6. Cutoff wellhead and anchors, install marker.

-----SPECIAL NOTES-----

PLUGGING & ABANDONMENT WORKSHEET

OPERATOR STATE OF NM formerly XERIC OIL & GAS
LEASENAME PEARL QUEEN UNIT

SECT 29 TWN 19S RNG 35E
FROM 1980 NWL 1980 NWL
TD: 4963' FORMATION @ TD
PBD: 4780' FORMATION @ PBD

13 3/8"
@ 100'
TOC CIRC

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	<u>13 3/8"</u>	<u>100'</u>	<u>CIRC</u>	
INTMED 1				
INTMED 2				
PROD	<u>7"</u>	<u>4932'</u>	<u>?</u>	<u>150 SX</u>
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERFS	<u>4822' - 4829'</u>
INTMED 2			OPENHOLE	<u>4932' - 4963'</u>
PROD				

* REQUIRED PLUGS DISTRICT I

<u>PERMIT</u>	<u>1904</u>
<u>DATE</u>	<u>3460</u>
QUEEN	
GRAYBIRD	
SAN ANGELO	
CANTON REEF	*
DELAWARE	
BELL CANYON	
CORREY CANYON	
BERRY CANYON	
BORE FILING	
OLONETA	*
BURNERY	
TUES	
ORDEARD	
ABO	
TOC	
PERN	
STRAWN	
ATOKA	
MOORELOW	
SMITH	
DOYONCAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CANT	
EXAMPLE			
PLUG #1	OH	25 SCS	9350'
PLUG #2	SHOE	50 SCS	8700'-8900'
PLUG #3	CEP/35'		5300'
PLUG #4	CEP	25 SCS	5300'
PLUG #5	STUB	50 SCS	4600'-4700'
PLUG #6	RETR SQZ	200 SCS	400'
PLUG #7	SURF	10 SCS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			

CIRP @
4780'

OH 4932' -
4963'

Perf 4822' -
4829'

7"
@ 4932'
TOC ?
w/150 SX

TD