

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-03249
5. Indicate Type of Lease STATE XX FEE
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name West Pearl Queen Unit
8. Well Number 128
9. OGRID Number 25482
10. Pool name or Wildcat Pearl Queen

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well Gas Well Other INJECTION WELL	
2. Name of Operator State of New Mexico formerly Xeric Oil & Gas Corp.	
3. Address of Operator 1625 N. French Drive Hobbs, New Mexico 88240	
4. Well Location Unit Letter <u>0</u> : <u>660</u> feet from the <u>S</u> line and <u>1980</u> feet from the <u>E</u> line Section <u>29</u> Township <u>19S</u> Range <u>35E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON XX	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENTS: PROCEDURE & SCHEMATIC

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark White TITLE Compliance Officer DATE 07/25/2013

Type or print name _____ E-mail address: _____ PHONE: 575-393-6161

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

State of New Mexico formerly Xeric Oil & Gas Corp
West Pearl Queen Unit No. 128

POOH w/ packer and tubing.

Attempt to establish pump in rate down 2 7/8" tubing and report results.

If able to pump in, pump a volume of cement from 4700' to surface.

If unable to pump in, pick up work string and spot 20 sx cmt at 4700'. WOC & Tag.

POOH to 3500'. Spot 20 sx cmt. WOC & Tag.

POOH to 1900'. Spot 20 sx cmt. WOC & Tag.


POOH to 400'. Fill to surface with cement.

Cut off wellhead and install dry hole marker.

PLUGGING & ABANDONMENT WORKSHEET

OPERATOR STATE OF NM formerly XERTIC OIL & GAS
LEASENAME PEARL QUEEN UNIT

WELL # 128
SECT 29 TWN 19S RNG 35E
FROM 660 W SL 1980 E W L
TD: _____ FORMATION @ TD _____
PBD: _____ FORMATION @ PBD _____



	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	8 5/8	309'	CIRC	
INTMED 1	4 1/2	4977'	CIRC	
INTMED 2				
PROD	2 7/8	5011'	SURF to 318' 1358' to TD	
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERFS	4762 - 4998
INTMED 2			OPENHOLE	-
PROD				

* REQUIRED PLUGS DISTRICT I

PLUGGER (AKEYED)	1793
YATES	3531
QUEEN	
GRAYBIRD	
SAN ANDREW	
CANTON REEF	
DELAWARE	
BELL CANYON	
CHEERY CANYON	
ELBERT CANYON	
BONNEVILLE	
HOLOMISTA	
BUDGERY	
TUES	
DRINKARD	
ABO	
WCO	
PENNY	
STRAWN	
ATOKA	
BLACKLOW	
SAGE	
DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	25 SXS	9350'
PLUG #2	SHOE	50 SXS	8700'-8800'
PLUG #3	CIEP/35'		5300'
PLUG #4	CIEP	25 SXS	5300'
PLUG #5	STUB	50 SXS	4600'-4700'
PLUG #6	RETAIN SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			

* 1992' - 2 7/8 BAKER AD-1
Set at 4662' on
1 1/4" IC thg

TD 5011