District IV 1220 S. St. Francis Dr., Santo Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-90 BBS OCD
Energy, Minerals & Natural Resources Department
District II OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

RECEIVED

WELL LOCATION AND ACREAGE DEDICATION PLAT

Santa Fe, NM 87505

Name Ne Soring
Well Number 7H
Elevation
3685.8'

Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	29	23 SOUTH	33 EAST, N.M.P.M.		340'	NORTH	660'	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range		Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	29	23 SOUTH	33 EAST, N.M.P.M.			340'	SOUTH	660'	EAST	LEA
Dedicated Acres		Joint or Infill	Consolidation Code	Order No.	<u></u>		*			1
160		N								


No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

I		Kummanumili	OPERATOR CERTIFICATION
	SURFACE LOCATION NEW MEXICO EAST NAD 1927	660	I hereby certify that the information contained herein is true and
1	Y=467073.5 X=730507.6		complete to the best of my knowledge and belief, and that this
	LAT.: N 32.2818988 LONG.: W 103.5874658		organization either owns a working interest or unleased mineral
 	,		interest in the land including the proposed bottom hale location or
			has a right to drill this well at this location pursuant to a contract
			with an owner of such a mineral or working interest, or to a
	<u> </u>		volunimy pooling agreement or a compulsory pooling order
			heretofore entered by the division.
		330, (11111) 330, (Signature Date
 		77771177 77777777777777777777777777777	David Stewart Sp. Ro. Hu.
			Printed Name de vid_Stewart@oky com F-mail Address
<u> </u>			E-mail Address
		AREA ((777777)) AREA (179~35 ⁷ 17) T79~35 ⁷ 17	SURVEYOR CERTIFICATION
		AREA S AREA 179°3	I hereby certifying the well-top and spown on this plat was plotted food field notes of actual surveys
		ECT SING	plat was plotted from field notes of actual surveys made by the or under my supervision, and that the
		PROJECT WILLIAM RODUCING $AZ = I$ TITITITI WILLIAM	same is true and correct to the best of my bellef.
1			[기골 (1 ⁵⁰⁷⁹) 기종 [
			SKPARWBER-12, 20180
			Date of Sulvey
			Signature and Search/AL LAND Professional Surveyor
,			I TOTESSIONAL SEEVEYO
	BOTTOM HOLE LOCATION		
<u> </u>	NEW MEXICO EAST NAD 1927		00 1/1 1/1/
	Y=462472.6 X=730540.6	660, 3	Jerry () (lsex 19/3/24/3)
1	LAT.: N 32.2692517 LONG.: W 103.5874626	ly markey	Certificate Number 15079
		Emmunikimmill	₩O# 130925WL-d (KA)

MAY 19 2014

of Bearings t Zone (83)

SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY NEW MEXICO



DRIVING DIRECTIONS:
BEGINNING IN JAL AT THE INTERSECTION
OF N.M. STATE HWY. 18 AND N.M. STATE
HWY. #128, GO WEST ON N.M. STATE
HWY. #128 FOR 20.6 MILES, TURN
RIGHT ON COUNTY ROAD #21 (DELAWARE
BASIN ROAD) AND GO NORTH FOR 4.0
MILES, TURN LEFT ON XL ROAD. AND GO
WEST FOR 3.4 MILES, TURN RIGHT AND
GO NORTH FOR 1.0 MILES, TURN LEFT
AND GO WEST FOR 1.0 MILES, TURN
RIGHT AND GO NORTH FOR 0.1 MILES,
TURN LEFT ON PROPOSED ROAD AND GO
WEST FOR 453.1 FEET, TURN RIGHT AND
GO NORTH FOR 75.0 FEET TO LOCATION.



SURVEYORS CERTIFICATE

I, TERRY J. ASEL, NEW MEXICO PROFESSIONAL SURVEYOR NO. 15079, DO HEREBY CERTIFY THAT I CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND MEETS THE "MINIMIUM STANDARDS FOR SURVEYING IN NEW MEXICO" AS ADOPTED BY THE NEW MEXICO STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND SURVEYORS.



Asel Surveying

P.O. BOX 393 - 310 W, TAYLOR HOBBS, NEW MEXICO - 575-393-9146



DENOTES FOUND MONUMENT AS NOTED
 DENOTES CALCULATED CORNER


1000'	0	1000'	2000'	FEET
HHH	H H SCALE:	1"=1000'		


OXY USA INC.

FOXGLOVE "29" FEDERAL #7H LOCATED AT 340' FNL & 660' FEL IN SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO

Survey Date: 09/12/13	Sheet 1 o	f 1 Sheets
W.O. Number: 130925WL-d	Drawn By: KA	Rev:
Date: 10/01/13	130925WL-d	Scale:1"=1000'

OXY USA INC. FOXGLOVE "29" FEDERAL #7H SITE PLAN







SURVEYORS CERTIFICATE

I, TERRY J. ASEL, NEW MEXICO PROFESSIONAL SURVEYOR NO. 15079, DO HEREBY CERTIFY THAT I CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND MEETS THE "MINIMIUM STANDARDS FOR SURVEYING IN NEW MEXICO" AS ADOPTED BY THE NEW MEXICO STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND SURVEYORS.

Jerry J. Asse N.M. R.P.L.S. No. 15079

Asel Surveying

P.O. BOX 393 - 310 W. TAYLOR HOBBS, NEW MEXICO - 575-393-9146



CZZI - DENOTES STOCK PILE AREA
---- DENOTES PROPOSED WELL PAD
---- DENOTES PROPOSED ROAD

300' 0 300' 600' FEET


SCALE: 1"=300'

OXY USA INC.

FOXGLOVE "29" FEDERAL #7H WELL PAD LOCATED AT 340' FNL & 660' FEL IN SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO

Survey Date: 09/12/13	Sheet 1 o	f 1 Sheets
W.O. Number: 130925WL-d	Drawn By: KA	Rev:
Date: 10/01/13	130925WL-d	Scale:1"=300'

LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL: 10'

SEC. 29 TWP. 23-S RGE. 33-E

SURVEY N.M.P.M.

COUNTY LEA

DESCRIPTION 340' FNL & 660' FEL

ELEVATION 3685.8'

OPERATOR OXY USA INC.

LEASE FOXGLOVE "29" FEDERAL #7H

U.S.G.S. TOPOGRAPHIC MAP
TIP TOP WELLS, N.M.



VICINITY MAP

	7	8	9	10	11.	12	7	В	9	10	11	15	7
R 32 E	18	17	16	15	14	32 EI	88 18 8 18	17	16	15	14	13 88 83 88	8 18 18
	19	20	21	2E	FOXGLOVI 23		DERAL #	7H 20	SI	ee	23	24	19 5
R 32 B	30	29	28	27	26	25	30	29	58	27	26 XL	25	30
	31	32	33	34	35	36 SS 38 SE	요 88 31 된	32	33	34	JZ 35	39 SE	R 34 E
	6	5	4	3	2	1	6	5	4	3	2	BELL LA	
1	7	в	9	10	11	12	7	9	, oor	10	11	12	E BASIN
	18	17	16	15	14	13	18	17	ERININSTOOL	ي _{ة 15} ST	14 .128	13	DELAWARE
R 32 B	19	20	R DRLA	FC 22	23	74 PN R 32 E	R 33 61	20	51	22	23	74 FR 33 EE	ж 46 19 8
	30	29	28	27	26	25	30	29	E SWAIG	हुए 27	26	25	30
	31	32	33	34	35	36	31	35	33	34	35	36	31
	6	5	4	3	2	1	6	5	4	3	5	1	6
	7	8	9	10	11	rs	7	θ	9	10	11	15	7

 SEC. 29 TWP. 23-S RGE. 33-E

 SURVEY N.M.P.M.

 COUNTY LEA

 DESCRIPTION 340' FNL & 660' FEL

 ELEVATION 3685.8'

 OPERATOR OXY USA INC.

Asel Surveying

P.O. BOX 393 - 310 W. TAYLOR HOBBS, NEW MEXICO - 575~393-9146



SCALE: 1" = 2 MILES

LEASE FOXGLOVE "29" FEDERAL #7H

DIRECTIONS BEGINNING IN JAL AT THE INTERSECTION OF N.M. STATE HWY. #18 AND N.M. STATE HWY.

#128, GO WEST ON N.M. STATE HWY. #128 FOR 20.6 MILES, TURN RIGHT ON COUNTY ROAD #21


(DELAWARE BASIN ROAD) AND GO NORTH FOR 4.0 MILES, TURN LEFT ON XL ROAD AND GO WEST FOR

3.4 MILES, TURN RIGHT AND GO NORTH FOR 1.0 MILES, TURN LEFT AND GO WEST FOR 1.0 MILES,

TURN RIGHT AND GO NORTH FOR 0.1 MILES, TURN LEFT ON PROPOSED ROAD AND GO WEST FOR


453.1 FEET, TURN RIGHT AND GO NORTH FOR 75.0 FEET TO LOCATION.





SUP. Attachment - Survey Electric Line - (1)

13



DESCRIPTION

SURVEY FOR AN ELECTRIC LINE CROSSING SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT, WHICH LIES S13'04'46"W 570.8 FEET FROM THE NORTHEAST CORNER, THEN S89'44'50"W 528.5 FEET, THEN NOO'08'32"W 35.1 FEET TO A POINT, WHICH LIES S75'34'34"E 2048.4 FEET FROM THE NORTH QUARTER CORNER.

TOTAL LENGTH EQUALS 563.6 FEET OR 34.16 RODS.

NOTE

RONALD J. EIDSON

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES.

LEGEND

O DENOTES FOUND CORNER AS NOTED

I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR NO. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPPRISION: THAT I AM RESPONSIBLE FOR THIS SURVEY WELL IN THE SURVEY WELL STRUMMUM STANDARDS FOR SURVEYING IN NEW MEXICO. THE BEST OF MY KNOWLEDGE AND RELECTION THE BEST OF MY KNOWLEDGE AND RELECTION.

1000 0 1000 2000 FEET
Scole: 1"=1000'

OXY U.S.A. INC.


SURVEY FOR AN ELECTRIC LINE CROSSING SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, NEW MEXICO

Survey Date: 10/09/13 CAD Date: 10/24/13 Drawn By: BKL W.O. No.: 13111145 Rev: Rel. W.O.: Sheet 1 of 1

PROMING SURVEYING SERVICES
OF SESSION OF SERVICES
FOR JOHN WESTSOUR PEYING COMPANY
412 N. DAL PASO
HOBBS, N.M. 88240
(575) 393-3117 www.jwsc.biz

(Brion \2013\OXY USA INC\13111145

Sur Attachment-Survey Electric Line. (2)



DESCRIPTION

SURVEY FOR AN ELECTRIC LINE CROSSING SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT, WHICH LIES N17'59'57'W 2189.9 FEET FROM THE EAST OUARTER CORNER; THEN S89'44'27'W 1000.2 FEET, THEN ND0'05'37'W 34.9 FEET TO A POINT, WHICH LIES S62'22'11'E 1110.2 FEET FROM THE NORTH QUARTER CORNER.

TOTAL LENGTH EQUALS 1035.1 FEET OR 62.73 RODS.

NOTE

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES.

<u>LEGEND</u>

DENOTES FOUND CORNER AS NOTED

I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR NO. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION. THAT I AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY, MAGIST THE MINIMUM STANDARDS FOR SURVEYING IN NEW MERGEN AND THAT THE AND CORRECT TO THE BEST OF MY KNOWLEDGE, AND BETTER TO THE BEST OF THE

1000 0 1000 2000 FEET

Scole: 1*=1000'


U.S.A

RONALD J. EIDSON AND RECEIVE A

SURVEY FOR AN ELECTRIC LINE CROSSING SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, NEW MEXICO

| Survey Date: 10/09/13 | CAD Date: 10/24/13 | Drown By. BKL | W.O. No.: 13111144 | Rev. | Rel. W.O.: | Sheet 1 of 1

412 N. DAL PASO HOBBS, N.M. 88240 (575) 393–3117 www.lwsc.biz SUP Attachment - Sunvey Electric Line (3)



DESCRIPTION

SURVEY FOR AN ELECTRIC LINE CROSSING SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT, WHICH LIES N38°53'59"W 2670.4 FEET FROM THE EAST QUARTER CORNER; THEN S89'44'25"W 977.6 FEET TO A POINT IN THE WEST LINE OF THE EAST HALF, WHICH LIES S00'35'52"E 554.3 FEET FROM THE NORTH QUARTER CORNER.

TOTAL LENGTH EQUALS 977.6 FEET OR 59.25 RODS.

NOTE

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983, DISTANCES ARE SURFACE VALUES.

LEGEND

• DENOTES FOUND CORNER AS NOTED

I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR NO. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICKALLS, BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPPRISOND THE BESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY, MEETS THE ANIMUM STANDARDS FOR SURVEYING IN NEW BROKED WITH TO SURVEY THE AND CORRECT TO THE BEST OF MY ENOWEDS AND BELIEF.

U.S.A

RONALD J. EIDSÓR J. MORRAL V. CAULTON

DATE: 30/25/-2013 5

IOHN WEST SURVEYING COMPANY
412 N. DAL PASO

EYING SERVICES

SURVEY FOR AN ELECTRIC LINE

CROSSING SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, NEW MEXICO

CAD Date: 10/24/13 | Drawn By: BKL

Sheet 1 of 1

HOBBS, N.M. 88240 (575) 393-3117. www.jwsc.biz SUP Attachment-Survey Electric Line GLO "1918" B.C. 21 GO "1918" E.C. 19 1/4 CORNER GLO "1918" B.C. 20 20 N89"43"01"E 2641.6 N89'46'07"E 2638.1' FOX GLOVE 29 FOX GLOVE 29 FEDERAL #5H FOX GLOVE 29 FEDERAL#7H 29 29 28 30 FOX GLOVE 29 | FEDERAL #411 | 0 • 574'32'14"E NO016'25"W 2048.6' (TIE) 35.0 N89°44'25°E 660.4 #2H END SURVEY & POLE 179.7' SOUTH OF THE GLOVE 29 FEDERAL # LAT.=32.281545' N LONG.=103.596486' W P.I. 89'59'10" RT. 1/4 CORNER **USA FEE** CLO "1918" B.C. S00'24'38"E 29 28 30 29 S89'44'25"W 2621.3 S89'46'02"W 2657.6' 1/4 CORNER 32 33 31 GLO "1918" B.C. QQ "1918" B.C. GLO "1918" B.C. DESCRIPTION SURVEY OF A STRIP OF LAND 50.0 FEET WIDE AND 695.4 FEET OR 0.132 MILES IN LENGTH CROSSING USA LAND IN SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO, AND BEING 25.0 FEET LEFT AND 25.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY. NOTE BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO **LEGEND** THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES. **®** DENOTES FOUND CORNER AS NOTED , RONALD L EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR No. 3239,

I. RONALD L EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR NO. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE CROWND UPON WHICKLE-IN-MASSED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPPERISOND THAT THIS STRUE MEST HE WINNER STANDARDS FOR SURVEY, THAT THIS STRUE, MEST HE WINNER IN NEW MESTIC, AND MEAT, H. O STUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND SETTED.

U.S.A

DATE: 1050N TO MODERAL SERVICES

SURVEY FOR AN ELECTRIC LINE CROSSING SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, NEW MEXICO


Drown By. BKL

Sheet 1 of 1

JOHN WEST SURVEYING COMPANY
412 N. DAL PASO
HOBBS, N.M. 88240
(575) 393-3117 www.jwsc.biz

(C) Brian \2013\0XY USA NC\13111143

SUP Attachment-Survey Electric Line (5



DESCRIPTION

SURVEY OF A STRIP OF LAND 50.0 FEET WIDE AND 1036.4 FEET OR 0.196 MILES IN LENGTH CROSSING USA LAND IN SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO, AND BEING 25.0 FEET LEFT AND 25.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

NOTE

DATE:

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983, DISTANCES ARE SURFACE VALUES.

LEGEND

O DENOTES FOUND CORNER AS NOTED

I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR NO. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WARE PERFORMED BY ME OR UNDER MY DURECT SUPERVISIONS THAT THE BROWSBLE FOR THIS SURVEY, THAT THIS SURVEY FROM THAT WINNING TANDARDS FOR SURVEYING IN NEW MEXICOS AND THAT IT WINNING CORRECT TO THE REST OF MY KNOW FIRE AND SURVEYOR OF MY MY KNOW FIRE AND SURVEYOR OF MY MY MY MY MY MY MY MY THE BEST OF MY KNOWLEDGE AND RONALD J. EIDSON

PROVIDING SHIPE 1946

JOHN WEST SURVEYING COMPANY 412 N. DAL PASO

1000 2000 FEET Scale: 1 = 1000

U.S.AINC

SURVEY FOR AN ELECTRIC LINE CROSSING SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, NEW MEXICO


CAD Date: 10/24/13 W.O. No.: 13111142 .. Rev. Rel. W.O.:

Survey Date: 10/09/13

Drown By: BKL Sheet 1 of 1

HOBBS, N.M. 88240 (575) 393-3117 www.jwsc.biz @Brion\2013\0XY USA #IC\13111142

SUP AHACKMENT - SUWEN PIREline (1)



DESCRÍPTION

SURVEY FOR A PIPE LINE CROSSING SECTION 29, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT IN THE NORTH LINE, WHICH LIES \$89'43'01"W 67.4 FEET FROM THE NORTHEAST CORNER; THEN \$0014'31"E 565.3 FEET; THEN S89.44 12 W 1838.1 FEET; THEN NOO'02 43 E 225.6 FEET TO A POINT, WHICH LIES S65.34 36 E 811.2 FEET FROM THE NORTH QUARTER CORNER.

TOTAL LENGTH EQUALS 2629.0 FEET OR 159.33 RODS.

NOTE

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES.

LEGEND

• DENOTES FOUND CORNER AS NOTED

RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR No. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON THIS TO BE ASSED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPREMISION THAT ON THE PERFORMENT FOR THIS SURVEY, THAT THIS SURVEY WILLIAM STANDARDS FOR SURVEY THAT IN THE MEXICAL AND CORRECT TO THE BEST OF MY KNOWLED

1000 2000 FEET 1000 Scale: 1"=1000'

U.S.A

RONALD J. EIDSÓÁ DATE: PROVIDING SERVICES


SINCE 1946 IOHN WEST SURVEYING COMPANY SURVEY FOR A PIPELINE CROSSING SECTION 29.

TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, NEW MEXICO

Survey Date: 10/10/13 W.O. No.: 13111153 Rev. CAD Dole: 10/24/13 Drawn By. BKL Rel. W.O.: Sheet 1 of 1

412 N. DAL PASO HOBBS, N.M. 88240 (575) 393-3117 www.jwsc.biz @Brion\2013\CXY USA INC\13111153

Sup Attachment - Survey Pipeline (2)



DESCRIPTION

SURVEY FOR A PIPE LINE CROSSING SECTION 20, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT, WHICH LIES \$1506"14"W 224.4 FEET FROM THE EAST OUARTER CORNER; THEN \$00"14"31"E 2425.0 FEET TO A POINT, WHICH LIES \$89"43"01"W 67.4 FEET FROM THE SOUTHEAST CORNER.

TOTAL LENGTH EQUALS 2425.0 FEET OR 146.97 RODS.

NOTE

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES.

<u>LEGEND</u>

© DENOTES FOUND CORNER AS NOTED

I. RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR NO. 3239,
DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY
ON THE CROUND UPON WHISHNIF IS NOT WERE PERFORMED BY ME OR
UNDER MY DIRECT SUPPRINGUAL THAT IN RESPONSIBLE FOR THIS
SURVEY; THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR
SURVEYING IN NEWSHERIOC AND MEAT IT OF TRUE AND CORRECT TO
THE BEST OF MY ENONCEPT AND CORRECT TO

1000 0 1000 2000 FEET

| Scale: 1"=1000"

DATE: (A) CONTRACTOR TO SERVICES

JOHN WEST SURVEYING COMPANY

SURVEY FOR A PIPELINE CROSSING SECTION 20, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M.

U.S.A

INC


LEA COUNTY, NEW MEXICO

412 N. DAL PASO
HOBBS, N.M. 88240
(575) 393-3117 www.jwsc.biz

 Survey Date: 10/10/13
 CAD Date: 10/24/13
 Drawn By. BKL.

 W.O. No.: 13111153
 Rev.
 Rel. W.O.:
 Sheet 1 of t

Foxglove 29 Federal



						7	!
	•	0				BLM 9	Sec Plat
	18		0	17	• 1	6	15
						nananana	
							22
T23S 5 R32E	9 T23 R33	S S					
					3		27
							o
		o		0	00		
36	31	O		32	3	3	34
							o
	o						
45	6 cT24S cR33E	0		5 0	9		3
	• R33Е				o	0	
	° 7		0	8	9	o o	10

