

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 A. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd. Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-37323
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease NO.
7. Lease Name or Unit Agreement Name Grizzell
8. Well Number 13
9. OGRID Numer 873
10. Pool Name Penrose Skelly; (50350)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator Apache Corporation
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705
4. Well Location Unit Letter O : 990 feet from the S line and 2310 feet from th E line Section 8 Township 22S Range 37E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3407' GR

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>
CASING/CEMENT JOB <input type="checkbox"/>
ALTERING CASING <input type="checkbox"/>
P AND A <input type="checkbox"/>
OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.

The Oil Conservation Division

MUST BE NOTIFIED 24 Hours

Spud Date: Prior to the beginning of operations

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Reclamation Foreman DATE 6/3/14

Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: Mary E. Brown TITLE Dist. Supervisor DATE 6/6/2014

Conditions of Approval (if any):

JUN 09 2014



WELL BORE INFO.

LEASE NAME

Grizzell

WELL #

13

API #

30-025-37323

COUNTY

Lea

0

438

12 1/4" Hole
8 5/8" 24# @ 420'
w/ 290 sx to surf

876

1314

1752

2190

2628

3066

3504

TOC @ 3838' by CBL

3942

7 7/8" Hole
5 1/2" 17# @ 4380'
w/ 850 sx


4380

PBTD @ 3890'
TD @ 4380'

Perfs @ 3673'-3864'

SQZD perfs @ 3864'-3920'

Sqzd perfs @ 4018'-4082' w/ 300 sx





WELL BORE INFO.

LEASE NAME

Grizzell

WELL #

13

API #

30-025-37323

COUNTY

Lea

PROPOSED PROCEDURE

0

438

12 1/4" Hole
8 5/8" 24# @ 420'
w/ 290 sx to surf

876

1314

1752

2190

2628

3066


3504

TOC @ 3838' by CBL

3942

4380

7 7/8" Hole
5 1/2" 17# @ 4380'
w/ 850 sx



4. PUH & perf @ 470' & sqz 130 sx Class "C" cmt from 470' to surf. (Shoe & Water Board)

3. PUH & perf @ 1200' & sqz 75 sx Class "C" cmt from 1200'-1000' (Rustler)

2. PUH & perf @ 2800' & sqz 75 sx Class "C" cmt from 2800'-2600' WOC/TAG (7 Rvrs & Yates)

1. MIRU, RIH w/ pkr @ sqz 150 sx Class "C" cmt from 3673'- 3290' WOC/TAG Repeat if necessary. CIRC w/ MLF (Grayburg perms & Queen)

Perfs @ 3673'-3864'

SQZD perms @ 3864'-3920'

Sqzd perms @ 4018'-4082' w/ 300 sx

PBTD @ 3890'
TD @ 4380'