# **HOBBS OCD**

JUL 1 6 2014

Form C-102 Revised August 1, 2011

State of New Mexico
Energy, Minerals and Natural Resources Department

Submit one copy to appropriate

OIL CONSERVATION DIVISION RECEIVED

District Office

1220 South St. Francis Dr.

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone (505) 476-3460 Fex: (505) 476-3462

1000 Rio Brazos Rd., Aztec, NM 87410 Phone (505) 334-6178 Fax: (505) 334-6170

1625 N. French Dr., Hobbs, NM 88240 Phone (575) 393-6161 Fax: (575) 393-0720

811 S. First St., Artesia, NM 88210 Phone (575) 748-1283 Fax: (575) 748-9720

DISTRICT I

DISTRICT II

DISTRICT III

Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

■ AMENDED REPORT

30-024-41	974 28432	GRAMA RIBBE; B	of WEST
Property Code		Property Name A RIDGE 6 FEDERAL	Well Number 3H
0GRID NO. 215009	CIMARE	Operator Name EX ENERGY CO.	Elevation 3627


Surface Location


-								_		
	LOT 2	6	22 S	34 E		330	NORTH	1980	EAST	LEA
1	UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County


Bottom Hole Location If Different From Surface

UL or lot No.	Section 6	Township 22 S	Range 34 E	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County LEA
Dedicated Acre	s Joint o	r Infill Co	nsolidation	Code Or	der: No.	<u> </u>		<u> </u>	<u> </u>

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION







Section 6, Township 22 South, Range 34 East, N.M.P.M., Lea County, New Mexico.




P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (575) 393-7316 - Office (575) 392-2206 - Fax basinsurveys.com

W.O. Number: DAJ 27569	1
Survey Date: 11-01-2012	{ }
Scale: 1" = 2 Miles	ĭ
Date: 11-12-2012	1

CIMAREX ENERGY CO.

# VICINITY MAP

NOT TO SCALE



SECTION 6, TWP. 22 SOUTH, RGE. 34 EAST, N. M. P. M., LEA COUNTY, NEW MEXICO

OPERATOR: Cimarex Energy Company

LEASE: West Grama Ridge 6 Federal

WELL NO.: 3H

LOCATION: 330' FNL & 1980' FEL

ELEVATION: 3630'

Firm No.: TX 10193838 NM 4655451

Copyright 2014 - All Rights Reserved


NO. REVISION DATE JOB NO.: LS140037


DWG. NO.: 140037VM

308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

SCALE: NONE DATE: 2/19/14 SURVEYED BY: GB/IE DRAWN BY: JF APPROVED BY: LWB

SHEET : 1 OF 1





PROPOSED FLOWLINE EASEMENT FOR THE WEST GRAMA RIDGE 6 FEDERAL WELLS Section 6, T-22-S, R-34-E, N. M. P. M., Lea Co., New Mexico

#### DESCRIPTION

A strip of land 30 feet in width and 4,586.43 feet or 277.965 rods in length situated within Section 6, Township 22 South, Range 34 East, N. M. P. M., Lea County, New Mexico being 15 feet left and 15 feet right of the following described survey of a centerline across B. L. M. land:

BEGINNING at Engr. Sta. 0+00, a point which lies S 80'42'06" E, 825.92 feet from a brass cap, stamped "1913", found for the Northwest corner of the aforementioned Section

Thence N 03'35'35" W, 80.64 feet to Engr. Sto. 0+80.64, a P. I. of 92'59'14" right;

Thence N 89'23'39" E, 4,005.11 feet to Engr. Sta. 40+85.75, a P. I. of 88'10'07" right;

Thence S 02'26'41" E, 289.12 feet to Engr. Sta. 43+74.88, a P. I. of 95'47'08" right;

Thence N 86'39'06" W, 51.13 feet to Engr. Sta. 44+26.01, the end of the survey and a point from which a brass cap, stamped "1913", found for the East quarter corner of the above—mentioned Section 6 bears S 11'58'44" E, 2,352.52 feet;

Thence BEGINNING AGAIN at Engr. Sta. 0+00 (= 15+07.63 Line "A") for Lateral "A", a point from which a brass cap, stamped "1913", found for the North quarter corner of the above—mentioned Section 6 bears N 74'56'04" E, 352.19 feet;

Thence S 03'40'39" E, 80.48 feet to Engr. Sta: 0+80.48, the end of the survey and a point from which a brass cap, stamped "1913", found for the East quarter corner of the above—mentioned Section 6 bears S 50'38'01" E, 3,909.33 feet;

Thence BEGINNING AGAIN at Engr. Sta. 0+00 (= 27+00.92 Line "A") for Lateral "B", a point from which a brass cap, stamped "1913", found for the North quarter corner of the above—mentioned Section 6 bears S 84'40'41" E, 855.39 feet;

Thence S 00'43'57" E, 79.94 feet to Engr. Sta. 0+79.94, the end of the survey and a point from which a brass cap, stamped "1913", found for the East quarter corner of the above—mentioned Section 6 bears S 36'20'01" E, 3,094.16 feet.

Said strip of land contains 3.159 acres, more or less, and is allocated by forties as follows:

0.964 Ac. 0.844 Ac. Lot 2 Lot 1 Lot 3 0.964 Ac. Lot 4 0.387 Ac.



JOB NO.: LS140035

DWG. NO.: 140035GL

**Exhibit G** 




308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

SCALE: 1" = 1000' DATE: 2-19-14 SURVEYED BY: GB/IE

DRAWN BY: JF

APPROVED BY: LWB SHEET: 1 OF 2



PROPOSED ROAD EASEMENT FOR THE WEST GRAMA RIDGE 6 FEDERAL WELLS Section 6, T-22-S, R-34-E, N. M. P. M., Lea Co., New Mexico

### DESCRIPTION

A strip of land 30 feet in width and 5201.33 feet or 315.232 rods in length situated within Section 6, Township 22 South, Range 34 East, N. M. P. M., Lea County, New Mexico being 15 feet left and 15 feet-right of the following described survey of a centerline across B. L. M. land:

BEGINNING at Engr. Sta. 0+00, a point which lies N 14'45'48" W 2,032.09 feet feet from a brass cap, stamped "1913", found for the East quarter corner of the aforementloned Section 6;

Thence N 28'14'24" E, 278.93 feet to Engr. Sta. 2+78.93, a P. 1. of 28'18'54" left;

Thence N 00°04'30" W, 349.66 feet to Engr. Sta. 6+28.59, a P. 1. of 90'30'42" left;

Thence S  $89^{\circ}24^{\circ}48^{\circ}$  W, 4,039.06 feet to Engr. Sta. 46+67.65, a P. I. of  $87^{\circ}52^{\circ}34^{\circ}$  left;

Thence S 01'32'14" W, 54.54 feet to Engr. Sta. 47+22.19, the end of the survey and a point from which a brass cap, stamped "1913", found for the Northwest corner of the above—mentioned Section 6 bears N 80'57'43" W, 848.34 feet;

Thence BEGINNING AGAIN at Engr. Sta. 0+00 (= 20+13.42 Line "A") for Lateral "A", a point from which a brass cap, stamped "1913", found for the North quarter corner of the above-mentioned Section 6 bears N 84'40'41" W, 855.39 feet;

Thence S 00'43'57" E, 53.06 feet to Engr. Sta. 0+53.06, the end of the survey and a point from which a brass cap, stamped "1913", found for the East quarter corner of the above—mentioned Section 6 bears S 35'52'59" E, 3,076.75 feet;

Thence BEGINNING AGAIN at Engr. Sta. 0+00 (= 32+06.71 Line "A") for Lateral "B", a point from which a brass cap, stamped "1913", found for the North quarter corner of the above—mentioned Section 6 bears N 74'56'04" E, 352.19 feet;

Thence S 03'40'39" E, 54.42 feet to Engr. Sta. 0+54.42, the end of the survey and a point from which a brass cap, stamped "1913", found for the East quarter corner of the above—mentioned Section 6 bears S 50'21'21" E, 3,886.06 feet;

Thence BEGINNING AGAIN at Engr. Sta. 0+00 (= 6+28.59 Line "A") for Lateral "D", a point from which a brass cap, stamped "1913", found for the Northeast corner of the above—mentioned Section 6 bears N 75'44'41" E, 382.92 feet;

Thence N 89'27'32" E, 371.66 feet to Engr. Sto. 3+71.66, a point on the East boundary line of the aforementioned Section 6 from which a bross cap, stamped "1913", found for the East quarter corner of said Section 6 bears S 00'19'38" E, 2,563.95 feet.

Said strip of land contains 3.582 acres, more or less, and is allocated by forties as follows:

Lot 1 1.342 Ac. Lot 2 0.945 Ac. Lot 3 0.945 Ac. Lot 4 0.350 Ac.



Firm No.: TX 10193838 NN 4655451

IO, REVISION DATE

JOB NO.: LS140035 DWG. NO.:140035RD Exhibit C-2



308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

Copyright 2014 - All Rights Reserved

SCALE: 1" = 1000'

DATE: 2-19-14

SURVEYED BY: GB/IE

DRAWN BY: JF

APPROVED BY: LWB
SHEET: 1 OF 2

## CIMAREX ENERGY COMPANY PROPOSED ELECTRIC LINE EASEMENT FOR THE WEST GRAMA RIDGE 6 FEDERAL WELLS Section 6, T-22-S, R-34-E, N. M. P. M., Lea Co., New Mexico LINE A N 89'22'18" E 829,91 LAT. "D" 3631.14' <u>N 49°23'39"</u> E 811.67' (N 89'52' E 2625.15) N 89'21'38" E 2640.78 (N 89'52' E 2625,15) N 89'23'51" E 2608,80' S 00:43'57" E : 98,26 T-22-E S 80'30'15" E 806.20' 03'44'03 E' LIAT. "C' -LAT. "B" LIVEST GRANA RIDGE WEST GRAMA RIDGE 6 LOT 2 LOT 4 07.19.38 LOT 5 5280.00") 90'32'54 LT. 91'54'00' RT. 86'45'02 LT. 85'26'26 RT ≱ ; 00.00.00 E.O.L. AT WEST ( 6 FEDERAL #1H P. I. 93'06'49" B. L. M. 3 0+02.86 \$ 0'20'18". (\$ 00'06" W LOT 7 N 89°32'10" E 5240. (S 89'58" E 5184.96') 5240.01 LATERAL "A" LATERAL "C" = 37+88.61 LINE "A" E.O.L. AT WEST GRAMA RIDGE 6 FEDERAL #2H PAD = 8+14.87 LINE "A" E.O.L. AT WEST GRAJA RIDGE 6 FEDERAL #4H PAD 0+00 0+38,63 0+00 0+99.71 LATERAL "8" LATERAL D = 26+71.37 LINE "A" E.O.L. AT WEST GRAMA RIDGE 6 FEDERAL #3H PAD 0+00 0+98,26 = 8+14.87 LINE "A" TARGA B. P. L. SECTION LINE 0+00 7+64.40 8+29.91 JARRY W. BUSB 500 i, Larry Busby, a N. M. Professional Surveyor, hereby certify that this plat was prepared from an actual ground survey made under my direct supervision, said survey and plat meet the Min. Stds. for Land Surveying in the State of N. M. and are true and correct to the best of my knowledge and belief. LEGEND RECORD DATA PAOFESSIONA FOUND BRASS CAP "1913" Larry Busby NM PS 11398 Copyright 2014 - All Rights Reserve TX 10193838 NM 4655451 SCALE: 1" = 1000' DATE: 2-19-14 **Exhibit H** SURVEYED BY: GB/IE REVISION DATE DRAWN BY: JF APPROVED BY: LWB JOB NO.: LS140035 DWG. NO.: 140035EL 308 W. BROADWAY ST., HOBBS, NM 88240. (575) 964-8200 SHEET: 1 OF 3

PROPOSED ELECTRIC LINE EASEMENT FOR THE WEST GRAMA RIDGE 6 FEDERAL WELLS
Section 6, T-22-S, R-34-E,
N. M. P. M., Lea Co., New Mexico

#### DESCRIPTION

A strip of land 30 feet in width and 6,347.79 feet or 384.715 rods in length situated in Section 6, Township 22 South, Range 34 East, N. M. P. M., Lea County, New Mexico, being 15 feet left and 15 feet right of the following described survey of a centerline across B. L. M. land:

BEGINNING Line "A" at Engr. Sta. 0+02.86, a point on the East boundary line of the aforementioned Section 6 from which a brass cap, stamped "1913", found for the East quarter corner of said Section 6 bears S 00'19'38" E, 1,881.02 feet;

Thence S 89°20'16" W, 597.80 feet to Engr. Sta. 6+00.66, a P. I. of 85'26'26" right;

Thence N 0513'18" W, 214.21 feet to Engr. Sta. 8+14.87, a P. I. of 86'45'02" left;

Thence S 88'01'40" W; 216.25 feet to Engr. Sta. 10+31.12, a P. I. of 91'54'00" right;

Thence N 00'04'22" W, 522.92 feet to Engr. Sta. 15+54.04, a P. I. of

Thence S 89°22'46" W, 3,631.14 feet to Engr. Sta. 51+85.18, a P. I. of 93'06'49" left:

Thence S 03'44'03" E, 98.96 feet to Engr. Sta. 52+84.14, the end of the survey and a point which lies S 80'30'15" E, 808.20 feet from a brass cap, stamped "1913", found for the Northwest corner of the above—mentioned Section 6;

Thence BEGINNING AGAIN at Engr. Sta. 0+00 (= 8+14.87 Line "A") for Lateral "A", a point which lies N 16'44'38" W, 2,179.82 feet from a brass cap, stamped "1913", found for the East quarter corner of the aforementioned Section 6;

Thence N 04'23'39" W, 38.63 feet to Engr. Sta. 0+38.63, the end of the survey and a point from which a brass cap, stamped "1913", found for the Northeast corner of the aforementioned Section 6 bears N 49'23'39" E, 811.67 feet;



JOB NO.: LS140035

DWG. NO.: 140035EL

REVISION DATE

**Exhibit H** 



308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

SCALE: 1" = 1000' DATE: 2-19-14

SURVEYED BY: GB/IE DRAWN BY: JF

APPROVED BY: LWB

SHEET: 2 OF 3

PROPOSED ELECTRIC LINE EASEMENT FOR THE WEST GRAMA RIDGE 6 FEDERAL WELLS Section 6, T-22-S, R-34-E, N. M. P. M., Lea Co., New Mexico

Thence BEGINNING AGAIN at Engr. Sta. 0+00 (= 26+71.37 Line "A") for Lateral "B", a point which lies S 87'29'04" E, 694.56 feet from a brass cap, stamped "1913", found for the North quarter corner of the aforementioned Section 6;

Thence S 00'43'57" E, 98.26 feet to Engr. Sta. 0+98.26, the end of the survey and a point from which a brass cap, stamped "1913", found for the East quarter corner of the aforementioned Section 6 bears S 38'11'28" E, 3,171.34

Thence BEGINNING AGAIN at Engr. Sta. 0+00 (= 37+88.61 Line "A") for Lateral "C", a point which lies S 83'43'20" W, 426.01 feet from a brass cap, stamped "1913", found for the North quarter corner of the aforementioned Section 6;

Thence S 03'40'39" E, 99.71 feet to Engr. Sta. 0+99.71, the end of the survey and a point from which a brass cap, stamped "1913", found for the East quarter corner of the aforementioned Section 6 bears S 51'06'13" E, 3,948.21 feet;

Thence BEGINNING AGAIN at Engr. Sta. 0+00 (= 8+14.87 Line "A") for Lateral. "D", a point from which a brass cap, stamped "1913", found for the North quarter corner of the aforementioned Section 6 bears N 89"17"35" W, 1,811.12

Thence N 89°22'18" E, 829.91 feet to Engr. Sta. 8+29.91, a point on the East boundary line of the aforementioned Section 6 which lies S 00%'19'38" E, 42.72 feet from a brass cap, stamped "1913", found for the Northeast corner of said Section 6.

Said strip of land contains 4.372 acres, more or less, and is allocated by forties as follows:

Lot 1 2.004 Ac. Lot 2 0.977 Ac. Lot 3 0.977 Ac. Lot 4 0.414 Ac.



Firm No.: TX 10193838 NM 4655451

DWG. NO.: 140035EL

**Exhibit H** NO. REVISION DATE JOB NO.: LS140035



308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

SCALE: 1" = 1000" DATE: 2-19-14

SURVEYED BY: GB/IE

DRAWN BY: JF APPROVED BY: LWB SHEET: 3 OF 3

