

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-25047
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B229
7. Lease Name or Unit Agreement Name Annot Ramsey NCT E
8. Well Number 6
9. OGRID Number 16696
10. Pool name or Wildcat Jalmat Tan Yates 7R(0:1)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

HOBBS OCD

2. Name of Operator

OXY USA Inc.

3. Address of Operator

P.O. Box 50250 Midland, TX 79710

4. Well Location

Unit Letter K : 2310 feet from the South line and 2310 feet from the West line
Section 16 Township 25S Range 37E NMPM County Lea

JUL 17 2014

RECEIVED

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3098' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3817' PBD-2880' Perfs-2929-3030' 3412-3646' CIBP-2880'

8-5/8" 24# csg @ 1120' w/ 435sx, 11" hole, TOC-Surf-Circ

4-1/2" 11.6# csg @ 3817' w/ 350sx, 7-7/8" hole, TOC-2550'-TS

2450' 1. RIH & tag CIBP @ 2880', M&P 25sx cmt to 2630'
2. Perf @ 1950', sqz 35sx cmt to 1850' WOC-Tag
3. Perf @ 1170', sqz 50sx cmt to 1025' WOC-Tag
4. Perf @ 300' sqz 105sx cmt to surface
10# MLF between plugs
Above ground steel tanks will be utilized.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 7/15/14

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary Brown TITLE Dist. Supervisor DATE 7/17/2014

Conditions of Approval (if any):

JUL 17 2014

OXY USA Inc. - Proposed
Arnott Ramsey NCT E #6
API No. 30-025-25047

105sx @ 300'-Surface


50sx @ 1170-1025' WOC-Tag

^{2450'}
35sx @ ~~1950-1850'~~ WOC-Tag

25sx @ 2880-2630'

2009-CIBP @ 2880'

9/75-PBTD-3357'



11" hole @ 1120'
8-5/8" csg @ 1120'
w/ 435sx-TOC-Surf-Circ

Perf @ 300'

Perf @ 1170'

^{2450'}
Perf @ ~~1950'~~

Perfs @ 2929-3030'

7-7/8" hole @ 3817'
4-1/2" csg @ 3817'
w/ 350sx-TOC-2550'-TS

Perfs @ 3412-3646'

TD-3817'

OXY USA Inc. - Current
Arnott Ramsey NCT E #6
API No. 30-025-25047

11" hole @ 1120'
8-5/8" csg @ 1120'
w/ 435sx-TOC-Surf-Circ

2009-CIBP @ 2880'

Perfs @ 2929-3030'

9/75-PBTD-3357'

7-7/8" hole @ 3817'
4-1/2" csg @ 3817'
w/ 350sx-TOC-2550'-TS

Perfs @ 3412-3646'

TD-3817'