Submit I Copy To Appropriate District Office	State of New Mexico	Form C-103
<u>District 1</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resou	Revised July 18, 2013  BBS OC WELL API NO.
District II - (575) 748-1283	OIL GOLGEBRILLEGOL BILLION	~~ 130-025-41121 / I
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	1220 South St. Francis Duep	2 2 2014. Indicate Type of Lease STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	fi.	RECEIVED
	TICES AND REPORTS ON WELLS OSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPL PROPOSALS.)	ICATION FOR PERMIT" (FORM C-101) FOR SUCH	NORTH MONUMENT G/SA UNIT (302708)
1. Type of Well: Oil Well 🗸	Gas Well  Other	8. Well Number 438
Name of Operator     Apache Corporation		9. OGRID Number 873
3. Address of Operator	1000 Milland TV 70705	10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 4. Well Location	1000 Midland, IX 79705	EUNICE MONUMENT;GBS/A (23000)
	: 1310 feet from the North line	and 2535 feet from the West line
Section 31	Township 19S Range 37E	NMPM County Lea
	11. Elevation (Show whether DR, RKB, RT,	GR, etc.)
	3577' GR	
12. Check	Appropriate Box to Indicate Nature of I	Notice, Report or Other Data
NOTICE OF II	NTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDI.	AL WORK ALTERING CASING
TEMPORARILY ABANDON	<del>-</del>	NCE DRILLING OPNS. P AND A
PULL OR ALTER CASING DOWNHOLE COMMINGLE		CEMENT JOB
CLOSED-LOOP SYSTEM	]	
OTHER:		New Completion  etails, and give pertinent dates, including estimated date
of starting any proposed v	vork). SEE RULE 19.15.7.14 NMAC. For Mul	Itiple Completions: Attach wellbore diagram of
proposed completion or re	•	ν'
Apache completed the well as follow	ed:	
07/13/2014: Run logs (CBL) @3918', Estimated TOC @surface.		
08/06/2014: Spot 126 gal of acid over perf area. Perf from- 3766'-3779',3791'-3798',3807'-3813',&3824'-3834', w/ 2 SPF, 72 holes. Acidize w/3500 gal of 15% HCL acid. Swab.		
08/07/2014: Swab. SDFN 08/08/2014: Perf from-3639'-3644' 3	351'-3663' 3674'-3684' 3698'-3706' 3718'-3728'	3735'-3739', @ 2 SPF, 98 holes. Acidize perfs w/4800
gal 15% HCL acid.		,
	# J-55 R-2 prod tbg. TAC @3570', EOT&SN @3 t 456 pumping unit. RDMO. Clean location.	3852'.
08/18/2014: POP.		
Spud Date: 07/08/2014	Rig Release Date: 07/1	2/2014
-		
I hereby certify that the information	n above is true and complete to the best of my k	nowledge and belief.
$\bigcap$	,	<i>;</i> ₩.
SIGNATURE JULY THE	TITLE Regulatory Analys	DATE 09/17/2014
Type or print name Paige Futrell	E-mail address: Paige.Fu	trell@apachecorp.com PHONE: (432) 818-1893
For State Use Only		
APPROVED BY:	TITLE Petroleum	Engineer DATE OF/22/14
Conditions of Approval (if any):		1