Hydrogen Sulfide Drilling Operations Plan

Paduca AIU Federal 1

Cimarex Energy Co. of Colorado
UL: F, Sec 14-25S-32E
Lea County, NM

30-025-31177

HOBBS OCE

OCT 03 2014

1 All Company and Contract personnel admitted on location must be trained by a qualified H2S safety instructor to the following:

RECEIVED

- A. Characteristics of H₂S
- B. Physical effects and hazards
- C. Principal and operation of H2S detectors, warning system and briefing areas.
- D. Evacuation procedure, routes and first aid.
- E. Proper use of safety equipment & life support systems
- F. Essential personnel meeting Medical Evaluation criteria will receive additional training on the proper use of 30 minute pressure demand air packs.

2 H₂S Detection and Alarm Systems:

- A. H2S sensors/detectors to be located on the drilling rig floor, in the base of the sub structure/cellar area. Additional H2S detectors may play placed as deemed necessary.
- B. An audio alarm system will be installed on the derrick floor.

3 Windsock and/or wind streamers:

- A. Windsock at dog house should be high enough to be visible.
- B. Streamers will be on all guy wires.

4 Condition Flags and Signs

- A. Warning sign on access road to location.
- B. Flags to be displayed on sign at entrance to location. Green flag indicates normal safe condition. Yellow flag indicates potential pressure and danger. Red flag indicates danger (H₂S present in dangerous concentration). Only H2S trained and certified personnel admitted to location.

5 Well control equipment:

A. See exhibit "E-1"

6 Communication:

- A. While working under masks chalkboards will be used for communication.
- B. Hand signals will be used where chalk board is inappropriate.
- C. Two way radio will be used to communicate off location in case of emergency help is required. In most cases cellular telephones will be available at most drilling foreman's trailer or living quarters.

7 Drillstem_Testing:

No DSTs or cores are planned at this time.

- 8 Drilling contractor supervisor will be required to be familiar with the effects H₂S has on tubular goods and other mechanical equipment.
- 9 If H₂S is encountered, mud system will be altered if necessary to maintain control of formation. A mud gas seperator will be brought into service along with H₂S scavengers if necessary.

H₂S Contingency Plan

Paduca AIU Federal 1

Cimarex Energy Co. of Colorado UL: F, Sec 14-25S-32E Lea County, NM

Emergency Procedures

In the event of a release of gas containing H₂S, the first responder(s) must:

- « Isolate the area and prevent entry by other persons into the 100 ppm ROE.
- « Evacuate any public places encompassed by the 100 ppm ROE.
- « Be equipped with H₂S monitors and air packs in order to control the release.
- « Use the "buddy system" to ensure no injuries occur during the response.
- « Take precautions to avoid personal injury during this operation.
- « Contact operator and/or local officials to aid in operation. See list of phone numbers attached.
- « Have received training in the:
 - Detection of H₂S, and
 - · Measures for protection against the gas,
 - · Equipment used for protection and emergency response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally, the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas.

Characteristics of H₂S and SO₂

Common	Chemical	Specific	Threshold	Hazardous	Lethal		
Name	Formula	Gravity	Limit	Limit	Concentration		
Hydrogen Sulfide	H₂S	1.189 Air=1	10 ppm	100 ppm/hr	600 ppm		
Sulfur Dioxide	SO ₂	2.21 Air=1	2 ppm_	N/A	1000 ppm		

Contacting Authorities

Cimarex Energy Co. of Colorado's personnel must liaise with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available including directions to site. The following call list of essential and potential responders has been prepared for use during a release. Cimarex Energy Co. of Colorado's response must be in coordination with the State of New Mexico's "Hazardous Materials Emergency Response Plan" (HMER).

H_2S Contingency Plan Emergency Contacts

Paduca AIU Federal 1

Cimarex Energy Co. of Colorado UL: F, Sec 14-25S-32E Lea County, NM

Company Office	1-	000 000 4700		
Cimarex Energy Co. of Colora Co. Office and After-Hours M	800-969-4789			
CO. Office and After-Hours ivi	leriu			
Key Personnel				
Name	Title	Office		Mobile
Larry Seigrist	Drilling Manager	432-620-1934		580-243-8485
Doug McQuitty	Drilling Superintendent	432-620-1933		806-640-2605
Scott Lucas	Drilling Superintendent	432-620-1989		432-894-5572
Conner Cromeens	Construction Foreman			432-270-0313
Roy Shirley	Construction Superintendent			432-634-2136
<u> </u>				
<u>Artesia</u>	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
Ambulance		911		
State Police		575-746-2703		
City Police	575-746-2703			
Sheriff's Office	575-746-9888			
Fire Department	575-746-2701			
Local Emergency Planning	575-746-2122			
New Mexico Oil Conservat	575-748-1283			
Carlsbad				
Ambulance	911			
State Police	575-885-3137			
City Police	575-885-2111			
Sheriff's Office	575-887-7551			
Fire Department	575-887-3798			
Local Emergency Planning	575-887-6544			
US Bureau of Land Manage	575-887-6544			
Santa Fe				
New Mexico Emergency Re	505-476-9600			
New Mexico Emergency Re	505-827-9126			
New Mexico State Emerge	505-476-9635			
<u>National</u>				
National Emergency Respo	800-424-8802			
<u>Medical</u>				
Flight for Life - 4000 24th 5	806-743-9911			
Aerocare - R3, Box 49F; Lu	806-747-8923			
Med Flight Air Amb - 2301	505-842-4433			
SB Air Med Service - 2505	505-842-4949			
<u>Other</u>				
Boots & Coots IWC	800-256-9688	or	281-931-8884	
Cudd Pressure Control	432-699-0139	or	432-563-3356	
Halliburton	575-746-2757			
B.J. Services	575-746-3569			




Exhibit D-1 - Facilities Layout Diagram
Paduca AIU Federal 1 SWD
Cimarex Energy Co.
14-25S-32E
SHL 2310' FNL & 1650' FWL
Eddy County, NM

