Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS


OCD-HOBBS

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

al No. 107697

OBBS	OC) 5.	Lease Seria
			NMNMO.

2208 W MAIN ST ARTESIA, NM 88210 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T19S R32E Mer NMP SWNW 2310FNL 660FWL 12. CHECK APPROPRIATE BOX(ES) TO INDICATE N TYPE OF SUBMISSION Acidize Deeper Alter Casing Fracture Casing Fracture Casing New Company Compan	NATURE OF N TYPE OF TYPE OF THE Treat Construction and Abandon tack the estimated starting the partitions and measure le with BLM/BIA completion or recognirements, including	Production Reclama Recompl Tempora Water Di g date of any pro	8. Well Name and No. SL DEEP FEDEF 9. API Well No. 30-025-39538 10. Field and Pool, or LUSK; BONE S 11. County or Parish, LEA COUNTY, EPORT, OR OTHER on (Start/Resume) tion lete arily Abandon isposal oposed work and approxical depths of all pertin sequent reports shall be ew interval, a Form 316, have been completed, a	Exploratory SPRING and State NM Water Shut-Off Well Integrity Cother Site Facility Diagram/Security Plan wimate duration thereof. ient markers and zones. filed within 30 days 0-4 shall be filed once
1. Type of Well 2. Name of Operator COG OPERATING LLC 3a. Address 2208 W MAIN ST ARTESIA, NM 88210 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T19S R32E Mer NMP SWNW 2310FNL 660FWL 12. CHECK APPROPRIATE BOX(ES) TO INDICATE N TYPE OF SUBMISSION Acidize Deeper Alter Casing Fracture Alter Casing Fracture Casing Repair New Completed Convert to Injection Plug and Convert to Injection Plug Berging It he proposal is to deepen directionally or recomplete horizontally, give subsurface local Attach the Bond under which the work will be performed or provide the Bond No. on following completed. Final Abandonment Notices shall be filed only after all requirement details in a multiple contesting has been completed. Final Abandonment Notices shall be filed only after all requirement details in ready for final inspection.)	VERY include area code) 6940 NATURE OF N TYPE OF TYPE OF To Treat Construction and Abandon ack estimated starting cations and measu le with BLM/BIA completion or reco	Production Reclama Recompl Tempora Water Di g date of any pro	8. Well Name and No. SL DEEP FEDEF 9. API Well No. 30-025-39538 10. Field and Pool, or LUSK; BONE S 11. County or Parish, LEA COUNTY, EPORT, OR OTHER on (Start/Resume) tion lete arily Abandon isposal oposed work and approxical depths of all pertin sequent reports shall be ew interval, a Form 316, have been completed, a	Exploratory BPRING and State NM R DATA Water Shut-Off Well Integrity Cother Site Facility Diagram/Security Plan wimate duration thereof. Bent markers and zones. filed within 30 days 0-4 shall be filed once
2. Name of Operator COG OPERATING LLC 3a. Address 2208 W MAIN ST ARTESIA, NM 88210 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T19S R32E Mer NMP SWNW 2310FNL 660FWL 12. CHECK APPROPRIATE BOX(ES) TO INDICATE N TYPE OF SUBMISSION Acidize Deeper Alter Casing Fractur Subsequent Report Alter Casing Plug as Convert to Injection Plug B 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface loc Attach the Bond under which the work will be performed or provide the Bond No. on fi following completion of the involved operations. If the operation results in a multiple c testing has been completed. Final Abandonment Notices shall be filed only after all req determined that the site is ready for final inspection.)	VERY include area code) 6940 IATURE OF N TYPE OF TYPE OF Ton Treat Construction and Abandon ack estimated starting cations and measu le with BLM/BIA completion or reco	Production Reclama Recompl Tempora Water Di g date of any pro	SL DEEP FEDEF 9. API Well No. 30-025-39538 10. Field and Pool, or LUSK; BONE S 11. County or Parish, LEA COUNTY, EPORT, OR OTHE on (Start/Resume) tion lete urily Abandon isposal oposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 thave been completed, a	Exploratory SPRING and State NM R DATA Water Shut-Off Well Integrity Other Site Facility Diagram/Security Plan cimate duration thereof. lent markers and zones. filed within 30 days 0-4 shall be filed once
2. Name of Operator COG OPERATING LLC 2. Name of Operator COG OPERATING LLC 3a. Address 2208 W MAIN ST ARTESIA, NM 88210 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T19S R32E Mer NMP SWNW 2310FNL 660FWL 12. CHECK APPROPRIATE BOX(ES) TO INDICATE N TYPE OF SUBMISSION Notice of Intent Subsequent Report Casing Repair Alter Casing Fractur Casing Repair New Compared Convert to Injection Plug B 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface loc Attach the Bond under which the work will be performed or provide the Bond No. on for following completion of the involved operations. If the operation results in a multiple contesting has been completed. Final Abandonment Notices shall be filed only after all requested determined that the site is ready for final inspection.)	JATURE OF N TYPE OF TYPE OF Treat Construction and Abandon back estimated starting cations and measu le with BLM/BIA completion or reco	Production Reclama Recompl Tempora Water Di g date of any pro	SL DEEP FEDEF 9. API Well No. 30-025-39538 10. Field and Pool, or LUSK; BONE S 11. County or Parish, LEA COUNTY, EPORT, OR OTHE on (Start/Resume) tion lete urily Abandon isposal oposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 thave been completed, a	Exploratory SPRING and State NM R DATA Water Shut-Off Well Integrity Other Site Facility Diagram/Security Plan cimate duration thereof. lent markers and zones. filed within 30 days 0-4 shall be filed once
3a. Address 2208 W MAIN ST ARTESIA, NM 88210 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T19S R32E Mer NMP SWNW 2310FNL 660FWL 12. CHECK APPROPRIATE BOX(ES) TO INDICATE N TYPE OF SUBMISSION Acidize Deeper Alter Casing Fracture Casing Fracture Casing Plug are Convert to Injection Plug B 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface location and the Bond under which the work will be performed or provide the Bond No. on fin following completion of the involved operations. If the operation results in a multiple content of the site is ready for final inspection.)	JATURE OF N TYPE OF TYPE OF Treat Construction and Abandon back estimated starting cations and measu le with BLM/BIA completion or reco	Production Reclama Recompl Tempora Water Di g date of any pro	30-025-39538 10. Field and Pool, or LUSK; BONE S 11. County or Parish, LEA COUNTY, EPORT, OR OTHE on (Start/Resume) tion lete urily Abandon isposal oposed work and approxical depths of all pertin sequent reports shall be ew interval, a Form 316, have been completed, a	and State NM R DATA Water Shut-Off Well Integrity Other Site Facility Diagram/Security Plan cimate duration thereof.ent markers and zones. filed within 30 days 0-4 shall be filed once
2208 W MAIN ST ARTESIA, NM 88210 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T19S R32E Mer NMP SWNW 2310FNL 660FWL 12. CHECK APPROPRIATE BOX(ES) TO INDICATE N TYPE OF SUBMISSION Acidize Deeper Alter Casing Fracture Casing Fracture Casing Plans Plug as Convert to Injection Plug B 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface location Attach the Bond under which the work will be performed or provide the Bond No. on fince following completion of the involved operations. If the operation results in a multiple content of the step is ready for final inspection.)	TYPE OF TYPE OF TYPE OF THE Treat Construction and Abandon cack cestimated starting cations and measure with BLM/BIA completion or reconciverements, including	Production Reclama Recompl Tempora Water Di g date of any pro	LUSK; BONE S 11. County or Parish, LEA COUNTY, EPORT, OR OTHE on (Start/Resume) tion lete urily Abandon isposal poposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 that have been completed, a	and State NM R DATA Water Shut-Off Well Integrity Other Site Facility Diagram/Security Plan cimate duration thereof.ent markers and zones. filed within 30 days 0-4 shall be filed once
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T19S R32E Mer NMP SWNW 2310FNL 660FWL 12. CHECK APPROPRIATE BOX(ES) TO INDICATE N TYPE OF SUBMISSION Acidize Deeper Alter Casing Fracture Casing Fracture Casing Plug are Convert to Injection Plug B 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface location Attach the Bond under which the work will be performed or provide the Bond No. on fin following completion of the involved operations. If the operation results in a multiple content of the state is ready for final inspection.)	TYPE OF n re Treat Construction nd Abandon tack estimated starting cations and measu le with BLM/BIA completion or reco	F ACTION Production Reclama Recomple Tempora Water Di g date of any produced and true ver A. Required substantial in a neing reclamation,	LEA COUNTY, EPORT, OR OTHE on (Start/Resume) tion lete trily Abandon isposal oposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 thave been completed, a	Water Shut-Off Well Integrity Other Site Facility Diagram/Security Plan wimate duration thereof. ent markers and zones. filed within 30 days 0-4 shall be filed once
12. CHECK APPROPRIATE BOX(ES) TO INDICATE N TYPE OF SUBMISSION Acidize Deeper Alter Casing Fracture Subsequent Report Casing Repair New Correct to Injection Plug Bushing If the proposal is to deepen directionally or recomplete horizontally, give subsurface loc Attach the Bond under which the work will be performed or provide the Bond No. on final following completed. Final Abandonment Notices shall be filed only after all requested determined that the site is ready for final inspection.)	TYPE OF n re Treat Construction nd Abandon tack estimated starting cations and measu le with BLM/BIA completion or reco	F ACTION Production Reclama Recomple Tempora Water Di g date of any produced and true ver A. Required substantial in a neing reclamation,	eport, or other on (Start/Resume) tion lete urily Abandon isposal eposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 t, have been completed, a	Water Shut-Off Well Integrity Other Site Facility Diagra m/Security Plan cimate duration thereof. lent markers and zones. filed within 30 days 0-4 shall be filed once
TYPE OF SUBMISSION Acidize Deeper Alter Casing Fractur Casing Repair New Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface loc Attach the Bond under which the work will be performed or provide the Bond No. on fi following completion of the involved operations. If the operation results in a multiple complete testing has been completed. Final Abandonment Notices shall be filed only after all requirement details is ready for final inspection.)	TYPE OF n re Treat Construction nd Abandon tack estimated starting cations and measu le with BLM/BIA completion or reco	F ACTION Production Reclama Recomple Tempora Water Di g date of any produced and true ver A. Required substantial in a neing reclamation,	on (Start/Resume) tion lete urily Abandon isposal oposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 thave been completed, a	■ Water Shut-Off ■ Well Integrity ■ Other Site Facility Diagra m/Security Plan cimate duration thereof. lent markers and zones. filed within 30 days 0-4 shall be filed once
□ Notice of Intent □ Subsequent Report □ Final Abandonment Notice □ Change Plans □ Convert to Injection □ Plug as □ Convert to Injection □ Plug B 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface loc Attach the Bond under which the work will be performed or provide the Bond No. on fi following completion of the involved operations. If the operation results in a multiple c testing has been completed. Final Abandonment Notices shall be filed only after all requestermined that the site is ready for final inspection.)	n re Treat Construction nd Abandon eack estimated starting cations and measu le with BLM/BIA completion or reco	Production Reclama Recomple Tempora Water Di g date of any produced and true ver A. Required subsompletion in a neign reclamation,	tion lete urily Abandon isposal oposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 thave been completed, a	Well Integrity Other Site Facility Diagram/Security Plan cimate duration thereof. lent markers and zones. filed within 30 days 0-4 shall be filed once
□ Notice of Intent □ Subsequent Report □ Final Abandonment Notice □ Change Plans □ Convert to Injection □ Plug as □ Convert to Injection □ Plug B 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface loc Attach the Bond under which the work will be performed or provide the Bond No. on fi following completion of the involved operations. If the operation results in a multiple c testing has been completed. Final Abandonment Notices shall be filed only after all requested determined that the site is ready for final inspection.)	re Treat Construction Ind Abandon Eack estimated starting cations and measu le with BLM/BIA completion or reco	Reclama Recompl Tempora Water Di g date of any pround and true ver A. Required subsompletion in a neing reclamation,	tion lete urily Abandon isposal oposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 thave been completed, a	Well Integrity Other Site Facility Diagram/Security Plan cimate duration thereof. lent markers and zones. filed within 30 days 0-4 shall be filed once
Alter Casing Fracture Casing Repair New Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface local Attach the Bond under which the work will be performed or provide the Bond No. on figure 100 for the involved operations. If the operation results in a multiple complete testing has been completed. Final Abandonment Notices shall be filed only after all requirement that the site is ready for final inspection.)	Construction and Abandon back be estimated starting cations and measu le with BLM/BIA completion or reco	Recompl Tempora Water Di g date of any pro ured and true ver A. Required subsompletion in a no	lete arily Abandon isposal posed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 , have been completed, a	Site Facility Diagram/Security Plan cimate duration thereof. lent markers and zones. filed within 30 days 0-4 shall be filed once
☐ Final Abandonment Notice ☐ Change Plans ☐ Plug as ☐ Convert to Injection ☐ Plug B 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface loc Attach the Bond under which the work will be performed or provide the Bond No. on fi following completion of the involved operations. If the operation results in a multiple content of the involved operation in the performed of the involved operation in the performed of the involved operation.)	nd Abandon sack estimated starting cations and measu le with BLM/BIA completion or reco uirements, includi	☐ Tempora☐ Water Dig date of any proured and true ver A. Required substitution in a nelling reclamation,	arily Abandon isposal oposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 thave been completed, a	Site Facility Diagram/Security Plan cimate duration thereof. Hent markers and zones. filed within 30 days 0-4 shall be filed once
Convert to Injection Plug B 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface loc Attach the Bond under which the work will be performed or provide the Bond No. on fi following completion of the involved operations. If the operation results in a multiple c testing has been completed. Final Abandonment Notices shall be filed only after all req determined that the site is ready for final inspection.)	estimated starting cations and measu le with BLM/BIA completion or reco uirements, includi	Water Dig date of any progred and true ver A. Required substitution in a noting reclamation,	isposal oposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316 have been completed, a	m/Security Plan cimate duration thereof. ent markers and zones. filed within 30 days 0-4 shall be filed once
3. Describe Proposed or Completed Operation (clearly state all pertinent details, including If the proposal is to deepen directionally or recomplete horizontally, give subsurface lot Attach the Bond under which the work will be performed or provide the Bond No. on fi following completion of the involved operations. If the operation results in a multiple c testing has been completed. Final Abandonment Notices shall be filed only after all req determined that the site is ready for final inspection.)	estimated starting cations and measu le with BLM/BIA completion or reco uirements, includi	g date of any pro gred and true ver A. Required sub- proposed in a ne ding reclamation,	oposed work and approx tical depths of all pertin sequent reports shall be ew interval, a Form 316, have been completed, a	cimate duration thereof. tent markers and zones. filed within 30 days 0-4 shall be filed once
If the proposal is to deepen directionally or recomplete horizontally, give subsurface loc Attach the Bond under which the work will be performed or provide the Bond No. on fi following completion of the involved operations. If the operation results in a multiple c testing has been completed. Final Abandonment Notices shall be filed only after all req determined that the site is ready for final inspection.)	cations and measu le with BLM/BIA completion or reco uirements, includi	ared and true ver A. Required sub- completion in a no- ling reclamation,	tical depths of all pertin sequent reports shall be ew interval, a Form 316 , have been completed, a	ent markers and zones. filed within 30 days 0-4 shall be filed once
	Accept Appro Date:_	ted for Receival Subjec	cord Purposes. It to Onsite Insp	ection.
	C			
	•			
4. I hereby certify that the foregoing is true and correct. Electronic Submission #251552 verified b For COG OPERATING LLC Committed to AFMSS for processing by L Name(Printed/Typed) AMANDA L AVERY T	, sent to the H LINDA DENNIST	łobbs	/2014 ()	
Signature (Electronic Submission) D	rate 07/02/20	014		
THIS SPACE FOR FEDERAL	OR STATE (OFFICE US	E	
		·		
~=	<u> Fitle</u>	_		Date
nditions of approval, if any, are attached. Approval of this notice does not warrant or tify that the applicant holds legal or equitable title to those rights in the subject lease ich would entitle the applicant to conduct operations thereon.	Office			
le 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any perso states any false, fictitious or fraudulent statements or representations as to any matter within	n knowingly and n n its jurisdiction.	willfully to mak	e to any department or a	agency of the United
** OPERATOR-SUBMITTED ** OPERATOR-SU				



Accepted for Record Purposes.

Approval Subject to Onsite Inspection.

The Control of the Contro

SL Deep Federal #4H NMNM0107697 30-025-39538 30/19S/32E Lea County



COG Operating LLC. 2208 W Main St. Artesia, NM 88210



SL Deep Federal #4H NMNM0107697 30-025-39538 30/19S/32E Lea County

1. Production Phase (OT#1)

- A. Valves #1,#2,#4,#5, #7, and #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #2 Positioned:
 - 1. Valves #1, #3, & #4 Closed and sealed

Production Phase (OT #2)

- A. Valves #1, #2, #4, #5, #7, and #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #1 Positioned:
 - 1. Valves #1, #3 & #4 Closed and Sealed

II. Sales Phase (OT#1)

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #1 Open
- C. Valves on OT #2 Positioned:
- 1. Valve #1, and #2, Open
 - 2. Valve #3 Closed and Sealed

Sales Phase (OT#2)

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #2 Open
- C. Valves on OT #1 Positioned:
 - 1. Valve #1, and #2 Open
 - 2. Valve #3 Closed and Sealed