

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR GO BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-03265
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator State of New Mexico formerly Xeric Oil & Gas Corp.		6. State Oil & Gas Lease No.
3. Address of Operator 1625 N. French Drive Hobbs, New Mexico 88240		7. Lease Name or Unit Agreement Name West Pearl Queen Unit
4. Well Location Unit Letter <u>G</u> : <u>1650</u> feet from the <u>N</u> line and <u>1650</u> feet from the <u>E</u> line Section <u>31</u> Township <u>19S</u> Range <u>35E</u> NMPM County <u>Lea</u>		8. Well Number <u>153</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number <u>25482</u>
		10. Pool name or Wildcat Pearl Queen

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENTS: PROCEDURE & SCHEMATIC

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Matey Brown TITLE Compliance Officer DATE 7/24/2013

pe or print name \_\_\_\_\_ E-mail address: \_\_\_\_\_ PHONE: 575-393-6161

For State Use Only

APPROVED BY: Matey Brown TITLE Compliance Officer DATE 08-27-2013

Conditions of Approval (if any):

NOV 04 2014

State of New Mexico formerly XERIC OIL & GAS

LEASE NAME WEST PEARL QUEEN UNIT #153 API 30-0 25-03265

U.L. G Section 31 -T 19 S-R 35 E FROM 1650 N/3 L, 1650 E/W L.

**SPECIAL NOTE**—Mud Laden Fluid will consist of 9.5# brine with 12.5# Salt Gel per BBL (25 sacks of gel/ per 100 BBLS Brine). All cement plugs will be 25 sacks of cement or 100', whichever is greater. Unless otherwise specified in the approved procedure, cement plugs shall consist of class "C" for depths to 7500'. Class "H" will be used for plugs deeper than 7500'.

1. MIRU plugging unit. Lay down production equipment.
2. ~~Set~~ <sup>TAG</sup> CIBP @ 4696 '. Circulate MLF. Spot 25 sxs cmt on CIBP. SPOT 35 SXS @ 4151'. WOC & TAG
3. ~~Perf/Sqz~~ or Spot 35 sxs cmt @ 3400 '. If perf, WOC & TAG.
4. Perf/Sqz or Spot 35 sxs cmt @ 1900 '. If perf, WOC and TAG.
5. Perf/Sqz or Spot @ 200 ', w/ sufficient volume to circ cmt to surface inside/outside of csg strings.
6. Cutoff wellhead and anchors, install marker.

-----SPECIAL NOTES-----

# PLUGGING & ABANDONMENT WORKSHEET

OPERATOR STATE OF NM FORMERLY XERTC OIL & GAS  
LEASENAME WEST PEARL QUEEN UNIT

WELL # 153  
SECT 31 TWN 19S RNG 35E  
FROM 1650 N 8 L 1650 E 1/4 L  
TD: \_\_\_\_\_ FORMATION @ TD \_\_\_\_\_  
PBTD: \_\_\_\_\_ FORMATION @ PBTD \_\_\_\_\_

PERF 5 SQZ  
@ 200'

13 3/8 50#  
@ 100'  
TOC SURF  
CIRC

PERF 5 SQZ  
@ 1900'

SPOT 35 SQS  
CMT @ 3400'

EXISTING  
CIBP @  
4696' →

O.H.  
4988-4997

7" 20#  
@ 4101  
TOC 2600 +/-  
CALC  
LINER #1  
5 1/2"  
@ 4850  
TOC  
LINER #2  
4" 4763-  
@ 4988

TD 4997

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	13 3/8	100	SURF	CIRC	
INTMED 1					
INTMED 2					
PROD	7	4101	2600	CALC	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1	5 1/2	3975	4850	?	
LINER 2	4	4763	4988	.	
CUT & PULL @			TOP - BOTTOM		
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	-	
PROD					

## \* REQUIRED PLUGS DISTRICT I

PLUG	TYPE	SACKS	DEPTH
PLUG #1	OH	25 SQS	9250'
PLUG #2	SHOE	50 SQS	8700-8800'
PLUG #3	CIBP/SS'		5500'
PLUG #4	CIBP	25 SQS	5500'
PLUG #5	STUB	50 SQS	4600-4700'
PLUG #6	RETAR SQZ	200 SQS	400'
PLUG #7	SURF	10 SQS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			

PLUG	TYPE	SACKS	DEPTH
PLUG #1	OH	25 SQS	9250'
PLUG #2	SHOE	50 SQS	8700-8800'
PLUG #3	CIBP/SS'		5500'
PLUG #4	CIBP	25 SQS	5500'
PLUG #5	STUB	50 SQS	4600-4700'
PLUG #6	RETAR SQZ	200 SQS	400'
PLUG #7	SURF	10 SQS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			