Form 3160-5 (August 2007)		UNITED STATES EPARTMENT OF THE INTERIOR UREAU OF LAND MANAGEMENT		FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010	
I					
SUNDRY NOTICES AND REPORTS ON WELLS HOBBS OCD Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. MOV 10 2014		SOCD	5. Lease Serial No. NMLC061873B		
		o drill or to re-enter an PD) for such proposals.	e-enter an proposals. 6. If Indian, Allot		or Tribe Name
SUBMIT IN T	RIPLICATE - Other instru	ctions on reverse side.		7. If Unit or CA/Agr	eement, Name and/or N
1. Type of Well     Image: State of Well     Image: State of Well	Other	REC	EIVED	8. Well Name and No COTTON DRAW	9L FEDERAL 2H
2. Name of Operator Contact: LEXIE LAVALLEY CIMAREX ENERGY COMPANY $\checkmark$ E-Mail: llavalley@cimarex.com				9. API Well No. 30-025-40784	-
3a. Address 600 N MARIENFELD STREET STE 600 MIDLAND, TX 79701		3b. Phone No. (include area code) Ph: 918-560-7296		10. Field and Pool, or Exploratory WC G-08 S253209L;BONE SPR	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		ı)		11. County or Parish,	and State
Sec 9 T25S R32E 280FSL 2	2290FWL 🔎			LEA COUNTY	COUNTY, NM
12. CHECK AP	PROPRIATE BOX(ES) TO	D INDICATE NATURE OF	NOTICE, REF	PORT, OR OTHE	R DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	□ Acidize	Deepen	Productio	n (Start/Resume)	□ Water Shut-O
Subsequent Report	Alter Casing	Fracture Treat	C Reclamati		U Well Integrity
	Casing Repair	New Construction	Recomple		□ Other
☐ Final Abandonment Notice	<ul> <li>Change Plans</li> <li>Convert to Injection</li> </ul>	Plug and Abandon Plug Back	Temporar Water Dis	-	
Attach the Bond under which the w	onally or recomplete horizontally, ork will be performed or provide	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BIA	red and true verti Required subse	cal depths of all pertir quent reports shall be	ent markers and zones filed within 30 days
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve	nally or recomplete horizontally, ork will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.)	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ	red and true verti A. Required subsection in a new	cal depths of all pertir quent reports shall be v interval, a Form 316	ent markers and zones filed within 30 days 0-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respect	nally or recomplete horizontally, york will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for y	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ	red and true verti A. Required subsection in a new	cal depths of all pertir quent reports shall be v interval, a Form 316	ent markers and zones filed within 30 days 0-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bone	nally or recomplete horizontally, york will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for y	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ	red and true verti A. Required subsection in a new	cal depths of all pertir quent reports shall be v interval, a Form 316	ent markers and zones filed within 30 days 0-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final 4 determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400	nally or recomplete horizontally, ork will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for v e spring	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ	red and true verti A. Required subsection completion in a new ing reclamation, l	cal depths of all pertir quent reports shall be v interval, a Form 316 nave been completed,	ent markers and zones filed within 30 days 0-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final 4 determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w	nally or recomplete horizontally, ork will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for e spring vater tanks	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ	red and true verti A. Required subsection completion in a new ing reclamation, l S. S. S	cal depths of all pertir quent reports shall be v interval, a Form 316	ent markers and zones filed within 30 days 0-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involv- testing has been completed. Final / determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w Water is trucked to water dis	nally or recomplete horizontally, ork will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for e spring vater tanks	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ	red and true verti A. Required subsection completion in a new ing reclamation, l S. S. S	cal depths of all pertir quent reports shall be v interval, a Form 316 have been completed,	ent markers and zones filed within 30 days 0-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final 4 determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w	nally or recomplete horizontally, ork will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for e spring vater tanks	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ	red and true verti A. Required subsection completion in a new ing reclamation, l S. S. S	cal depths of all pertir quent reports shall be v interval, a Form 316 have been completed,	ent markers and zones filed within 30 days 0-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involv- testing has been completed. Final <i>A</i> determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w Water is trucked to water dis Disposal facility info:	nally or recomplete horizontally, ork will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for v e spring vater tanks posal facility	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ	red and true verti A. Required subsection completion in a new ing reclamation, l S. S. S	cal depths of all pertir quent reports shall be v interval, a Form 316 have been completed,	ent markers and zones filed within 30 days 0-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involv- testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w Water is trucked to water dis	is true and correct. Electronic Submission #2 For CIMAREX	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ	Information She Hobbs	cal depths of all pertir quent reports shall be v interval, a Form 316 have been completed, EE ATTACHED F DITIONS OF APP	ent markers and zones filed within 30 days 0-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involv- testing has been completed. Final <i>A</i> determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w Water is trucked to water dis Disposal facility info:	is true and correct. Electronic Submission #2 Committed to AFMSS for Market Karlowski factor Strue and correct. Electronic Submission #2 For CIMAREX Committed to AFMSS for	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ water disposal; 256686 verified by the BLM Wel ENERGY COMPANY, sent to t	Information S he Hobbs TON on 08/15/2	cal depths of all pertir quent reports shall be v interval, a Form 316 have been completed, EE ATTACHED F DITIONS OF APP	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final 4 determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w Water is trucked to water dis Disposal facility info: 14. Thereby certify that the foregoing Name( <i>Printed/Typed</i> ) LEXIE LA	is true and correct. Electronic Submission #2 Committed to AFMSS for Market Karlowski factor Strue and correct. Electronic Submission #2 For CIMAREX Committed to AFMSS for	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ water disposal; 2566886 verified by the BLM Wel ENERGY COMPANY, sent to t processing by LINDA DENNIS	Information She Hobbs	cal depths of all pertir quent reports shall be v interval, a Form 316 have been completed, EE ATTACHED F DITIONS OF APP	ent markers and zones filed within 30 days 0-4 shall be filed once and the operator has OR ROVAL
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involv- testing has been completed. Final / determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w Water is trucked to water dis Disposal facility info: 14. I hereby certify that the foregoing Name( <i>Printed/Typed</i> ) LEXIE LA	nally or recomplete horizontally, york will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for v e spring vater tanks posal facility is true and correct. Electronic Submission #2 For CIMAREX Committed to AFMSS for AVALLEY Submission)	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or reco ed only after all requirements, includ water disposal; 256686 verified by the BLM Wel ENERGY COMPANY, sent to t processing by LINDA DENNIS Title REGUL	Information S Information S ATORY	cal depths of all pertir requent reports shall be v interval, a Form 316 have been completed, EE ATTACHED F DITIONS OF APP vstem 014 ()	ent markers and zones filed within 30 days 0-4 shall be filed once and the operator has OR ROVAL
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involv- testing has been completed. Final / determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w Water is trucked to water dis Disposal facility info: 14. I hereby certify that the foregoing Name( <i>Printed/Typed</i> ) LEXIE LA	nally or recomplete horizontally, york will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for v e spring vater tanks posal facility is true and correct. Electronic Submission #2 For CIMAREX Committed to AFMSS for AVALLEY Submission)	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or rece ed only after all requirements, includ water disposal; 256686 verified by the BLM Wel ENERGY COMPANY, sent to t processing by LINDA DENNIS Title REGUL Date 08/12/20	Information S Information S ATORY	cal depths of all pertir requent reports shall be v interval, a Form 316 have been completed, EE ATTACHED F DITIONS OF APP vstem 014 ()	ent markers and zones filed within 30 days 0-4 shall be filed once and the operator has OR ROVAL
If the proposal is to deepen directio Attach the Bond under which the w following completion of the involv- testing has been completed. Final / determined that the site is ready for Cimarex Energy Co. respect Name of formation: 2nd bond BWPD: 400 Water stored: 2 ea 500 bbl w Water is trucked to water dis Disposal facility info: 14. 1 hereby certify that the foregoing Name ( <i>Printed/Typed</i> ) LEXIE L/ Signature (Electronic	nally or recomplete horizontally, york will be performed or provide ed operations. If the operation res Abandonment Notices shall be file final inspection.) fully requests approval for v e spring vater tanks posal facility is true and correct. Electronic Submission #2 For CIMAREX Committed to AFMSS for AVALLEY Submission) THIS SPACE FO ed. Approval of this notice does i putable title to those rights in the	nt details, including estimated startin give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or rece ed only after all requirements, includ water disposal; 256686 verified by the BLM Wel ENERGY COMPANY, sent to t processing by LINDA DENNIS Title REGUL Date 08/12/20 PR FEDERAL OR STATE O Title	Information S Information S ATORY	cal depths of all pertir requent reports shall be v interval, a Form 316 have been completed, EE ATTACHED F DITIONS OF APP system 1014 ()	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has OR ROVAL 5 2)14 Date AMOS

.

NOV 1 0 2014' Ju

## Additional data for EC transaction #256686 that would not fit on the form

## 32. Additional remarks, continued

3

Key Energy Christmas 003 SWD:11 3002510500 330 FNL 2310 FEL sec. 28 22s 37e SWD- *し、*の

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.
- 9. Subject to like approval by NMOCD.

7/10/14