		OOD^{-}	HOBBS			
orm 3160-5 August 2007)	UNITED STATES PEPARTMENT OF THE INTE				APPROVED 0. 1004-0135	
	MENT		Expires: July 31, 2010 5. Lease Serial No.			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an			·	, NMNM30071		
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Tribe Name			
SUBMIT IN TR	RIPLICATE - Other instruction		10V 17 2014	7. If Unit or CA/Agree Nm 709 8. Well Name and No.		
Oil Well 🖸 Gas Well 🗖 O				LAGUNA DEEP L		
2. Name of Operator CIMAREX ENERGY COMPA	Contact: LEX ANY E-Mail: Ilavalley@cima	KIE LAVALLEY arex.com	RECEIVED	 API Well No. 30-025-38121 		
Ba. Address 600 N MARIENFELD STREE MIDLAND, TX 79701	. Phone No. (include area o 1: 918-560-7296	code)	10. Field and Pool, or Exploratory GEM;MORROW,EAST			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, and State		
Sec 26 T19S R33E 1340FSL	- 1300FEL			LEA COUNTY (COUNTY, NM	
12. CHECK APF	PROPRIATE BOX(ES) TO IN	IDICATE NATURE (OF NOTICE, R	EPORT, OR OTHEI	R DATA	
TYPE OF SUBMISSION		TYPE OF ACTION				
X Notice of Intent	C Acidize	Deepen	Product	ion (Start/Resume)	□ Water Shut-Off	
Subsequent Report	Alter Casing	Fracture Treat			Well Integrity	
8 1 1	 Casing Repair Change Plans 	New Construction		arily Abandon	Other	
Final Abandonment Notice			Water Disposal			
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for	Convert to Injection peration (clearly state all pertinent det. hally or recomplete horizontally, give ork will be performed or provide the E d operations. If the operation results is bandonment Notices shall be filed on	subsurface locations and m Bond No. on file with BLM in a multiple completion or ily after all requirements, in	Water I arting date of any p easured and true ve /BIA. Required su recompletion in a	Disposal roposed work and approx rrtical depths of all pertin bsequent reports shall be new interval, a Form 3160	ent markers and zones. filed within 30 days D-4 shall be filed once	
B. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for	Convert to Injection peration (clearly state all pertinent det hally or recomplete horizontally, give ork will be performed or provide the E d operations. If the operation results is bandonment Notices shall be filed on final inspection.) ully requests approval for wate ater tanks	Plug Back ails, including estimated sta subsurface locations and m 3 ond No. on file with BLM in a multiple completion or ily after all requirements, in	Water I arting date of any p easured and true ve /BIA. Required su recompletion in a	Disposal roposed work and approx rrtical depths of all pertin bsequent reports shall be new interval, a Form 3160	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
 B. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respectf Name of formation: morrow BWPD: 400 Water stored: 2 ea 500 bbl wa Water is trucked to water disp Disposal facility info: 	Convert to Injection peration (clearly state all pertinent det hally or recomplete horizontally, give ork will be performed or provide the E d operations. If the operation results is bandonment Notices shall be filed on final inspection.) ully requests approval for wate ater tanks boosal facility s true and correct. Electronic Submission #25644 For CIMAREX ENE	Plug Back ails, including estimated sta subsurface locations and m in a multiple completion or ly after all requirements, in er disposal; 99 verified by the BLM ERGY COMPANY, sent	Water I arting date of any p easured and true ve /BIA. Required su recompletion in a i cluding reclamation during reclamation	Disposal roposed work and approx rrical depths of all pertinn bsequent reports shall be new interval, a Form 316 n, have been completed, a SEE ATTAC CONDITIONS C	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
 B. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respectf Name of formation: morrow BWPD: 400 Water stored: 2 ea 500 bbl wa Water is trucked to water disp Disposal facility info: 	Convert to Injection Convert t	Plug Back ails, including estimated sta subsurface locations and m 3ond No. on file with BLM in a multiple completion or ly after all requirements, in er disposal; 99 verified by the BLM ERGY COMPANY, sent cessing by LINDA DEN	Water I arting date of any p easured and true ve /BIA. Required su recompletion in a i cluding reclamation during reclamation	Disposal roposed work and approx rrical depths of all pertinn bsequent reports shall be new interval, a Form 316 n, have been completed, a SEE ATTAC CONDITIONS C	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
 Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respectf Name of formation: morrow BWPD: 400 Water stored: 2 ea 500 bbl wa Water is trucked to water disp Disposal facility info: 4. Thereby certify that the foregoing is Name (<i>Printed/Typed</i>) LEXIE LA 	Convert to Injection Convert t	Plug Back ails, including estimated sta subsurface locations and m Bond No. on file with BLM in a multiple completion or ly after all requirements, in er disposal; 99 verified by the BLM ERGY COMPANY, sent cessing by LINDA DEN Title REG	Water I arting date of any p leasured and true vo /BIA. Required sui recompletion in a i cluding reclamation cluding reclamation well Information to the Hobbs NISTON on 08/18	Disposal roposed work and approx rrical depths of all pertinn bsequent reports shall be new interval, a Form 316 n, have been completed, a SEE ATTAC CONDITIONS C	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
 Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respectf Name of formation: morrow BWPD: 400 Water stored: 2 ea 500 bbl wa Water is trucked to water disp Disposal facility info: 4. Thereby certify that the foregoing is Name (<i>Printed/Typed</i>) LEXIE LA 	Convert to Injection Convert Convert to Injection Convert	Plug Back ails, including estimated sta subsurface locations and m Bond No. on file with BLM in a multiple completion or ily after all requirements, in er disposal; er disposal; 99 verified by the BLM ERGY COMPANY, sent cessing by LINDA DEN Title REG Date 08/1	Water I arting date of any p easured and true ve /BIA. Required sui recompletion in a i cluding reclamation in cluding reclamation well Information to the Hobbs NISTON on 08/19 SULATORY	Disposal roposed work and approx rrical depths of all pertin- bsequent reports shall be new interval, a Form 3166 n, have been completed, a SEE ATTA(CONDITIONS (System 5/2014 ()	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
 B. Describe Proposed or Completed OF If the proposal is to deepen direction Attach the Bond under which the work following completion of the involve testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respectf Name of formation: morrow BWPD: 400 Water stored: 2 ea 500 bbl wa Water is trucked to water disp Disposal facility info: 4. I hereby certify that the foregoing is Name (<i>Printed/Typed</i>) LEXIE LA Signature (Electronic 1) 	Convert to Injection Convert Convert to Injection Convert Convert to Injection Convert Convert to Injection Convert	Plug Back ails, including estimated sta subsurface locations and m Bond No. on file with BLM in a multiple completion or ly after all requirements, in er disposal; er disposal; P99 verified by the BLM ERGY COMPANY, sent cessing by LINDA DEN Title REG Date 08/1 EDERAL OR STAT	Water I arting date of any p easured and true ve /BIA. Required sui recompletion in a i cluding reclamation in cluding reclamation well Information to the Hobbs NISTON on 08/19 SULATORY	Disposal roposed work and approx prical depths of all pertinn bsequent reports shall be new interval, a Form 3160 n, have been completed, a SEE ATTAC CONDITIONS (CONDITIONS (CONDI	CHED FOR DF APPROVAL	
3. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respectf Name of formation: morrow BWPD: 400 Water stored: 2 ea 500 bbl wa Water is trucked to water disp Disposal facility info: 14. Thereby certify that the foregoing is Name (<i>Printed/Typed</i>) LEXIE LA Signature (Electronic is Approved By	Convert to Injection Convert Convert to Injection C	Plug Back ails, including estimated sta subsurface locations and m Bond No. on file with BLM in a multiple completion or ly after all requirements, in er disposal; P99 verified by the BLM ERGY COMPANY, sent cessing by LINDA DEN Title REG Date 08/1 EDERAL OR STAT Title Varrant or	Water I arting date of any p easured and true ve /BIA. Required sui recompletion in a i cluding reclamation in cluding reclamation well Information to the Hobbs NISTON on 08/19 SULATORY	Disposal roposed work and approx prical depths of all pertinn bsequent reports shall be new interval, a Form 3160 n, have been completed, a SEE ATTAC CONDITIONS (CONDITIONS (CONDI	CHED FOR DEAD FOR DEAD FOR DEAD FOR DEAD FOR DEA	
 Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Cimarex Energy Co. respectf Name of formation: morrow BWPD: 400 Water stored: 2 ea 500 bbl wa Water is trucked to water disp Disposal facility info: 14. Thereby certify that the foregoing is Name(Printed/Typed) LEXIE LA 	Convert to Injection Convert Convert to Injection C	Plug Back ails, including estimated sta subsurface locations and m Bond No. on file with BLM in a multiple completion or ly after all requirements, in er disposal; er disposal; P99 verified by the BLM ERGY COMPANY, sent cessing by LINDA DEN Title REG Date 08/1 EDERAL OR STAT 	Water I arting date of any p resoured and true ve /BIA. Required sui recompletion in a i cluding reclamation in cluding reclamation well Information to the Hobbs NISTON on 08/18 ULATORY 1/2014 TE OFFICE US and willfully to ma	Disposal roposed work and approx rrtical depths of all pertin- bsequent reports shall be new interval, a Form 316 n, have been completed, a SEE ATTAC CONDITIONS C System 5/2014 () SE NOV 1 JAMES A	CHED FOR DEAD FOR DEAD FOR DEAD FOR DEAD FOR DEA	

-

Additional data for EC transaction #256499 that would not fit on the form

32. Additional remarks, continued

Basic Energy Services Red Hawk 32 St #1 3002531888 1980 FSL 810 FWL sec. 32 19s 34e SWD- 246368

Stop-14DED

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.
- 9. Subject to like approval by NMOCD.

7/10/14