

HOBBS OCD

NOV 07 2014

RECEIVED

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 Revised August 1, 2011						
1. WELL API NO. 30-009-20022		2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN		3. State Oil & Gas Lease No. NA						
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)			5. Lease Name or Unit Agreement Name Terry and Pamela Stovall Partnership <b>13</b>							
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER			6. Well Number: Stovall 13-1							
8. Name of Operator SWEPI LP			9. OGRID 250036							
10. Address of Operator P.O. Box 576, Houston, TX 7700 (Local Contact SEPCo 4582 S. Ulster Pkwy., Denver, CO 80237)			11. Pool name or Wildcat Wildcat							
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	B	13	8N	35E	2	800	N	1835	E	Curry
BH:	B	13	8N	35E	2	817		1844		Curry
13. Date Spudded 5-19-11	14. Date T.D. Reached 6-3-11	15. Date Rig Released 6-17-11		16. Date Completed (Ready to Produce) Not Completed - Plugged and Abandoned		17. Elevations (DF and RKB, RT, GR, etc.) GR-4561 feet				
18. Total Measured Depth of Well 10,950'		19. Plug Back Measured Depth NA		20. Was Directional Survey Made? yes		21. Type Electric and Other Logs Run GR/tension/porosity/resistivity/caliper				
22. Producing Interval(s), of this completion - Top, Bottom, Name Not Completed, TD in granitic basement										
23. <b>CASING RECORD (Report all strings set in well)</b>										
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED					
10-3/4"	40.5	0-1,845'	14.75"	835 sx	NA					
7-5/8"	29.7	0-7,760'	9.875"	817 sx	NA					
None set	NA	0-10,950'	6	None						
24. <b>LINER RECORD</b>										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. <b>TUBING RECORD</b>					
					SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) None					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED				
28. <b>PRODUCTION</b>										
Date First Production No production		Production Method (Flowing, gas lift, pumping - Size and type pump) NA				Well Status (Prod. or Shut-in) Plugged & abandoned				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
31. List Attachments Geophysical log, directional survey, well bore diagram, P and A summary, plat with pit location										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. Temporary pit constructed but not used for completions or flow back fluids.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		

E-PERMITTING - - New Well

Comp P&amp;A TA

CSNG MB Loc Chng

ReComp Add New Well

Cancel Well Create Pool

DEC 09 2014

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature \_\_\_\_\_ Printed Name: Michael L. Bergstrom Title: Regulatory Advisor Date: \_\_\_\_\_  
E-mail Address: Michael.Bergstrom@shell.com

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon 8,058	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn 8,899	T. Kirtland	T. Penn "B"
B. Salt	T. Atoka 9,210	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss 10,632	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 2,629	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 3,814	T. McKee	T. Gallup	T. Ignacio Qtzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb 5,235	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Basement 10,706	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn 7,474	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

### OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....  
No. 2, from.....to..... No. 4, from.....to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....150.....to.....200.....feet.....  
No. 2, from.....1,180.....to.....1,580.....feet.....  
No. 3, from.....to.....feet.....

### LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------

0	10	10	alluvium and loose sand	10632	10706	74	limestone, mudstone, sandstone
10	190	180	sandstone, sandy clay, caliche, gravel	10706	10950	190	granitic rocks (TD)
190	1300	1300	mudstone, siltstone and minor sandstone				
1300	1640	340	sandstone with interbedded mudstone and siltstone				
1640	2629	989	red mudstone, fine-grained sandstone, anhydrite				
2629	3814	1185	dolostone, anhydrite, salt, limestone				
3814	5235	1421	fine-med.-grained sandstone, mudstone				
5235	5709	474	fine-grained sandstone, mudstone, anhydrite, dolostone, salt				
5709	7474	2239	red mudstone, conglomeratic arkosic sandstone, fine-gr. sandstone				
7474	8058	584	limestone, arkosic limestone				
8058	8899	841	limestone, conglomeratic arkosic sandstone, gray to red mudstone				
8899	9210	311	limestone, conglomeratic arkosic-quartzose sandstone, gray mudstone				
9210	10632	1422	gray mudstone, fine grained sandstone				