

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-41783
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. VO-8488
7. Lease Name or Unit Agreement Name Petticoat BVI State
8. Well Number 1H
9. OGRID Number 025575
10. Pool name or Wildcat 2 nd Bone Spring Sand

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
105 S. 4th St. Artesia, NM 88210

4. Well Location

Unit Letter D : 200 feet from the North line and 660 feet from the West line
Section 21 Township 18S Range 35E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,834' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation respectfully requests to make the following changes to the wellbore:
9 5/8" intermediate casing depth to approx. 3450' as per the attached casing design.

Thank you,

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Naomi Saiz TITLE Well Planning Tech DATE 12/10/14

Type or print name Naomi Saiz E-mail address: nsaiz@yatespetroleum.com PHONE: 575-748-4211

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Engineer DATE 12/11/14
Conditions of Approval (if any):

DEC 12 2014

Casing Design Well: **Petticoat BVI State #1H**String size & function: **9 5/8** in SURFACE **X** INTERMEDIATETotal Depth: **3,450** ft

1st segment		0 ft to 80 ft		Make up Torque ft-lbs			Total ft = 80
O.D.	Weight	Grade	Threads	opt.	min.	mx.	
9.625 inches	40 #/ft	U-55	ST&C		4,520	3,390	5,660
Collapse Resistance	Internal Yield	Joint Strength		Body Yield		Drift	
2,570 psi	3,950 psi	452 ,000 #		630 ,000 #		8.75 SD	

2nd segment		80 ft to 3,300 ft		Make up Torque ft-lbs			Total ft = 3,220
O.D.	Weight	Grade	Threads	opt.	min.	mx.	
9.625 inches	36 #/ft	U-55	LT&C		4,530	3,400	5,660
Collapse Resistance	Internal Yield	Joint Strength		Body Yield		Drift	
2,020 psi	3,520 psi	394 ,000 #		564 ,000 #		8.765	

3rd segment		3,300 ft to 3,450 ft		Make up Torque ft-lbs			Total ft = 150
O.D.	Weight	Grade	Threads	opt.	min.	mx.	
9.625 inches	40 #/ft	U-55	ST&C		4,520	3,390	5,660
Collapse Resistance	Internal Yield	Joint Strength		Body Yield		Drift	
2,570 psi	3,950 psi	452 ,000 #		630 ,000 #		8.75 SD	