

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-02848
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name EVGSAU Tr 2175
8. Well Number 001
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum GB/SA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3979' RKB

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐	
2. Name of Operator ConocoPhillips Company	
3. Address of Operator P.O. Box 51810 Midland, TX 79710	
4. Well Location Unit Letter N : 660 feet from the South line and 1980 feet from the West line Section 21 Township 17-S Range 35-E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3979' RKB	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	RE P&A NR	P&A R ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	CC INT TO P&A	COMP ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CA CSNG	CHG Loc ☐
DOWNHOLE COMMINGLE ☐		TA ☐	RBDMS CHART ☐
CLOSED-LOOP SYSTEM ☐		OTHER: ☐	


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP
--POOH w/ RBP @ 2164' & RBP @ 4007'
--RIH WL - Set 7" CIBP @ 4165'
--RIH Tbg - Tag BP @ 4165'. Circ hole w/ MLF. Cap BP w/ 85sx cmt to 3700'. WOC-Tag
--PUH to 3010' - Spot 35sx cmt to 2850' - WOC-Tag
--Perf @ 1990' - Sqz 55sx cmt to 1840' - WOC-Tag
~~--Perf @ 1700' - Sqz 55sx cmt to 1550'~~ **SPOT/CMT 1210' - 1050' - WOC TAG**
(COVER CSG. LEAK)
--Perf @ 866' - Sqz 70sx cmt to 716' - WOC-Tag
--Perf @ 60' - Circ 40sx cmt to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli
1160' - 1100'

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date:		Rig Release Date:	
------------	--	-------------------	--

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE 	TITLE P&A Tech - Basic Energy Services	DATE 1/9/15
Type or print name Greg Bryant	E-mail address:	PHONE: 432-563-3355
For State Use Only	APPROVED BY: 	TITLE Dist Supervisor
Conditions of Approval (if any):	DATE 1/13/2015	

JAN 14 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations


Date: November 11, 2014

RKB @ 3979'
 DF @ 3978'
 GF @ 3968'

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2175 001
 Legal Description : 660 FNL & 1980 FSL, Sec. 21, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 7/22/1938 Rig Released: 8/28/1938
 API Number : 30-025-02848
 Status: Producing
 Drilled as State L #1 State Lease No. B-2956

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
OH 4265-4660	3/3/1949	20% LT	5000					
OH 4265-4660	5/12/1952	20% LT	15,000					
	1/24/2002	Tag fill @ 4530'						
OH 4265-4660	1/25/2002	Acid	6000			1658		
OH 4265-4660	4/10/2008	Scale Converter						
	11/4/2014	Set RBP @ 4007'						
	11/6/2014	Set RBP @ 2164'						
	11/7/2014	Csg lk between 1100-1160'						



Formation Tops:

Rustler
 Yates
 Queen
 Grayburg
 San Andres
 Glorieta

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations


Date: November 11, 2014

RKB @ 3979'
DF @ 3978'
GF @ 3968'

Subarea : Buckeye
Lease & Well No. : East Vacuum GB/SA Unit, Tract 2175 001
Legal Description : 660 FNL & 1980 FSL, Sec. 21, T-17S, R-35E
County : Lea State : New Mexico
Field : Vacuum (Grayburg-San Andres)
Date Spudded : 7/22/1938 Rig Released: 8/28/1938
API Number : 30-025-02848
Status : Producing
Drilled as State L #1 State Lease No. B-2956

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
OH 4265-4660	3/3/1949	20% LT	5000					
OH 4265-4660	5/12/1952	20% LT	15,000					
OH 4265-4660	1/24/2002	Tag fill @ 4530'						
OH 4265-4660	1/25/2002	Acid	6000			1658		
OH 4265-4660	4/10/2008	Scale Converter						
	11/4/2014	Set RBP @ 4007'						
	11/6/2014	Set RBP @ 2164'						
	11/7/2014	Csg lk between 1100-1160'						



SPOT OR SQZ 25SXS 1210'-1050'. WOC & TAG. COVER CSG LEAK 1160'-1100'.

Formation Tops:

Rustler
Yates
Queen
Grayburg
San Andres
Glorieta

PBTD @ 4632'
TD @ 4660'