

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR PROPOSALS.)		WELL API NO. 30-025-05702
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA WTP Limited Partnership		6. State Oil & Gas Lease No. B2461
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name East Eumont Unit
4. Well Location Unit Letter <u>B</u> : <u>660</u> feet from the <u>north</u> line and <u>1980</u> feet from the <u>east</u> line Section <u>27</u> Township <u>19S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number 65
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3617		9. OGRID Number 192463
		10. Pool name or Wildcat Eumont Yates TR Qn

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

REMED
COMME
CASING

E-PERMITTING

P&A NR

INT TO P&A En

CSNG

TA

P&A R

COMP

CHG Loc

RBDMS CHART

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3910' PB-3723' Perfs-3725-3886' CIBP-3723'
8-5/8" 24# csg @ 314' w/ 300sx, 12-1/4" hole, TOC-Surf-Circ
5-1/2" 14# csg @ 3909' w/ 1350sx, 7-7/8" hole, TOC-Surf-Calc
1. RIH & tag CIBP @ 3723', M&P 25sx cmt to 3550' - CIRC M.L.F
2. M&P 45sx cmt @ 3050-2725' WOC-Tag
3. M&P 25sx cmt @ 1540-1390' WOC-Tag
4. Perf @ 364' sqz 120sx cmt to surface
10# MLF between plugs
Above ground steel tanks will be utilized

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 1/22/15

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mark Brown TITLE Dist. Supervisor DATE 1/26/2015

Conditions of Approval (if any)

JAN 28 2015 dm

OXY USA WTP LP - Proposed
East Eumont Unit #65
API No. 30-025-05702


120sx @ 364'-Surface

25sx @ 1540-1390' WOC-Tag

45sx @ 3050-2725' WOC-Tag

25sx @ 3723-3550'

CIBP @ 3723'



12-1/4" hole @ 314'
8-5/8" csg @ 314'
w/ 300sx-TOC-Surf-Circ

Perf @ 364'

7-7/8" hole @ 3910'
5-1/2" csg @ 3909'
w/ 1350sx-TOC-Surf-Calc

Perfs @ 3725-3886'

TD-3910'

OXY USA WTP LP - Current
East Eumont Unit #65
API No. 30-025-05702

12-1/4" hole @ 314'
8-5/8" csg @ 314'
w/ 300sx-TOC-Surf-Circ

CIBP @ 3723'

7-7/8" hole @ 3910'
5-1/2" csg @ 3909'
w/ 1350sx-TOC-Surf-Calc

Perfs @ 3725-3886'

TD-3910'