

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05864
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 132441
7. Lease Name or Unit Agreement Name East Eunont Unit
8. Well Number 105
9. OGRID Number 192463
10. Pool name or Wildcat Eunont Yates TR Qn
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3575

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Injection

2. Name of Operator

OXY USA WTP Limited Partnership

3. Address of Operator

P.O. Box 50250 Midland, TX 79710

4. Well Location

Unit Letter C : 330 feet from the north line and 2304 feet from the west line

Section 2 Township 20S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3575

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

DOWNHOLE COMMINGLE ☐

CLOSED-LOOP SYSTEM ☐

OTHER: ☐

E-PERMITTING

REM P&A NR P&A R

COM INT TO P&A P.M.C. COMP

CASI CSNG CHG Loc

TA RBDMS CHART

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3860' PB-3641' Perfs-3678-3830' CIBP-3641'

8-5/8" 24# csg @ 421' w/ 325sx, 12-1/4" hole, TOC-Surf-Circ

5-1/2" 14# csg @ 3858' w/ 1200sx, 7-7/8" hole, TOC-Surf-Circ

1. RIH & tag CIBP @ 3641', M&P 25sx cmt to 3490'

2. M&P 40sx cmt @ 3020-2710' WOC-Tag

3. M&P 25sx cmt @ 1500-1350' WOC-Tag

4. M&P 65sx cmt @ 471' to surface

10# MLF between plugs

Above ground steel tanks will be utilized

The Oil Conservation Division

MUST BE NOTIFIED 24 Hours

Prior to the beginning of operations

VERIFY CMT TO SURFACE AFTER WELLHEAD CUTOFF.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Sr. Regulatory Advisor

DATE 1/27/15

Type or print name David Stewart

E-mail address: david.stewart@oxy.com

PHONE: 432-685-5717

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any)

FEB 03 2015

OXY USA WTP LP - Proposed
East Eumont Unit #105
API No. 30-025-05864

65sx @ 471'-Surface

12-1/4" hole @ 421'
8-5/8" csg @ 421'
w/ 325sx-TOC-Surf-Circ

25sx @ 1500-1350' WOC-Tag

40sx @ 3020-2710' WOC-Tag

25sx @ 3641-3490'


CIBP @ 3641'

7-7/8" hole @ 3860'
5-1/2" csg @ 3858'
w/ 1200sx-TOC-Surf-Circ

Perfs @ 3678-3830'

PB-3852'

TD-3860'



OXY USA WTP LP - Current
East Eumont Unit #105
API No. 30-025-05864

12-1/4" hole @ 421'
8-5/8" csg @ 421'
w/ 325sx-TOC-Surf-Circ

CIBP @ 3641'

7-7/8" hole @ 3860'
5-1/2" csg @ 3858'
w/ 1200sx-TOC-Surf-Circ

Perfs @ 3678-3830'

PB-3852'

TD-3860'

