UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010.

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name			
1. Type of Well					8. Well Name and No. RED HILLS NORTH UNIT 213H			
☐ Oil Well ☐ Gas Well ☒ Other: INJECTION 2. Name of Operator Contact: STAN WAGNER					API Well No.			
EOG RESOURCES, INC. E-Mail: stan_wagner@eogresources.com					30-025-36584		~	
3a. Address P.O. BOX 2267 MIDLAND, TX 79702	3b. Phone No. (in Ph.: 432-686-3	(include area code) 10. Field and Pool, c RED HILLS; B			Exploratory ONE SPRIN	G		
4. Location of Well. (Foolage, Sec., T., R., M., or Survey Description)					11. County or Parish, and State			
Sec 12 T25S R33E SWNE 2213FNL 1920FEL				1	LEA COUNTY,	NM		
					1			
12. CHECK APPI	ROPRIATE BOX(ES) TO) INDICATE N	ATURE OF	NOTICE, REF	ORT, OR OTHE	R DATA		
TYPE OF SUBMISSION	ION			TYPE OF ACTION				
	☐ Acidize ☐ Dee			☐ Productio	Production (Start/Resume)		☐ Water Shut-Off	
□ Notice of Intent	Alter Casing	☐ Fracture	Treat	Reclamati	☐ Reclamation		☐ Well Integrity	
Subsequent Report	Casing Repair	☐ New Construction		☐ Recomplete		Other		
☐ Final Abandonment Notice	Change Plans	☐ Plug and Abandon		☐ Temporar	☐ Temporarily Abandon			
	Convert to Injection	ı ☐ Plug Back ☐ W			posal			
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for 1/13/15 MIRU for casing repair 1/15/15 RIH w/ 2-7/8" workst Found leak to be 9139 to 938	l operations. If the operation re bandonnent Notices shall be fil inal inspection.) sir. POOH w/ 2-7/8" IPC ring and 7" RBP. Test to i0'. POOH.	sults in a multiple co led only after all requ injection tubic a a	impletion or rec irements, inclu	completion in a ne iding reclamation,	w interval, a Form 31 have been completed,	60-4 shall be f	iled once	
1/17/15 RIH and set RBP at 1/20/15 RIH and set CICR at 1/21/15 Pump 300 sx Class I 1/22/15 RIH w/ bit and tag ce 1/24/15 Circulate well clean. 1/25/15 Pressure test squeez bit.	9056'. I, 15.6 ppg cement squee ment top at 9050'. Drill o ce to 600 psi for 30 minute	out. es. Test good. P			. 4		4	
1/26/15: RIH w/ 2-7/8" workst 1/28/15: RIH and tag RBP at	ring & power swivel to co 10293'. Latch RBP & rele	ntinue clean out. ase. Laydown w	orkstring and	d RBP. Leave v	vell			
14. I hereby certify that the foregoing i	Electronic Submission #	/290505 verified b	y the BLM W	ell Information e Hobbs	System			
Name (Printed/Typed) STAN WAGNER			Title REGULATORY ANALYST					
1-/-	- 01 _		22/24					
Signature Man-	THIS SPACE F		OP STATE		– 			
	IND SPACE P	T T	UK SIAIE	= OFFICE US				
Approved By			l'itle	erings over the second of		Date	3	
Conditions of approval, if any, are attach certify that the applicant holds legal or ex which would entitle the applicant to conditions.	juitable title to those rights in th	s not warrant or ie subject lease	Office				:	
				164 - 144 0 444 - 14				

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **


Additional data for EC transaction #290505 that would not fit on the form

32. Additional remarks, continued

open to tank.
1/29/15, RIH w/ 2-7/8" IPC injection tubing & 7" Hornet injection packer set at 11434'. Test packer to 500 psi.
1/30/15 Displace hole w/ packer fluid. Notify NMOCD of MIT test. Perform MIT test to 600 psi for 30 minutes. Test good.
2/03/15 Perform MIT test to 540 psi for 30 minutes. Test good, BLM witnessed.


FOR RECORD ONLY

BS Och 2/10/2015



FOR RECORD ONLY


BS Och 2/10/2015-



FOR RECORD ONLY

BS Och 2/10/2015-

le .



FOR RECORD ONLY

Block allolars-