

orm 3160-5			> Hobb			L L DDD OLUDO		
August 2007)	UNITED STATES EPARTMENT OF THE INTERIOR				FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010			
SUNDR	BUREAU OF LAND MANA Y NOTICES AND REPO	RTS ON WELLS	HOBBS	SOCR L	5. Lease Serial No. NMNM97153			
Do not use abandoned v	this form for proposals to vell. Use form 3160-3 (API	drill or to re-ente D) for such propo	ran sals.	9 2015	6. If Indian, Allotte	e or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well			TRE	CEIVED	8. Well Name and N VACA DRAW 9		/	
Ø Oil Well Gas Well Other 2. Name of Operator Contact: MELANIE PARKER					9. API Well No.			
BTA OIL PRODUCERS E-Mail: rfrench@concho.com a. Address 3b. Phone No. (include area code)					30-025-41624-00-X1 /			
104 SOUTH PECOS STRE MIDLAND, TX 79701	Ph: 575-748-6940			RED HILLS				
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, and State				
Sec 10 T25S R33E NWNW 190FNL 330FWL 32.151659 N Lat, 103.567258 W Lon			LEA COUNTY, NM					
12. CHECK AP	PROPRIATE BOX(ES) TO	D INDICATE NAT	TURE OF N	IOTICE, REI	PORT, OR OTH	IER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION					<u> </u>	
Notice of Intent	C Acidize	Deepen			on (Start/Resume)		Uwater Shut-Off	
Subsequent Report	Alter Casing	New Construction		_			 Well Integrity Other Right of Way 	
☐ Final Abandonment Notice	 Casing Repair Change Plans 			 Recomplete Temporarily Abandon 		Right of V		
	Convert to Injection	Plug Back		U Water Di	-			
13. Describe Proposed or Completed If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T25S-R33E, the 9418 JV-P Vaca Draw #	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil or final inspection.) ent for BTA Oil Producers LI Lea County, New Mexico fro	give subsurface location the Bond No. on file v sults in a multiple com ted only after all require LC proposes a thre om	ons and measur vith BLM/BIA pletion or reco ements, includi ee phase ove	red and true vert Required subs mpletion in a ne ing reclamation,	ical depths of all per equent reports shall winterval, a Form 3 have been complete	rtinent markers a be filed within 3 3160-4 shall be fi	nd zones.) days ed once	
If the proposal is to deepen direct: Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10. T25S-R33E.	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil- or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fr 45H to a tie in point in the NI	give subsurface location the Bond No. on file v sults in a multiple com led only after all require LC proposes a thre om E/NE of Section 10	ons and measur with BLM/BIA. pletion or recor ements, includi ee phase ove 0.	red and true vert Required subs mpletion in a ne ing reclamation,	ical depths of all per equent reports shall w interval, a Form 3 have been complete iC line	rtinent markers a be filed within 3 3160-4 shall be fi ed, and the operat	nd zones.) days ed once	
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T25S-R33E, the 9418 JV-P Vaca Draw #	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil- or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fr 45H to a tie in point in the NI	give subsurface location the Bond No. on file v sults in a multiple com led only after all require LC proposes a thre om E/NE of Section 10	ons and measur with BLM/BIA. pletion or recor ements, includi ee phase ove 0.	red and true verf Required subs mpletion in a ne ing reclamation, erhead electr	ical depths of all per equent reports shall w interval, a Form 3 have been complete ic line	rtinent markers a be filed within 3 3160-4 shall be fi ed, and the operat	nd zones.) days ed once	
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T25S-R33E, the 9418 JV-P Vaca Draw #	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil- or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fr 45H to a tie in point in the NI	give subsurface location the Bond No. on file v sults in a multiple com led only after all require LC proposes a thre om E/NE of Section 10	ons and measur with BLM/BIA. pletion or recor ements, includi ee phase ove 0.	red and true verf Required subs mpletion in a ne ing reclamation, erhead electr	ical depths of all per equent reports shall w interval, a Form 3 have been complete ic line	rtinent markers a be filed within 3 3160-4 shall be fi ed, and the operat	nd zones.) days ed once	
If the proposal is to deepen direct Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T25S-R33E, the 9418 JV-P Vaca Draw # The line will be approximate	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fro f5H to a tie in point in the Ni ely 6,586.2 feet long and 30 g is true and correct. Electronic Submission # For BTA Committed to AFMSS for pro	give subsurface location the Bond No. on file v sults in a multiple com LC proposes a three om E/NE of Section 10 feet wide.	ons and measuri vith BLM/BIA pletion or recor- ements, includi the phase over 0.	red and true vert Required subs impletion in a ne ing reclamation, erhead electr SCACC MAC Information lobbs 11/18/2014 (1	ical depths of all perequent reports shall winterval, a Form 3 have been complete ic line $f \leftarrow \mathcal{E}$ O 2 - 27 - 2 System	rtinent markers a be filed within 3 3160-4 shall be fi ed, and the operat	nd zones.) days ed once	
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T2SS-R33E, the 9418 JV-P Vaca Draw # The line will be approximate	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fro f5H to a tie in point in the Ni ely 6,586.2 feet long and 30 g is true and correct. Electronic Submission # For BTA Committed to AFMSS for pro	give subsurface location the Bond No. on file v subts in a multiple com led only after all require LC proposes a three om E/NE of Section 10 feet wide.	ons and measur with BLM/BIA. pletion or recor- ements, includi the phase over 0.	red and true vert Required subs impletion in a ne ing reclamation, erhead electr SCACC MAC Information lobbs 11/18/2014 (1	ical depths of all perequent reports shall winterval, a Form 3 have been complete ic line $f \leftarrow \mathcal{E}$ O 2 - 27 - 2 System	rtinent markers a be filed within 3 3160-4 shall be fi ed, and the operat	nd zones.) days ed once	
If the proposal is to deepen direct Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T25S-R33E, the 9418 JV-P Vaca Draw # The line will be approximate	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil- or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fr 45H to a tie in point in the Ni ely 6,586.2 feet long and 30 g is true and correct. Electronic Submission # For BTA Committed to AFMSS for pro SANDERS	give subsurface location the Bond No. on file v sults in a multiple com LC proposes a thre om E/NE of Section 10 feet wide.	ons and measur with BLM/BIA. pletion or recor- ements, includi the phase over 0. the BLM Well sent to the H JIMENEZ on the AGENT the O9/29/20	red and true verf Required subsempletion in a nei ing reclamation, erhead electr Suff Multi Il Information tobbs 11/18/2014 (1	ical depths of all per equent reports shall winterval, a Form 3 have been complete ic line 1 - 2 - 2 - 2 System 5LJ0321SE)	rtinent markers a be filed within 3 3160-4 shall be fi ed, and the operat	nd zones.) days ed once	
If the proposal is to deepen direct Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T25S-R33E, the 9418 JV-P Vaca Draw # The line will be approximate 14. Thereby certify that the foregoin Name (<i>Printed/Typed</i>) MONTT Signature (Electror	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fro #5H to a tie in point in the Ni Poly 6,586.2 feet long and 30 g is true and correct. Electronic Submission # For BTA Committed to AFMSS for pro SANDERS ic Submission) THIS SPACE FC	give subsurface location the Bond No. on file v subts in a multiple com led only after all require LC proposes a three om E/NE of Section 10 feet wide. 2266901 verified by to OIL PRODUCERS, pocessing by LINDA . Title Date	ons and measur with BLM/BIA. pletion or recor- ements, includi the phase over 0. the BLM Well sent to the H JIMENEZ on the AGENT the O9/29/20	red and true verf Required subs impletion in a ne ing reclamation, erhead electr SCACE, MACE II Information tobbs 11/18/2014 (1 014 OFFICE US	ical depths of all per equent reports shall winterval, a Form 3 have been complete ic line $f \leftarrow \mathcal{E} \qquad \bigcirc \\ 2 - Z 7 - Z \\ System5LJ0321SE)$	rtinent markers a be filed within 3 3160-4 shall be fi ed, and the operat	nd zones.) days ed once	
If the proposal is to deepen direct Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T25S-R33E, the 9418 JV-P Vaca Draw # The line will be approximate 14. Thereby certify that the foregoin Name (<i>Printed/Typed</i>) MONTT Signature (Electror	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil- or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fr 45H to a tie in point in the Ni ely 6,586.2 feet long and 30 g is true and correct. Electronic Submission # For BTA Committed to AFMSS for pro SANDERS	give subsurface location the Bond No. on file v subts in a multiple com led only after all require LC proposes a three om E/NE of Section 10 feet wide. 2266901 verified by to OIL PRODUCERS, pocessing by LINDA . Title Date	ons and measur with BLM/BIA. pletion or recor- ements, includi the phase over 0. the BLM Well sent to the H JIMENEZ on a AGENT CO9/29/20 R STATE O	red and true verf Required subs impletion in a ne ing reclamation, erhead electr SCACE, MACE II Information tobbs 11/18/2014 (1 014 OFFICE US	ical depths of all per equent reports shall winterval, a Form 3 have been complete ic line 1 - 2 - 2 - 2 System 5LJ0321SE)	rtinent markers a be filed within 3 3160-4 shall be fi ed, and the operat	nd zones.) days ed once or has	
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T2SS-R33E, the 9418 JV-P Vaca Draw # The line will be approximate 14. I hereby certify that the foregoin Name (<i>Printed/Typed</i>) MONTI Signature (Electror	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fro 5H to a tie in point in the Ni ely 6,586.2 feet long and 30 g is true and correct. Electronic Submission # For BTA Committed to AFMSS for pro SANDERS ic Submission) THIS SPACE FO STEPHEN J. CAFFE ched. Approval of this notice does equitable tille to those rights in th	give subsurface location the Bond No. on file v subts in a multiple com led only after all required LC proposes a three om E/NE of Section 10 feet wide. 2266901 verified by find OIL PRODUCERS, pocessing by LINDA. Title Date OR FEDERAL O EV Tit s not warrant or le subject lease	ons and measur with BLM/BIA. pletion or recor- ements, includi the phase over 0. the BLM Well sent to the H JIMENEZ on a AGENT C 09/29/20 R STATE O	red and true verf Required subs impletion in a ne ing reclamation, erhead electr SCACE, MACE II Information tobbs 11/18/2014 (1 014 OFFICE US	ical depths of all per equent reports shall winterval, a Form 3 have been complete ic line $f \leftarrow \mathcal{E} \qquad \bigcirc \\ 2 - Z 7 - Z \\ System5LJ0321SE)$	rtinent markers a be filed within 3 3160-4 shall be fr cd, and the operat	nd zones.) days ed once or has	
If the proposal is to deepen direct: Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T25S-R33E, the 9418 JV-P Vaca Draw # The line will be approximate The line will be approximate I4. Thereby certify that the foregoin Name (<i>Printed/Typed</i>) MONTI Signature (Electror Approved By	onally or recomplete horizontally, work will be performed or provide ed operations. If the operation re Abandonment Notices shall be fil or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fr 5H to a tie in point in the Ni ely 6,586.2 feet long and 30 g is true and correct. Electronic Submission # For BTA Committed to AFMSS for pro SANDERS it Submission) THIS SPACE FO STEPHEN J. CAFFE ched. Approval of this notice does equitable title to those rights in th induct operations thereon. 43 U.S.C. Section 1212, make it a	give subsurface location the Bond No. on file v sults in a multiple com led only after all require LC proposes a thre om E/NE of Section 10 feet wide.	ons and measur with BLM/BIA. pletion or recor- ements, includi the phase over 0. the BLM Well sent to the H JIMENEZ on a AGENT CAR fice knowingly and	red and true verf Required subsempletion in a neining reclamation, erhead electr Suffer Suffer Multiple II Information 11/18/2014 (1 014 OFFICE US ELD IVIA LSBAD	ical depths of all per requent reports shall winterval, a Form 3 have been complete ic line $f \leftarrow \mathcal{E}$ (S) 2 - 27 - 2 System 5LJ0321SE) SE TIVAGER FIELD OF	rtinent markers a be filed within 3 3160-4 shall be fi cd, and the operat	d zones.) days ed once or has 4 2	
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T2SS-R33E, the 9418 JV-P Vaca Draw # The line will be approximate 14. Thereby certify that the foregoin Name (<i>Printed/Typed</i>) MONTI Signature (Electron Approved By Conditions of approval, if any, are atta ertify that the applicant holds legal or which would entitle the applicant to cc Fitte 18 U.S.C. Section 1001 and Title States any false, fictitious or fraudul	onally or recomplete horizontally, work will be performed or provide ed operations. If the operation re Abandonment Notices shall be fil or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fr 5H to a tie in point in the Ni ely 6,586.2 feet long and 30 g is true and correct. Electronic Submission # For BTA Committed to AFMSS for pro SANDERS it Submission) THIS SPACE FO STEPHEN J. CAFFE ched. Approval of this notice does equitable title to those rights in th induct operations thereon. 43 U.S.C. Section 1212, make it a	give subsurface location the Bond No. on file vi- sults in a multiple com- LC proposes a three- om- E/NE of Section 11 feet wide. 2266901 verified by 1 feet wide. 2266901 verified by 1 feet wide. 2266901 verified by 1 feet wide. Date OIL PRODUCERS, occessing by LINDA Title Date OR FEDERAL O EY s not warrant or the subject lease Official conversion s to any matter within i	ons and measur with BLM/BIA. pletion or recor- ements, includi the phase over 0. the BLM Well sent to the H JIMENEZ on the BLM Well sent to the H JIMENEZ on the AGENT to 09/29/20 R STATE O CAR fice knowingly and ts jurisdiction.	red and true vert Required subs impletion in a ne ing reclamation, erhead electr Sufer, Multi Sufer, 11/18/2014 (1 014 OFFICE US ELD WIA LSBAD	ical depths of all per requent reports shall winterval, a Form 3 have been complete ic line $f \leftarrow \mathcal{E}$ (o) 2 - 27 - 2 System 5LJ0321SE) SE TVAGEK FIELD OF ke to any departmen	rtinent markers a be filed within 3 3160-4 shall be fi cd, and the operat	d zones.) days ed once or has 4 2	
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for COG Operating LLC as age in Section 10, T2SS-R33E, the 9418 JV-P Vaca Draw # The line will be approximate 14. Thereby certify that the foregoin Name (<i>Printed/Typed</i>) MONTI Signature (Electron Approved By Conditions of approval, if any, are atta ertify that the applicant holds legal or which would entitle the applicant to cc Fitte 18 U.S.C. Section 1001 and Title States any false, fictitious or fraudul	onally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil or final inspection.) ent for BTA Oil Producers LL Lea County, New Mexico fro 55H to a tie in point in the Ni ely 6,586.2 feet long and 30 g is true and correct. Electronic Submission # For BTA Committed to AFMSS for pro SANDERS ic Submission) THIS SPACE FO STEPHEN J. CAFFE ched. Approval of this notice does equitable tille to those rights in the induct operations thereon. 43 U.S.C. Section 1212, make it a ent statements or representations a EVISED ** BLM REVISE	give subsurface location the Bond No. on file vi- sults in a multiple com- LC proposes a three- om- E/NE of Section 11 feet wide. 2266901 verified by 1 feet wide. 2266901 verified by 1 feet wide. 2266901 verified by 1 feet wide. Date OIL PRODUCERS, occessing by LINDA Title Date OR FEDERAL O EY s not warrant or the subject lease Official conversion s to any matter within i	ons and measur with BLM/BIA. pletion or recor- ements, includi the phase over 0. the BLM Well sent to the H JIMENEZ on the BLM Well sent to the H JIMENEZ on the AGENT to 09/29/20 R STATE O CAR fice knowingly and ts jurisdiction.	red and true vert Required subs impletion in a ne ing reclamation, erhead electr Sufer, Multi Sufer, 11/18/2014 (1 014 OFFICE US ELD WIA LSBAD	ical depths of all per requent reports shall winterval, a Form 3 have been complete ic line $f \leftarrow \mathcal{E}$ (o) 2 - 27 - 2 System 5LJ0321SE) SE TVAGEK FIELD OF ke to any departmen	rtinent markers a be filed within 3 3160-4 shall be fi cd, and the operat	d zones.) days ed once or has 4 2	

c





BLM Serial #: NMNM97153 Company Reference: BTA Oil Producers

Seed Mixture for LPC Sand/Shinnery Sites

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)* per acre. There shall be <u>no</u> primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed will be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed* per acre:

Species	lb/acre
Plains Bristlegrass	5lbs/A
Sand Bluestem	5lbs/A
Little Bluestem	3lbs/A
Big Bluestem	6lbs/A
Plains Coreopsis	2lbs/A
Sand Dropseed	1lbs/A

*Pounds of pure live seed:

Pounds of seed x percent purity x percent germination = pounds pure live seed

Company Reference: BTA Oil Producers Well No. & Name: Vaca Draw 9418 JV P #5H

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.

5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.

8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.

9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.

10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

<u>Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken</u>: Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.