

Form 3160-5	UNITED STATE	OCD Ho S	SODS		FORM APPROVED
(August 2007) DEPARTMENT OF THE INTERIO		NTERIOR		E	DMB No. 1004-0137 xpires: July 31, 2010
BUREAU OF LAND MANAGEMEN				5. Lease Serial No. LC 031620 B	
Do not use this		RTS ON WELLS o drill or to re-enter ar PD) for such;jମୁମ୍ବିଡିଡିନେଶ		6. If Indian, Allottee c	or Tribe Name
	IT IN TRIPLICATE - Other		2015	7. If Unit of CA/Agre	ement, Name and/or No.
I. Type of Well Image: Oil Well	Well Other	MAR 3 0		8. Well Name and No. SEMU Permian #75	•
2. Name of Operator ConocoPhillips Company		RECEIV	ED	9. API Well No. 30-025-07800	-
3a. Address 3300 N. "A" Street, 6-100, Midland TX, 79705		3b. Phone No. <i>(include area co</i> 432-688-9145	de)	10. Field and Pool or I Skaggs Grayburg	Exploratory Area
4. Location of Well (Footage, Sec., T., 60 FSL & 1980 FEL, Section 18, T-20-S, R-36				11. Country or Parish, Lea County, NM	State
12. CHEC	CK THE APPROPRIATE BOX	X(ES) TO INDICATE NATURI	E OF NOTIC	E, REPORT OR OTH	ER DATA
TYPE OF SUBMISSION		TY	PE OF ACTI	ON	·
Notice of Intent	Acidize	Deepen Fracture Treat		ction (Start/Resume)	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair	New Construction Plug and Abandon		nplete orarily Abandon	Other Line Replacement
Final Abandonment Notice	Convert to Injection	Plug Back	Water	Disposal	
testing has been completed. Final determined that the site is ready fo ConocoPhillips Company request p uns from the SEMU Permian #75 in	ved operations. If the operation Abandonment Notices must be or final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18	n results in a multiple completio e filed only after all requirement of existing surface steel flow	n or recompl s, including r line with 2 3	etion in a new interval, reclamation, have been 3/8" steel tubing. (ope	erating pressure: 30#) This line
testing has been completed. Final determined that the site is ready fo ConocoPhillips Company request p runs from the SEMU Permian #75 in The line follows an existing lease ro Robert McCasland - Farm & Ranch	ved operations. If the operation Abandonment Notices must be or final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t	n results in a multiple completio e filed only after all requirement of existing surface steel flow b, T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4	n or recompl s, including r line with 2 3 IU Permian	etion in a new interval, eclamation, have been //8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E.	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated
testing has been completed. Final determined that the site is ready fo ConocoPhillips Company request p runs from the SEMU Permian #75 in The line follows an existing lease ro Robert McCasland - Farm & Ranch	ved operations. If the operation Abandonment Notices must be or final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t	n results in a multiple completio e filed only after all requirement of existing surface steel flow b, T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4	n or recompl s, including r line with 2 3 IU Permian	etion in a new interval, eclamation, have been //8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E.	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated
testing has been completed. Final	ved operations. If the operation Abandonment Notices must be or final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t	n results in a multiple completio e filed only after all requirement of existing surface steel flow b, T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4	n or recompl s, including r line with 2 3 IU Permian	etion in a new interval, eclamation, have been //8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E.	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated
testing has been completed. Final determined that the site is ready fo ConocoPhillips Company request p runs from the SEMU Permian #75 in The line follows an existing lease ro Robert McCasland - Farm & Ranch	ved operations. If the operation Abandonment Notices must be or final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t	n results in a multiple completio e filed only after all requirement of existing surface steel flow b, T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4	n or recompl s, including r line with 2 3 IU Permian	etion in a new interval, eclamation, have been //8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E.	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated
testing has been completed. Final determined that the site is ready fo ConocoPhillips Company request p uns from the SEMU Permian #75 in The line follows an existing lease ro Robert McCasland - Farm & Ranch and agreend upon surface use agree	ved operations. If the operation Abandonment Notices must be or final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t eement, Mr. McCasland will	n results in a multiple completio e filed only after all requirement of existing surface steel flow b, T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4	n or recompl s, including r line with 2 3 IU Permian	etion in a new interval, eclamation, have been //8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E.	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated
testing has been completed. Final determined that the site is ready fo ConocoPhillips Company request p uns from the SEMU Permian #75 in The line follows an existing lease ro Robert McCasland - Farm & Ranch and agreend upon surface use agree	ved operations. If the operation Abandonment Notices must be or final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t eement, Mr. McCasland will	n results in a multiple completio e filed only after all requirement of existing surface steel flow b, T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4	n or recompl s, including r line with 2 3 IU Permian of Section bayment for	etion in a new interval, eclamation, have been //8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E. surface damages as	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated
 testing has been completed. Final determined that the site is ready for ConocoPhillips Company request pruns from the SEMU Permian #75 in The line follows an existing lease roce. Robert McCasland - Farm & Ranch and agreend upon surface use agree agree agree use agree (<i>PrintedTyped</i>) are (<i>PrintedTyped</i>). Brandon Bergen 	ved operations. If the operation Abandonment Notices must be or final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t eement, Mr. McCasland will	n results in a multiple completio e filed only after all requirement of existing surface steel flow b, T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4 be issued proper and timely p Title PTRRC -	n or recompl s, including r line with 2 3 IU Permian of Section bayment for	etion in a new interval, eclamation, have been //8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E. surface damages as	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated
testing has been completed. Final determined that the site is ready fo ConocoPhillips Company request p uns from the SEMU Permian #75 in The line follows an existing lease ro Robert McCasland - Farm & Ranch and agreend upon surface use agree	ved operations. If the operation Abandonment Notices must be r final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 pad. LP is the surface owner in t eement, Mr. McCasland will rue and correct.	n results in a multiple completio e filed only after all requirement of existing surface steel flow i, T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4 be issued proper and timely p Title PTRRC - Date 01/21/20	n or recompl s, including r line with 2 3 IU Permian I of Section bayment for Staff Agent 13	etion in a new interval, eclamation, have been W8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E. surface damages as	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated
testing has been completed. Final determined that the site is ready for ConocoPhillips Company request p uns from the SEMU Permian #75 in The line follows an existing lease roce and the follows an existing lease roce and agreend upon surface use agree agreee	ved operations. If the operation Abandonment Notices must be r final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 pad. LP is the surface owner in t eement, Mr. McCasland will rue and correct.	n results in a multiple completio e filed only after all requirement of existing surface steel flow , T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4 be issued proper and timely p time state proper and timely p Title PTRRC - Date 01/21/20	n or recompl s, including r line with 2 3 IU Permian of Section bayment for bayment for Staff Agent 13	etion in a new interval, eclamation, have been 1/8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E. surface damages as	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated esociated with this project.
testing has been completed. Final determined that the site is ready for ConocoPhillips Company request pruns from the SEMU Permian #75 in The line follows an existing lease roce and agreend upon surface use agree and agreend upon surface use agrees and agreend upon surface use agrees are approved by Signature Accession and agreement of the second stress of the sec	ved operations. If the operation Abandonment Notices must be r final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t ement, Mr. McCasland will rue and correct. THIS SPACE F	n results in a multiple completio e filed only after all requirement of existing surface steel flow , T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4 be issued proper and timely p time successful be issued proper and timely p Title PTRRC - Date 01/21/20 COR FEDERAL OR ST/ FIE	n or recompl s, including r line with 2 3 IU Permian of Section bayment for bayment for Staff Agent 13 ATE OFF	etion in a new interval, eclamation, have been 1/8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E. surface damages as ICE USE	a Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated
 testing has been completed. Final determined that the site is ready for ConocoPhillips Company request pruns from the SEMU Permian #75 in The line follows an existing lease rook and agreend upon surface use agree and agreend upon surface use agree and agreend upon surface use agree (<i>Printed/Typed</i>) 4. Thereby certify that the foregoing is to Name (<i>Printed/Typed</i>) Brandon Bergen 	ved operations. If the operation Abandonment Notices must be r final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t ement, Mr. McCasland will rue and correct. THIS SPACE F Caffrey d. Approval of this notice does n itle to those rights in the subject	n results in a multiple completio e filed only after all requirement of existing surface steel flow i, T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4 be issued proper and timely p Title PTRRC - Date 01/21/20 OR FEDERAL OR ST/	n or recompl s, including r line with 2 3 IU Permian of Section bayment for bayment for Staff Agent 13	etion in a new interval, eclamation, have been V/8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E. surface damages as ICE USE	A Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated sociated with this project.
testing has been completed. Final determined that the site is ready for ConocoPhillips Company request pruns from the SEMU Permian #75 in The line follows an existing lease roce and agreend upon surface use agree and agreend upon surface use agrees agrees agree ag	ved operations. If the operation Abandonment Notices must be r final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t bement, Mr. McCasland will rue and correct. THIS SPACE F Cafffey I. Approval of this notice does n itle to those rights in the subject thereon. U.S.C. Section 1212, make it a c	n results in a multiple completio e filed only after all requirement of existing surface steel flow , T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4 be issued proper and timely p the surface steel flow the SWSE/4 and the SESW/4 be issued proper and timely p Title PTRRC - Date 01/21/20 TOR FEDERAL OR ST/ Title Title Title Office RLS rime for any person knowingly an	n or recompl s, including r line with 2 3 IU Permian of Section bayment for sayment for 13 ATE OFF	etion in a new interval, eclamation, have been V/8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E. surface damages as ICE USE GER	A Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated esociated with this project.
testing has been completed. Final determined that the site is ready for ConocoPhillips Company request pruns from the SEMU Permian #75 in The line follows an existing lease room and agreend upon surface use agrees	ved operations. If the operation Abandonment Notices must be r final inspection.) ermission to replace 4,900' n the SWSE/4 of Section 18 bad. LP is the surface owner in t bement, Mr. McCasland will rue and correct. THIS SPACE F Cafffey I. Approval of this notice does n itle to those rights in the subject thereon. U.S.C. Section 1212, make it a c	n results in a multiple completio e filed only after all requirement of existing surface steel flow , T-20-S, R-38-E, to the SEM the SWSE/4 and the SESW/4 be issued proper and timely p the surface steel flow the SWSE/4 and the SESW/4 be issued proper and timely p the surface steel flow the SWSE/4 and the SESW/4 be issued proper and timely p the surface steel flow the surface steel flow the SWSE/4 and the SESW/4 be issued proper and timely p the surface steel flow the surface steel flow the SWSE/4 and the SESW/4 be issued proper and timely p the surface steel flow the surface steel flow the surface steel flow the SWSE/4 and the SESW/4 be issued proper and timely p the surface steel flow the surface steel flow the surface steel flow the SWSE/4 and the SESW/4 be issued proper and timely p the surface steel flow the surface steel flow the surface steel flow the surface steel flow the SWSE/4 and the SESW/4 be issued proper and timely p the surface steel flow the surface steel fl	n or recompl s, including r line with 2 3 IU Permian of Section bayment for sayment for 13 ATE OFF	etion in a new interval, eclamation, have been V/8" steel tubing. (ope Battery in the NESW 18, T-20-S, R-38-E. surface damages as ICE USE GER D OFF1CE make to any department	A Form 3160-4 must be filed once completed and the operator has erating pressure: 30#) This line //4 of Section 19, T-20-S, R-38-E. As per a previously negotiated esociated with this project.

.



a Ét.



÷,

BLM LEASE NUMBER: LC 031620 B COMPANY NAME: Conoco Phillips Company ASSOCIATED WELL NAME: SEMU Permian #75

STANDARD STIPULATIONS FOR SURFACE INSTALLED PIPELINES

A copy of the application (Grant, Sundry Notice, APD) and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to activity of the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. The holder shall be liable for damage or injury to the United States to the extent provided by 43 CFR Sec. 2883.1-4. The holder shall be held to a standard of strict liability for damage or injury to the United States resulting from pipe rupture, fire, or spills caused or substantially aggravated by any of the following within the right-of-way or permit area:

a. Activities of the holder including, but not limited to construction, operation, maintenance,

1

and termination of the facility.

- b. Activities of other parties including, but not limited to:
 - (1) Land clearing.
 - (2) Earth-disturbing and earth-moving work.
 - (3) Blasting.
 - (4) Vandalism and sabotage.
- c. Acts of God.

The maximum limitation for such strict liability damages shall not exceed one million dollars (\$1,000,000) for any one event, and any liability in excess of such amount shall be determined by the ordinary rules of negligence of the jurisdiction in which the damage or injury occurred.

This section shall not impose strict liability for damage or injury resulting primarily from an act of war or from the negligent acts or omissions of the United States.

5. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil, salt water, or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil, salt water, or other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any responsibility as provided herein.

6. All construction and maintenance activity will be confined to the authorized right-of-way width of 20 feet. If the pipeline route follows an existing road or buried pipeline right-of-way, the surface pipeline must be installed no farther than 10 feet from the edge of the road or buried pipeline right-of-way. If existing surface pipelines prevent this distance, the proposed surface pipeline must be installed immediately adjacent to the outer surface pipeline. All construction and maintenance activity will be confined to existing roads or right-of-ways.

7. No blading or clearing of any vegetation will be allowed unless approved in writing by the Authorized Officer.

8. The holder shall install the pipeline on the surface in such a manner that will minimize suspension of the pipeline across low areas in the terrain. In hummocky of duney areas, the pipeline will be "snaked" around hummocks and dunes rather then suspended across these features.

9. The pipeline shall be buried with a minimum of 24 inches under all roads, "two-tracks," and trails. Burial of the pipe will continue for 20 feet on each side of each crossing. The condition of the road, upon completion of construction, shall be returned to at least its former

2

state with no bumps or dips remaining in the road surface.

10. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. Excluding the pipe, all above-ground structures not subject to safety requirement shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2; designated by the Rocky Mountain Five State Interagency Committee.

13. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. Signs will be maintained in a legible condition for the life of the pipeline.

14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.

15. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the authorized officer after consulting with the holder.

16. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, powerline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

17. Surface pipelines must be less than or equal to 4 inches and a working pressure below 125 psi.

18. Special Stipulations:

a. <u>Lesser Prairie-Chicken:</u> Oil and gas activities will not be allowed in lesser prairiechicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted.

4