

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-29734
5. Indicate Type of Lease STATE FEE X
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name M. B. WEIR "B"
8. Well Number 12
9. OGRID Number 4323
10. Pool name or Wildcat BLINEBRY / DRINKARD

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well X Gas Well Other

2. Name of Operator  
CHEVRON U.S.A. INC.

3. Address of Operator  
15 SMITH ROAD MIDLAND, TEXAS 79705

4. Well Location DATUM 27 Y- LAT X-LONG  
Unit Letter M : 990 feet from the SOUTH line and 330 feet from the WEST line  
Section 12 Township 20S Range 37-E NMPM County EDDY

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

E-PERMITTING <SWD INJECTION>  
CONVERSION RBDMS  
RETURN TO TA  
CSNG CHG LOC  
INT TO PA P&A NR P&A R

SUBSEQUENT REPORT OF:

REMEDIAL WORK ALTERING CASING  
COMMENCE DRILLING OPNS. P AND A  
CASING/CEMENT JOB

OTHER:

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 11 3/4" - 1401' TOC SURE, 8 5/8" - 3,990' TOC UNKNOWN, 5 1/2" - 7,100' TOC SURFACE, PERFS 6,607' - 6,903', 5,714' - 5,810', CIBP @ 5,685' W/ 35' CMT. RBP @ 5,368',

05 / 06 / 15 MOVE IN & RIG UP.

05 / 11 / 15 SET 5 1/2" CIBP @ 5,520' W/ 35' CEMENT ON TOP, SET 5 1/2" CIBP @ 5,696' AND 45 SX CL "C" CEMENT FROM 5,696' - 5,240' WOC TAGGED @ 5,696' CALLED MARK WHITAKER W/ NMOCD AND INFORMED.

05 / 12 / 15 SPOT 60 SX CL "C" CEMENT FROM 5,696' - 5,089', WOC TAG 5,191' OK BY MARK WHITAKER W/ NMOCD. PRESSURED TEST TO 500 PSI W/ NO LEAK OFF. SPOT 30 SX CL "C" CEMENT FROM 4,080' - 3,779', WOC TAG 3,872'.

05 / 13 / 15 PERFORATED 5 1/2" @ 2,600' UNABLE TO SQZ, MARK WHITAKER W/ NMOCD OK TO DROP DOWN AND SPOT PLUG, SET 25 SX CL "C" CEMENT FROM 2,656' - 2,406', TAG @ 2,464'.

05 / 14 / 15 PERFORATED 5 1/2" @ 1,450', UNABLE TO SQZ, M. WHITAKER W/ NMOCD OK TO DROP DOWN AND SPOT PLUG, SET 25 SX CL "C" CEMENT FROM 1,504' - 1,251', WOC TAG 1,225'. PERFORATED 5 1/2" @ 200' UNABLE TO CIR. \*

05 / 15 / 15 PERFORATED 5 1/2" @ 100', EST. CIRCULATION, MIX & CIR. 80 SX CL "C" CEMENT FROM 256' - SURFACE ON BOTH STRINGS. POOH W/ TBG. NIPPLE DOWN CUT & CAP WELL TO MEET WITH RULE 19.15.7.14 NMAC REQUIREMENTS.

CLASS "C" CEMENT & CLOSED LOOP SYSTEM USED.

\* SPOT 256' - 100'. CIRC INSIDE ?  
CMT OUT 100' TO SURF.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE TITLE Agent Chevron U.S.A. DATE 05 / 19 / 15

Type or print name Monty L. McCarver E-mail address: monty.mccarver@cjes.com PHONE: 713-325-6288

For State Use Only

APPROVED BY: M. L. Brown TITLE Dist. Supervisor DATE 5/20/2015

Conditions of Approval (if any):

MAY 21 2015