

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720

**District III**  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170

**District IV**  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

**State of New Mexico**  
**Energy Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 South St. Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101  
Revised July 18, 2013

**HOBBS OCD**  
**JUN 17 2015**  
**RECEIVED**

☐ AMENDED REPORT

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

<sup>1</sup> Operator Name and Address WESPAC Energy, LLC 8620 N. New Braunsfels, Suite 603 San Antonio, TX 78217		<sup>2</sup> OGRID Number 260245
		<sup>3</sup> API Number <b>30-041-20967</b>
<sup>4</sup> Property Code 314904	<sup>5</sup> Property Name Smith and Wesson	
		<sup>6</sup> Well No. 1

**7. Surface Location**

UL - Lot C	Section 20	Township 3S	Range 33E	Lot Idn	Feet from 501	N/S Line N	Feet From 1705	E/W Line W	County Roosevelt
---------------	---------------	----------------	--------------	---------	------------------	---------------	-------------------	---------------	---------------------

**8. Proposed Bottom Hole Location**

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
----------	---------	----------	-------	---------	-----------	----------	-----------	----------	--------

**9. Pool Information**

<b>5033320 C</b> WC-041 G-05 9033320 C; Fusselman	Pool Name	Pool Code 98139
--	-----------	--------------------

**Additional Well Information**

<sup>11</sup> Work Type N	<sup>12</sup> Well Type O	<sup>13</sup> Cable/Rotary R	<sup>14</sup> Lease Type P	<sup>15</sup> Ground Level Elevation 4290 GR
<sup>16</sup> Multiple	<sup>17</sup> Proposed Depth <b>8900</b>	<sup>18</sup> Formation Fusselman	<sup>19</sup> Contractor UDI	<sup>20</sup> Spud Date June 15, 2015
Depth to Ground water 145'		Distance from nearest fresh water well 1.45 mile		Distance to nearest surface water 9.7 miles

☒ We will be using a closed-loop system in lieu of lined pits

**21. Proposed Casing and Cement Program**



Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
J-55	12.25	8 5/8	32	2800	1420	Circulated
L-80	7 7/8	5 1/2	17	8500	1187	2200

**Casing/Cement Program: Additional Comments**

--

**22. Proposed Blowout Prevention Program**

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram and Hydril	5,000	2000	Cameron

<sup>23</sup> I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that I have complied with 19.15.14.9 (A) NMAC <input type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input type="checkbox"/> , if applicable. Signature: 		<b>OIL CONSERVATION DIVISION</b>	
Printed name: Phelps White		Approved By: 	
Title: Consultant		Title: <b>Petroleum Engineer</b>	
E-mail Address: pwiv@zianet.com		Approved Date: <b>06/26/15</b>	Expiration Date: <b>06/26/17</b>
Date: 5/20/15	Phone: 575 626 7660	Conditions of Approval Attached	

**JUL 01 2015**

**E-Perm Kz**