

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-33882
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name C.D. Woolworth
8. Well Number 11
9. OGRID Number 16696
10. Pool name or Wildcat Langlie Mathis TR QUGB/ Jalmat Tansill Yates TR
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3250'

SUNDRY NOTICES AND REPORTS ON WELLS **HOBBS OGD**
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐
2. Name of Operator
OXY USA Inc.
3. Address of Operator
P.O. Box 50250 Midland, TX 79710
4. Well Location
Unit Letter N : 1185 feet from the South line and 1330 feet from the West line
Section 30 Township 24S Range 37E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3250'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING <SWD INJECTION>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	CONVERSION <input type="checkbox"/>	RBDMS <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	RETURN TO <input type="checkbox"/>	TA <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CSNG <input type="checkbox"/>	ENVIRO <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>		INT TO P&A <input checked="" type="checkbox"/>	CHG LOC <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>		P&A NR <input type="checkbox"/>	P&A R <input type="checkbox"/>
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3760' PBD-3735' Perfs-3161--3349' 3484-3608'
8-5/8" 20# csg @ 479' w/ 260sx, 11" hole, TOC-Surf-Circ
4-1/2" 11.6# csg @ 3760' w/ 1250sx, 7-7/8" hole, TOC-284'-CBL
1. RIH & set CIBP @ 3110', M&P 25sx cmt to 2875'
2. M&P 25sx cmt @ 2750-2500' WOC-Tag
3. M&P 25sx cmt @ 1250-1000' WOC-Tag
4. M&P 25sx cmt @ 550-300' WOC-Tag
4. Perf @ 250' sqz 80sx cmt to surface
10# MLF between plugs
Above ground steel tanks will be utilized

Spud Date:

Rig Release Date:

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 9/14/15

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Malays Brown TITLE Dist Supervisor DATE 9/14/2015
Conditions of Approval (if any)

SEP 15 2015

OXY USA Inc. - Proposed
C.D. Woolworth #11
API No. 30-025-33882

80sx @ 250'-Surface


25sx @ 550-300'

25sx @ 1250-1000' WOC-Tag

25sx @ 2750-2500' WOC-Tag

CIBP @ 3110' w/ 25sx to 2875'

PB-3735'



Perf @ 250'

11" hole @ 479'
8-5/8" csg @ 479'
w/ 260sx-TOC-Surf-Circ

Perfs @ 3161-3349'

Perfs @ 3484-3608'

7-7/8" hole @ 3760'
4-1/2" csg @ 3760'
w/ 1250sx-TOC-284'-CBL

TD-3760'

OXY USA Inc. - Current
C.D. Woolworth #11
API No. 30-025-33882

11" hole @ 479'
8-5/8" csg @ 479'
w/ 260sx-TOC-Surf-Circ

PB-3735'

TD-3760'

Perfs @ 3161-3349'

Perfs @ 3484-3608'

7-7/8" hole @ 3760'
4-1/2" csg @ 3760'
w/ 1250sx-TOC-284'-CBL